


The **KEY** of the instance is **VALUE**

Key (128 characters maximum)	Value (256 characters maximum)
Name	First EC2
Department	Supply
Type	Web

The **NAME** of the instance is **FIRST EC2**


The **DEPARTMENT** of the instance is **SUPPLY**

The **TYPE** of the instance is **WEB**




SECURITY
GROUP

Stateful



TWO KEYS CREATED FOR SSH AFTER LAUNCHING



Go the directory of folder where your key.pem is located

find . -iname firstkey.pem

Connect

Linux/Mac

Git Bash
Windows 10 Powershell

WSL

```
cd Downloads  
ls  
firstkey.pem
```

```
cd \Downloads\  
ls  
firstkey.pem
```



```
cd /mnt/c/Users/Osvaldo/Downloads  
ls  
firstkey.pem  
cp firstkey.pem ~  
cd (go to home directory)  
ls  
firstkey.pem
```

```
chmod 400 firstkey.pem
```

---No chmod 400---

```
chmod 400 firstkey.pem
```

ssh -i firstkey.pem ec2-user@publicIP of Instance






soil = ?

APPLICATION

EC2





cd /var/www/html

+

----- (NOTHING)

----- Index.html

DEFAULT PAGE

CUSTOMIZED PAGE

