Centre No.					Pape	er Refer	ence			Surname	Initial(s)
Candidate No.			6	6	6	3	/	0	1	Signature	

Paper Reference(s)

### 6663/01

## **Edexcel GCE**

# **Core Mathematics C1 Advanced Subsidiary**

Monday 11 January 2010 – Morning

Time: 1 hour 30 minutes

Materials required for examination

Mathematical Formulae (Pink or

**Items included with question papers** 

Nil

Calculators may NOT be used in this examination.

#### **Instructions to Candidates**

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Answer ALL the questions.

You must write your answer to each question in the space following the question.

#### **Information for Candidates**

A booklet 'Mathematical Formulae and Statistical Tables' is provided.

Full marks may be obtained for answers to ALL questions.

Green)

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2).

There are 10 questions in this question paper. The total mark for this paper is 75.

There are 28 pages in this question paper. Any blank pages are indicated.


#### **Advice to Candidates**

You must ensure that your answers to parts of questions are clearly labelled. You should show sufficient working to make your methods clear to the Examiner. Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy. ©2010 Edexcel Limited.

 ${\stackrel{\rm Printer's\ Log.\ No.}{N34854A}}_{W850/R6663/57570}$ 





Examiner's use only

Team Leader's use only

1

2

3

4



advancing learning, changing lives

Given that $y = x^4 + x^{\frac{1}{3}} + 3$ , find $\frac{dy}{dx}$ .	(3)



(a) Expand and simplify $(7 + \sqrt{5})(3 - \sqrt{5})$ .	(3)
(b) Express $\frac{7+\sqrt{5}}{3+\sqrt{5}}$ in the form $a+b\sqrt{5}$ , where a and b are integers.	(3)

3

The line $l_1$ has equation $3x + 5y - 2 = 0$	
The line $i_1$ has equation $3x + 3y - 2 = 0$	
(a) Find the gradient of $l_1$ .	(2)
	(2)
The line $l_2$ is perpendicular to $l_1$ and passes through the point $(3, 1)$ .	
(b) Find the equation of $I$ in the form $y = mx + c$ where $m$ and $c$ are constants	
(b) Find the equation of $l_2$ in the form $y = mx + c$ , where $m$ and $c$ are constants.	(3)

Question 3 continued	Leave blank
	Q3
(Total 5 marks)	

Leave	
blank	

Given that $y = 35$ at	x = 4, find y in terms of	of x, giving each te	rm in its simplest form.	
				(7)

Question 4 continued	Leave blank
	Q4
(Total 7 marks)	

$y - 3x + 2 = 0$ $y^{2} - x - 6x^{2} = 0$ (7)	Solve the simultaneous equations	
$y^2 - x - 6x^2 = 0   (7)$	y-3x+2=0	
· (7)	$y^2 - x - 6x^2 = 0$	
	· ·	(7)

Question 5 continued	Leave blank
	Q5
(Total 7 marks)	

	_
-	7
Leave	- 1
1.11.	-1
blank	- 1

6.	The	curve	C has	equation
•	1110	00110	C III	oquation

$$y = \frac{(x+3)(x-8)}{x}$$
 ,  $x > 0$ 

The curve C has equation  $y = \frac{(x+3)(x-8)}{x} , \quad x > 0$  (a) Find  $\frac{\mathrm{d}y}{\mathrm{d}x}$  in its simplest form.

**(4)** 

(b) Find an equation of the tangent to C at the point where x = 2

**(4)** 


Question 6 continued	Leave blank
	Q6
(Total 8 marks)	

		Leave
7.	Jill gave money to a charity over a 20-year period, from Year 1 to Year 20 inclusive. She gave £150 in Year 1, £160 in Year 2, £170 in Year 3, and so on, so that the amounts of money she gave each year formed an arithmetic sequence.	Oldin
	(a) Find the amount of money she gave in Year 10. (2)	
	(b) Calculate the total amount of money she gave over the 20-year period. (3)	
	Kevin also gave money to the charity over the same 20-year period.	
	He gave $\pounds A$ in Year 1 and the amounts of money he gave each year increased, forming an arithmetic sequence with common difference £30. The total amount of money that Kevin gave over the 20-year period was <b>twice</b> the total amount of money that Jill gave.	
	(c) Calculate the value of $A$ . (4)	
	( <del>*</del> )	

$\mid  ext{ I} \mid$	Leave blank
Question 7 continued	

Question 7 continued	

uestion 7 continued	
	(Total 9 marks)

8.

Leave blank




Figure 1

Figure 1 shows a sketch of part of the curve with equation y = f(x).

The curve has a maximum point (-2, 5) and an asymptote y = 1, as shown in Figure 1.

On separate diagrams, sketch the curve with equation

(a) 
$$y = f(x) + 2$$
 (2)

(b) 
$$y = 4f(x)$$
 (2)


(c) 
$$y = f(x+1)$$
 (3)

On each diagram, show clearly the coordinates of the maximum point and the equation of the asymptote.

16

Question 8 continued	blank

Question 8 continued	Leave blank



Leave
1.11.

9.	(a) Factorise completely $x^3 - 4x$	bla
		(3)
	(b) Sketch the curve C with equation	
	$y=x^3-4x,$	
	showing the coordinates of the points at which the curve meets the <i>x</i> -axis.	(3)
	The point $A$ with $x$ -coordinate $-1$ and the point $B$ with $x$ -coordinate $3$ lie on the cu	rve C.
	(c) Find an equation of the line which passes through A and B, giving your answer	r in the
	form $y = mx + c$ , where m and c are constants.	(5)
	(d) Show that the length of $AB$ is $k\sqrt{10}$ , where $k$ is a constant to be found.	(2)

Question 9 continued	Leave blank

Question 9 continued	Leav blan

Question 9 continued	Leave blank
	Q9
(Total 13 marks)	

).	$f(x) = x^2 + 4kx + (3+11k)$ , where k is a constant.
(a)	Express $f(x)$ in the form $(x + p)^2 + q$ , where p and q are constants to be found in terms of k.
	(3)
Giv	ven that the equation $f(x) = 0$ has no real roots,
(b)	find the set of possible values of $k$ .
	(4)
Giv	yen that $k = 1,$
(c)	sketch the graph of $y = f(x)$ , showing the coordinates of any point at which the graph
	crosses a coordinate axis. (3)

	Leave blank
Question 10 continued	

Question 10 continued		

Q
Q



