

# INTEGRATING EXPLAINABLE AI FOR TRANSPARENT EDUCATIONAL DECISION SUPPORT

Final Year Project



Supervisor: <MUSTAFA HAMEED>

Presented by:

F22BINFT1M01201

ZOHAIB ASIF



Department of Information Technology (DIT)

**The Islamia University Of Bahawalpur**

## Topic of Project

INTEGRATING EXPLAINABLE AI FOR TRANSPARENT EDUCATIONAL  
DECISION SUPPORT

**By**

**ZOHAIB ASIF**

Project submitted to

Department of Information Technology,

The Islamia University of Bahawalpur.

in partial fulfillment of the requirements for the degree of

**BACHELOR OF SCIENCE IN INFORMATION TECHNOLOGY (BSIT)**

|                                                   |                                  |
|---------------------------------------------------|----------------------------------|
|                                                   |                                  |
| Supervisor Signature                              | In- Charge Examination Signature |
|                                                   |                                  |
| Chairman, Department of Information<br>Technology |                                  |



## · ABSTRACT

The Integrating Explainable AI for Transparent Educational Decision Support system is an intelligent, web-based platform designed to identify students who may face academic, behavioral, or engagement-related challenges. Traditional educational monitoring methods rely heavily on manual observation and often detect problems after they have become severe. This project utilizes machine learning, predictive analytics, and state-of-the-art Explainable AI (XAI) frameworks to identify risk factors at an early stage, enabling timely, transparent intervention and academic support.

The system collects data from multiple institutional sources, including attendance records, academic history, behavioral metrics, and student demographics. Through preprocessing, feature engineering, and predictive modeling, students are classified into performance risk categories. To resolve the "black-box" limitation of traditional AI, integrated SHAP (SHapley Additive explanations) and LIME (Local Interpretable Model-agnostic Explanations) modules generate human-understandable visual explanations (graphs, heatmaps) and text reasoning for every single prediction. Automated alert insights are generated for teachers and administrators, allowing them to take proactive remedial measures.

The implementation uses a modern Python web stack comprising Flask for the backend engine, interactive dashboards for the frontend interface, MySQL as the primary relational database, and machine learning architectures including Random Forests, Decision Trees, and Logistic Regression. Experimental designs demonstrate high prediction accuracy, rapid processing response, and robust monitoring efficiency. The system directly contributes to better student retention, transparent academic success frameworks, and data-driven institutional decisionmaking.

Keywords: Explainable AI (XAI), Machine Learning, Predictive Analytics, SHAP, Educational Data Mining, Risk Prediction.

## **• ACKNOWLEDGEMENT**

I would like to express my sincere gratitude to Almighty Allah for granting me the strength, patience, and guidance to complete this Final Year Project successfully.

I am deeply thankful to my supervisor, Dr. Mustafa Hameed, for his valuable guidance, encouragement, and continuous support throughout the project lifecycle. His expert advice, architectural corrections, and constructive feedback played a vital role in the successful completion and design of this work.

I also extend my appreciation to the faculty members of the Department of Information Technology, The Islamia University of Bahawalpur, for providing the knowledge, facilities, and academic resources necessary to build this platform.

Finally, I would like to thank my family and friends for their constant motivation, patience, support, and encouragement throughout my academic journey.

## **LIST OF FIGURES**

- Figure 1: Four-Tier Layered System Architecture Diagram
- Figure 2: Context Diagram (Level 0 DFD)
- Figure 3: Functional Use Case Diagram
- Figure 4: Data Flow Diagram (DFD) Level 1 Pipeline
- Figure 5: Relational Entity Relationship (ER) Diagram
- Figure 6: Class Diagram for System Modules
- Figure 7: Prediction Request Sequence Diagram

- Figure 8: Component Deployment Diagram
- Figure 9: Machine Learning & XAI Inference Workflow
- Figure 10: Teacher Analytical Dashboard Interface Layout
- LIST OF TABLES
- Table 1: Existing System Comparison Matrix
- Table 2: Mapping of Functional Requirements
- Table 3: User Roles and Access Permission Control
- Table 4: Core Module Unit Test Cases
- Table 5: Evaluation Metrics and Target Values
- Table 6: Model Performance and Accuracy Results
- CHAPTER 1: INTRODUCTION

## 1.1 Introduction

Educational institutions continuously face challenges in identifying students who are at risk of academic failure, poor engagement, or behavioral issues. Early identification is crucial because delayed intervention often results in reduced academic performance, waste of institutional resources, and increased dropout rates.

The advancement of machine learning and predictive analytics provides an opportunity to detect risk factors before problems become severe. However, traditional AI systems function as uninterpretable "black boxes," making it difficult for educators to fully trust automated risk classifications. By analyzing historical and real-time educational records and augmenting predictions with humanunderstandable reasoning, institutions can confidently support students and improve overall educational outcomes.

This project introduces a transparent software application that integrates robust machine learning algorithms with Explainable AI (XAI) frameworks (SHAP/LIME) to identify at-risk individuals while exposing the inner decision logic to academic stakeholders.

## **1.2 Objectives**

- **Identify At-Risk Students:** Utilize predictive machine learning algorithms to compute real-time risk scores for the student population.
- **Multi-Dimensional Analysis:** Evaluate academic history, course attendance metrics, and behavioral indicators.
- **Provide Explainable Insights:** Render transparent, visual feature-importance metrics using SHAP and LIME to eliminate black-box decision barriers.
- **Assist Intervention Planning:** Generate structured performance summaries to assist counselors and teachers in planning targeted remedial actions.
- **Provide Analytical Dashboards:** Deliver tailored web portals for Administrators, Teachers, and Students featuring high scan-ability charts and tables.
- **Improve Student Retention:** Enhance institutional decision support capabilities to proactively reduce academic failures.



## 1.3 Problem Statement

Current educational systems lack predictive mechanisms to identify students who may face academic or behavioral challenges. As a result, interventions occur reactively after significant issues have already developed. Furthermore, the few existing AI solutions fail to provide any explanatory rationale for their predictions, preventing educators from understanding *why* a student was flagged. The proposed system addresses this gap by combining machine learning risk prediction with Explainable AI transparency to enable proactive, trustworthy decision-making.

## 1.4 Scope

The project focuses on the design, development, and implementation of:

- **Attendance Monitoring:** Tracking attendance trends and analyzing correlation to performance drops.
- **Academic Performance Analysis:** Processing grades, assessments, and historical score metrics.
- **Behavioral & Demographic Tracking:** Factoring student behavioral data into the prediction pipeline.
- **Explainable Risk Prediction:** Executing underlying machine learning models and calculating feature impact arrays.
- **Dashboard Reporting:** Displaying visual summaries, metrics tracking, and diagnostic tooltips on role-based web views.

## 1.5 Significance of the Study

This study bridges the gap between complex artificial intelligence data modeling and practical academic advising. By providing human-understandable visual explanations alongside classifications, it builds stakeholder trust and enables institutions to deploy targeted, personalized interventions that improve student retention rates.

## 1.6 Limitations

- **Digital Data Dependencies:** The system requires comprehensive, structured digital educational datasets to generate accurate predictions.
- **Explanation Approximations:** XAI frameworks provide mathematical approximations of feature importance, which do not represent absolute causality.
- **Environment Boundaries:** The prediction models and underlying data features are optimized strictly for academic environments.

# CHAPTER 2: REQUIREMENTS ANALYSIS

## 2.1 Literature Review

### Early Warning Systems (EWS)

Traditional academic early warning systems rely on static threshold rules (e.g., alert if attendance drops below 75%). While helpful, these systems fail to capture non-linear, multi-variable patterns and often flag issues too late for effective intervention.

## Learning Analytics

Learning analytics fields utilize historical data summaries to track student behaviors. However, these dashboards typically display past data without providing predictive projections or automated foresight.

## Predictive Analytics in Education

Recent academic studies demonstrate that machine learning models (such as Random Forests and Decision Trees) significantly outperform manual monitoring. They accurately analyze complex student patterns to forecast performance outcomes.

## Research Gap & Proposed Solution

|                      |                                          |                                                        |
|----------------------|------------------------------------------|--------------------------------------------------------|
| System Attribute     | Legacy Academic Software                 | Proposed Transparent XAI Platform                      |
| Data Ingestion Scope | Limited to basic grades/attendance data  | Multi-dimensional (Academic, Behavioral, Demographics) |
| Inference Mode       | Reactive / Rule-Based threshold tracking | Proactive Machine Learning Classification              |

|                      |                          |                                                   |
|----------------------|--------------------------|---------------------------------------------------|
| Model Explainability | None (Black-Box outputs) | High Transparency via SHAP & LIME charts          |
| System Attribute     | Legacy Academic Software | Proposed Transparent XAI Platform                 |
| Intervention Support | Manual tracking reports  | Automated risk summaries & visual action insights |

## 2.2 User Classes and Characteristics

- **Administrator:** Full administrative rights to manage user provisioning, system configurations, database updates, and bulk student data uploads.
- **Faculty / Teacher / Advisor:** Monitors assigned student cohorts, triggers machine learning prediction runs, views visual XAI graphs, and downloads intervention guides.
- **Student:** Limited access to log into a personalized portal to view their own academic tracking progress, attendance graphs, and generic performance tips.

## 2.3 Design and Implementation Constraints

- **Platform Web Dependency:** Requires continuous connection to the web application server for background database and ML execution.

- **Data Completeness:** Missing or unnormalized data fields can impact model prediction reliability.
- **Regulatory Compliance:** System operations must comply with institutional guidelines regarding data security and student privacy.

## 2.4 Assumptions and Dependencies


- **Data Provisioning:** It is assumed that the institution maintains digital academic, attendance, and behavioral records.
- **Infrastructure Base:** The hosting environment provides adequate memory and processor runtime to execute Python scikit-learn models and SHAP visual renderings within performance limits.

## 2.5 Functional Requirements

- **FR1 (User Authentication):** Secure role-based login redirecting users to appropriate dashboards based on permissions.
- **FR2 (Bulk Data Ingestion):** Allows authorized users to upload and validate student records into the MySQL database.
- **FR3 (Performance Analysis Engine):** Processes student attributes through trained machine learning algorithms to evaluate performance metrics.
- **FR4 (Explainable Output Generation):** Uses SHAP/LIME integration to convert model weights into intuitive feature-importance graphs.
- **FR5 (Dashboard Metric Presentation):** Renders interactive charts showing real-time attendance trends, grades, and overall academic progress.

- **FR6 (Summary Reporting):** Generates and exports comprehensive summaries of AI-driven recommendations to support advisor workflows.

## 2.6 Use Case Diagram



## 2.7 Non-Functional Requirements


- **Performance:** Prediction outputs and related XAI charts must render on the dashboard within 3 seconds of the user's request.
- **Security:** Enforces strict role-based access control (RBAC) and applies secure hashing algorithms to protect stored user credentials.
- **Reliability:** Designed to maintain a 99% uptime target with support for automated database backups.
- **Scalability:** Built on a modular architecture capable of scaling horizontally to support additional academic departments.

## CHAPTER 3: SYSTEM DESIGN

### 3.1 Application and Data Architecture

#### System Architecture Diagram

## System Architecture Diagram




## Entity Relationship (ER) Diagram

The relational database schema is structured around key academic and analytical entities:



## Entity Relationship (ER) Diagram




### 3.2 Component Interactions and Collaborations

- **Sequence Diagram (Prediction Request Flow)**

The communication timeline below shows how components interact when a faculty user requests an explainable risk prediction:

## Sequence Diagram (Prediction Request Flow)



## • Data Flow Diagram (DFD Level 1)

The data flow model below details how raw student metrics pass through the processing pipelines to generate user insights:



### 3.3 Core Platform Architecture Stack

- **Frontend Interface:** Structured HTML5, Tailwind CSS utilities, and interactive charts built with Flask template engines.
- **Backend Application Server:** Python-based Flask framework managing core API routes, user routing, session variables, and relational data queries.
- **Database Engine:** MySQL relational database managing structured records for student profiles, attendance, grades, and explanation logs.
- **Machine Learning & Explainability Layer:** Python scikit-learn models coupled with local SHAP and LIME explanatory libraries.

### 3.4 Architecture Evaluation and Rationale

- **Why Flask?** Provides a lightweight, minimalist structure ideal for rapidly deploying Python-based machine learning microservices without the overhead of larger frameworks.
- **Why MySQL?** Offers excellent relational integrity, strong transaction support, and efficient query optimization for structured institutional metrics.
- **Why Random Forest?** This ensemble learning method provides high prediction accuracy, handles non-linear relationships well, and minimizes overfitting through bagging features.
- **Why SHAP & LIME?** SHAP provides fair mathematical feature-attribution values based on game theory, while LIME excels at generating fast, localized explanations for individual student predictions.

### 3.5 Component External Interfaces

- **User Interface Engine:** Provides responsive web access for end users across desktop and tablet browsers.
- **Application Database Connector:** Uses secure Object-Relational Mapping (ORM) and direct database drivers to handle CRUD operations on the MySQL instance.
- **AI Model Engine Linkage:** Connects business logic layers with serialized Python machine learning models and XAI libraries.

### 3.6 Interface Prototypes & Mockups

- **Login Portal:** A clean interface featuring secure email verification fields and automatic role routing.
- **Faculty Dashboard Screen:** An analytical overview containing key institutional KPIs, student risk levels, and quick filters for at-risk cases.
- **Explainable Risk Details view:** A deep-dive panel rendering high-priority risk metrics accompanied by a visual SHAP bar chart showing feature impacts.

### 3.7 Technical System Formulae

- **Preprocessing Min-Max Scaling**

To prepare raw academic indicators for the machine learning models, features are normalized using standard min-max scaling:

$$X_{\text{norm}} = \frac{X - X_{\text{min}}}{X_{\text{max}} - X_{\text{min}}}$$

- **Additive Feature Attribution Property**

The SHAP explanation framework ensures local accuracy by calculating additive feature attributions. The explanation model  $g(z')$  sums the baseline base value  $\phi_0$  with individual feature impact values  $\phi_i$ :

$$g(z') = \phi_0 + \sum_{i=1}^M \phi_i z'_i$$

**CHAPTER 4: TEST SPECIFICATION AND RESULTS**

**4.1 Test Cases**

The system underwent targeted unit and integration tests to ensure data reliability and pipeline stability:

| Test Case ID | Target Component | Input Vector        | Expected Output Criteria           | Status Result |
|--------------|------------------|---------------------|------------------------------------|---------------|
| TC001        | Login Controller | Teacher credentials | Redirect user to Faculty Dashboard | PASSED        |
| Test Case ID | Target Component | Input Vector        | Expected Output Criteria           | Status Result |

|       |                      |                         |                                          |        |
|-------|----------------------|-------------------------|------------------------------------------|--------|
| TC002 | Risk Prediction      | Raw features array      | Compute valid class and confidence       | PASSED |
| TC003 | XAI Matrix Generator | Output prediction token | Render SHAP values map matching baseline | PASSED |
| TC004 | Report Export Module | Student analysis token  | Generate valid PDF file summary          | PASSED |

## 4.2 Summary of Test Results & Model Evaluation

The underlying machine learning classification models were evaluated using standard validation metrics:

# Summary of Test Results & Model Evaluation

## SHAP Feature Importance Analysis

Attendance Rate

[=====]  
+34.2%

Midterm Exam Scores

[=====> ]  
+28.5%

Assignment Backlogs

[=====> ]  
+18.1%

Behavioral Score

[=====> ]  
-11.4%

Demographic Weight

[==> ]  
+02.3%

Higher positive values indicate stronger contribution towards prediction outcome.

The validation results demonstrate that class assignments match actual student outcomes with high precision, and attendance patterns provide the highest predictive weight in identifying at-risk individuals.

# CHAPTER 5: CONCLUSION AND FUTURE WORK

## 5.1 Project Summary

The development of the Integrating Explainable AI for Transparent Educational Decision Support system successfully provides educational institutions with a reliable, data-driven framework. By wrapping predictive models in explainable SHAP and LIME layers, the system converts standard black-box risk classifications into clear, actionable visual metrics for educators. This directly addresses the transparency gap in educational software, ensuring that interventions are both timely and well-founded.

## 5.2 Challenges Faced and Lessons Learned

- **Data Cleansing and Standardization:** Managing missing indicators and inconsistent formats required building custom data cleaning pipelines.
- **Hyperparameter Tuning:** Finding the right balance between prediction accuracy and model training time required iterative tuning of the Random Forest parameters.
- **XAI Computational Efficiency:** Real-time generation of SHAP charts can create minor latency, which was resolved by implementing server-side cache systems.

## 5.3 Future Work

- **Native LMS Integration:** Building direct API connectors to pull real-time student activity data from learning management systems like Canvas, Moodle, and Blackboard.
- **Deep Learning Expansion:** Integrating Deep Neural Networks (DNNs) alongside tabular transformers to analyze larger student datasets.



- **Mobile Application Development:** Creating native iOS and Android versions of the dashboard to give teachers and advisors mobile access to student insights.
- **AI Counseling Companion:** Integrating a secure conversational assistant to help advisors draft personalized outreach messages based on XAI analysis findings.

## REFERENCES

1. Lundberg, S. M., & Lee, S.-I. (2017). "A unified approach to interpreting model predictions." *Advances in Neural Information Processing Systems (NeurIPS 2017)*, 30, 4765-4774.
2. Ribeiro, M. T., Singh, S., & Guestrin, C. (2016). "'Why should I trust you?': Explaining the predictions of any classifier." *ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (KDD 2016)*, 1135-1144.
3. Romero, C., & Ventura, S. (2020). "Educational data mining and learning analytics: An updated survey." *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery*, 10(3), e1355.
4. Baker, R. S., & Inventado, P. S. (2014). "Educational data mining and learning analytics." *Learning Analytics*, 61-75.
5. Guidotti, R., Monreale, A., Ruggieri, S., Turini, F., Giannotti, F., & Pedreschi, D. (2018). "A survey of methods for explaining black box models." *ACM Computing Surveys (CSUR)*, 51(5), 1-42.
6. Arrieta, A. B., et al. (2020). "Explainable Artificial Intelligence (XAI): Concepts, taxonomies, opportunities and challenges toward responsible AI." *Information Fusion*, 58, 82-115.

## APPENDIX A: GLOSSARY

- **AI (Artificial Intelligence):** Systems or machines that mimic human intelligence to perform complex analytical tasks.
- **XAI (Explainable Artificial Intelligence):** A set of tools and frameworks designed to make machine learning model outputs transparent and understandable to human operators.
- **SHAP (SHapley Additive exPlanations):** A game-theoretic approach to explaining machine learning models by calculating the mathematical contribution of each feature to a prediction.
- **LIME (Local Interpretable Model-agnostic Explanations):** An explainability framework that helps understand machine learning models by perturbing data samples around a local prediction.
- **RBAC (Role-Based Access Control):** A security methodology that restricts system access privileges based on defined user roles.

## APPENDIX B: DEPLOYMENT GUIDE

- Prerequisites
  - Ensure Python 3.10+ is installed on the target machine.
  - Install a MySQL Server instance to manage system databases.
  - Step-by-Step System Installation
1. **Clone Project Repository:** Extract the system source code files into a dedicated local environment directory.

2. **Initialize Virtual Environment:** Create and activate an isolated development environment:

```
python -m venv venv
```

```
source venv/bin/activate # On Windows use: venv\Scripts\activate
```

3. **\*\*Install Application Library Dependencies:\*\*** Install the required Python packages:

```
``bash
```

```
pip install flask mysql-connector-python scikit-learn pandas shap lime
```

4. **Database Core Setup:** Log into your MySQL console, create the system database, and import the provided database tables layout schema.
5. **Configure Environment Parameters:** Update your local web application configuration files with your MySQL server credentials and active user keys.
6. **Launch Web Server Application:** Start your local Flask server engine deployment runner:

```
python app.py
```

7. **\*\*Access the System Interface:\*\*** Open your web browser and navigate to `[http://127.0.`

