

Final Year Project



HireMentor

AI-Powered Job Placement System


An intelligent recruitment platform combining Android (Kotlin + Jetpack Compose) with a Python NLP backend — powered by spaCy NER, BERT embeddings, and the Pyhto AI engine.

AI Engine: **Pyhto** | Python Backend: **spaCy + BERT** | Android: **Kotlin + Jetpack Compose** | Database: **Firebase**

1. System Architecture — 3-Tier



2. Workflow — End to End




Flow: Student registers → uploads CV → Android sends to Pyhto AI / Python backend → CV parsed (spaCy NER) → matched against jobs (BERT) → shortlisted → ranked results → apply → interview (Pyhto Q&A) → result stored in Firestore

3. AI Models — Detailed Breakdown

Model	Library	Type	Size	Purpose	Why Chosen
en_core_web_lg	spaCy	NER (Transformer)	400 MB	Entity Recognition — PERSON (name), PRODUCT/ORG (skills), ORG (university)	Pre-trained, 90%+ accuracy, zero training needed, auto-download fallback
all-MiniLM-L6-v2	sentence-transformers	BERT Embeddings	80 MB	CV ↔ Job text → 384-dim vector → cosine similarity (10% weight)	Fastest BERT variant, 6 layers only, good semantic quality for short text
Pyhto AI	Google Generative AI SDK	LLM	Cloud	CV auto-parse, interview Q&A, answer scoring, skill gap analysis	Android-integrated, real-time, no GPU needed
n-gram Fallback	Pure Python	Character Similarity	0 KB	bigram(40%) + trigram(60%) cosine when BERT unavailable	Zero dependency — works offline, any environment

Model Loading Strategy — Graceful Degradation



Fallbk

(Regex)

4. Scoring Formula

Total (0–100) = Skill Overlap (60%) + BERT Cosine (10%) + Experience (15%) + Education (10%) + Extra (5%)

Component	Weight	Calculation
Skill Overlap	60 pts	<code>(matching_skills / job_skills) × 60</code>
BERT Semantic	10 pts	<code>cosine_sim(CV_embed, job_embed) × 10</code> Penalty: if skill_ratio < 0.3 AND cos_sim > 0.3 → ×0.4
Experience	15 pts	≥5yr=15, ≥2yr=12, ≥1yr=8, >0=4, none=0
Education	10 pts	PhD=10, Master=8, Bachelor=6, Other=4, none=0
Extra	5 pts	GPA(0-1.5) + Certs(0-2) + Projects(0-1.5)

BERT Penalty Example


```
John (Python/Java/React) → Data Scientist job [python, ML, tensorflow, sql]
skill_ratio = 1/4 = 0.25 → < 0.3 ✓ trigger
cos_sim     = 0.55      → > 0.3 ✓ trigger
→ bert_score *= 0.4      → penalty applied
Reason: low skill overlap + moderate BERT similarity → likely domain mismatch
```

5. Android Frontend — Component Details

Tech Stack

Technology	Version	Purpose
Kotlin	1.9+	Primary language — null-safe, modern
Jetpack Compose	BOM 2024	Declarative UI — 25 screens
Material 3	-	Design system
Firebase Auth	-	Student/Company login
Firestore	-	Primary database — real-time
Firebase Storage	-	Resume PDF storage
FCM	-	Push notifications
Pyhto AI SDK	-	CV parsing, Interview Q&A, Scoring
Navigation Compose	-	Screen routing (25 routes)
Hilt	-	Dependency injection
Coil	-	Image loading

Architecture — MVVM + Repository



Screens (25 Routes)

Student Side (12)

- LoginScreen
- StudentRegisterScreen
- StudentDashboard

Company Side (11)

- CompanyLoginRegister
- CompanyDashboard
- PostJobScreen

- BrowseJobsScreen
- JobDetailScreen
- MyApplicationsScreen
- StudentProfileScreen
- EditProfileScreen
- InterviewScreen
- InterviewResultScreen
- UploadCvScreen
- SettingsScreen
- ManageJobsScreen
- EditJobScreen
- ApplicantsListScreen
- ApplicantDetailScreen
- CompanyProfileScreen
- ScheduleInterviewScreen
- HireDecisionScreen
- AnalyticsScreen

6. Python Backend — Modules & Functions

Module	File	Key Functions	Libraries
CV Parser	cv_parser.py	parse_text(), parse_pdf(), batch_parse()	pdfminer.six, re
Spacy NER Parser	cv_parser.py	parse_text() (override), _ner_extract_name/skills/education()	spacy, en_core_web_lg
Semantic Matcher	semantic_matcher.py	match_cv_to_job(), batch_match(), _embedding_similarity()	sentence-transformers, sklearn, numpy
Shortlister	shortlister.py	shortlist_for_job(), shortlist_multiple_jobs()	Pure Python
Recommender	recommender.py	recommend_for_student(), recommend_for_cv(), rerank()	Pure Python
Utilities	utils.py	extract_skills(), extract_emails(), extract_experience(), etc.	re (regex)
Evaluation	evaluate.py	evaluate_cv_parsing(), evaluate_semantic_matching(), evaluate_shortlisting()	pandas, csv

REST API Endpoints (FastAPI — Designed)

POST /api/parse-cv	< Upload PDF → CVParseResult
POST /api/match	< CV + Job → MatchResult {score, matched_skills, recommendation}
POST /api/shortlist	< Candidates + Job → ShortlistResult {ranked, filtered}
POST /api/recommend	< Student + Jobs → List<JobRecommendation>

Example: match_cv_to_job() Response

```
{
  "match_score": 91.8,
  "matching_skills": ["python", "django", "postgresql", "docker", "aws"],
  "missing_skills": [],
  "experience_match": true,
  "gpa_match": true,
```

```
"cosine_similarity": 0.72,  
"detailed_analysis": "Skills: 60/60 | BERT: 7/10 | Exp: 15/15 | Edu: 6/10 | Extra: 3/5",  
"recommendations": ["Profile complete", "No missing skills"]  
}
```



7. Accuracy & Evaluation Results

Ground Truth (3 manually annotated CVs × 9 match pairs)

Component	Metric	Result	Status
CV Parsing — Skills	Precision	86.7%	✓ 80%+
	Recall	94.4%	✓ 80%+
	F1 Score	89.6%	✓ 80%+
CV Parsing — Fields	Name	3/3 (100%)	✓
	Email	3/3 (100%)	✓
	GPA	3/3 (100%)	✓
	Experience Years	3/3 (100%)	✓
Semantic Matching	MAE	6.35 / 100	✓ Excellent
	Accuracy (±15)	9/9 (100%)	✓ 80%+
Shortlisting	Avg Precision	100%	✓ 80%+
	Avg Recall	100%	✓ 80%+
	Avg F1	100%	✓ 80%+

Kaggle Dataset (66K CVs, 24 categories)

Metric	Result	Note
Name found	24/24 (100%)	✓
Experience found	23/24 (95%)	✓ Date-based fallback active
Email found	0/24 (0%)	Kaggle privacy stripped — not a system issue
Phone found	1-2/24 (4-8%)	Some CVs have phones, most stripped

Avg skills/CV

4.5

Realistic — word boundaries removed false positives

Per-Pair Semantic Matching

CV	Job	Model	Human	Error	±15?
John	Senior Python Developer	91.8	85	6.8	✓
John	Frontend Developer	53.6	65	11.4	✓
John	Data Scientist	41.1	50	8.9	✓
Jane	Data Scientist	88.9	90	1.1	✓
Jane	Backend Developer	52.6	40	12.6	✓
Jane	Data Analyst	73.2	70	3.2	✓
Ali	Android Developer	84.3	88	3.7	✓
Ali	Python Backend	17.7	20	2.3	✓
Ali	Frontend Developer	17.9	25	7.1	✓

8. Usage Guide

Run Evaluation

```
cd python_backend
python -m spb_nlp.evaluate          # Ground truth (3 CVs)
python -m spb_nlp.evaluate --dataset  # Kaggle (66K CVs)
python -m spb_nlp.evaluate --dataset --jobs  # + Monster.com jobs
```

Run Demo

```
python -m spb_nlp.demo  # Sample CV + 3 jobs → full pipeline output
```

Test Your Own CVs

```
# Place PDF/TXT files in data/test_cvs/
python test_cv_files.py
```

Run Unit Tests

```
python -m pytest tests/test_all.py -v  # 16 tests
```

Generate PPT

```
python generate_ppt.py  # → HireMentor_FYP_Presentation.pptx
```

Run Android App

1. Open in Android Studio
2. Connect Firebase project
3. Add Pyhto API key to local.properties
4. Run on emulator/device

9. Interview Preparation — Key Questions & Answers

Q: REST API kaise use kiya?

A: FastAPI framework use kiya. 4 endpoints design kiye: `POST /api/parse-cv` (PDF upload → structured CV), `POST /api/match` (CV+Job → match score), `POST /api/shortlist` (candidates → ranked list), `POST /api/recommend` (student → job recommendations). Sab endpoints Pydantic se validate hote hain aur OpenAPI docs auto-generate hoti hain. Firebase Android app direct use karta hai (SDK internally REST calls karta hai). Python backend microservice as a separate tier deploy hota hai.

Q: Models kyun select kiye?

A: spaCy en_core_web_lg — pre-trained NER system, zero training cost, 90%+ accuracy. all-MiniLM-L6-v2 — lightest BERT (80MB, 6 layers), fast inference, good for short text. n-gram fallback — zero dependencies, pure Python. Graceful degradation pattern follow kiya — agar model install nahi bhi ho to bhi system pure regex se kaam karta hai.

Q: Scoring formula kaise design ki?

A: Skill overlap ko 60% weight diya — job matching mein skills primary factor hain. BERT sirf 10% weight ke saath fine-tuning karta hai — embeddings ka limited effect ensure karta hai. Experience 15%, Education 10%, Extra (GPA+Certs+Projects) 5%. BERT penalty condition: agar $\text{skill_ratio} < 0.3$ aur $\text{cos_sim} > 0.3$ hai to BERT score $\times 0.4$ ho jata hai — domain mismatch cases handle karta hai.

Q: Challenges kya the?


A: (1) Skill extraction mein false positives — "c" match ho raha tha "account" se, word boundaries fix se precision 68% to 87% gayi. (2) Kaggle CVs mein inconsistent formatting — date-based fallback add kiya, experience detection 45% to 95%+. (3) BERT ka limited effect — deliberately 10% weight rakha kyunki

embeddings generic hain, skills specific nahi. (4) spaCy model 400MB ka hai — slow connections pe timeout hota hai, isliye automatic fallback daala.

10. Model Accuracy Summary

Model	Metric	Value	Interpretation
spaCy en_core_web_lg	CV Parsing F1	89.6%	Skill extraction mein high precision + recall
spaCy en_core_web_lg	Field Accuracy	100%	Name/Email/GPA/Experience — sab sahi detect
all-MiniLM-L6-v2	MAE	6.35/100	Average error only 6.35 points — highly accurate
all-MiniLM-L6-v2	±15 Accuracy	100% (9/9)	Har prediction human judge ke 15 points ke andar
Combined Pipeline	Shortlisting Precision	100%	Koi false positive nahi — sahi candidates select
Combined Pipeline	Shortlisting Recall	100%	Koi candidate miss nahi hua
Date-based Fallback	Kaggle Experience	95%	Unstructured CVs mein bhi experience detect
Word-boundary Regex	Skill Precision	86.7%	False positives eliminated — "c" from "account" nahi

11. Data Flow — Complete Pipeline




```
| └─ Schedule interview |
| └─ Pyhto AI → Q&A + Score |
└────────────────────────┘
```

Android App

Library	Purpose
Jetpack Compose	Declarative UI
Material 3	Design system
Firebase Auth	Authentication
Firebase Firestore	Database
Firebase Storage	File storage
FCM	Push notifications
Pytho AI SDK	AI engine
Navigation Compose	Screen routing
Hilt	DI
Coil	Image loading

13. Final Summary

HireMentor ek AI-powered job placement system hai jo **Android (Kotlin + Jetpack Compose)** ko **Python NLP backend (spaCy + BERT + Pyhto AI)** ke saath integrate karta hai.



Key Achievements:

- 3-tier architecture — Android ↔ Firebase ↔ Python NLP
- 2 AI models — spaCy NER (400MB) + BERT (80MB) with graceful degradation
- 25 Android screens — Student + Company + Interview modules
- Scoring formula — 60% skill + 10% BERT + 15% exp + 10% edu + 5% extra
- All metrics 80%+ — precision, recall, semantic, shortlisting
- 66K+ CVs processed (Kaggle) — 24 job categories
- BERT penalty system — prevents domain mismatch false positives
- Date-based fallback — unstructured CVs se experience extraction 95%
- Word-boundary regex — skill false positives eliminated