Assignment

Name :

Zoha Malik

Subject :

Programming Fundamental

Department :

BS - CS (E-section)

Submitted to :

Sir Asad

Scanned with CamScanner

Task-1

Program-1

```
#include <iostream>
using namespace std;
int main( )
{
    char Letter;
   Letter = 'A';
   Cout << letter<<'\n';
    Letter = 'B';
   Cout <<letter <<'\n';
    Cin >> letter;
     return 0;
}
```

Output A
B

Scanned with CamScanner

Program-2

```
#include <iostream>
using namespace std;
int main()
{
    char letter;
    Letter = 65;
    Cout << letter << '\n';
    Letter = 66;
    Cout << letter << '\n';
    Cin >> letter;
    return 0;
}
```

output = A
B

Program-3

```
#include<iostream>
using namespace std;
int main()
{
```

Scanned with CamScanner

```
int letter;
letter = 'A';
cout << letter << '\n';
letter = 'B';
cout << letter << '\n';
cin >> letter;
return 0;
}
```

Output = 65
66

Task-2 :-

```
#include <iostream>
using namespace std;
int main()
{
    int a,b;
cout << "Enter two integers: ";
cin >> a >> b; <<endl;
cout << a << "+" << b << "=" << a+b
<< endl;
cout << a << "-" << b << "=" << a-b
<< endl;
```

Output:-
Enter two integers: 10 5
10+5 = 15
10-5 = 5

Scanned with CamScanner

```
cout << a << "*" << b << " = " << a * b <<
  endl;
cout << a << "/" << b << " = " << a/b <<
      endl;
   return 0;
}
```

Task-3:-

```
#include "stdafx.h"
#include <iostream>
using namespace std;
int main ( )
{
   int val1;
   int val2;
   int val3;
  cout << please enter your 3 numbers;
  cin >> val1 >> val2 >> val3;

  cout << val1 << "\n" << val2 << "\n" << val
    << "\n";
 cout << val3 << "\n" << val2 << "\n" <<
    val1 << "\n";
  System ("Pause");
   return 0;
}
```

Output:- Plz enter your 3 numbers

1
2
3
3
2
1

Scanned with CamScanner

Task 4:-

```
#include<iostream>
#include<cmath>
using namespace std;
int main()
{
double x1,y1,x2,y2,d;
Cout << "Enter x1: ;"
Cin >> x1;
Cout<< "Enter y2 : ;"
Cin >> y1;
Cout << "Enter x2: ;"
Cin >>  x2;
Cout << "Enter y2 : ;"
Cin >>  y2;
d = Squareroot ((x2-x1)*(x2-x1)+
                (y2-y1)* (y2 -y1))
Cout << "Distance =" << d << endl;
    return 0;
}
```

Outputs:-

```
Enter x1:2
Enter y1:3
Enter x2: 5
Enter y2: 6
Distance = 4.24264
```

Scanned with CamScanner

Task-6 :-

```
#include <iostream>
using namespace std;
int main()
{
  //1 Area of circle
    float r = 5;
  float circle = 3.14*r*r;
  //2 Area of Rectangle
  float length = 10 width = 5;
  float rectangle = length*width
  //3. Area of Triangle
  float base = 5, height = 6;
  float triangle = 0.5*base*height
  Cout << "Area of circle = " << circle << en
      return;
}
```

Output:-

Area of circle
Area of rectangle
Area of triangle

Task-6 :-

```
#include <iostream>
using namespace std;
int main()
{
  item 1 = 12.95;
```

Scanned with CamScanner

item 2 = 24-95;
item3 = 6-95;
item4 = 14-95;
item5 = 2-94;

Subtotal = item1 + item2 + item3 + item4 + item5

double sales-tax = subtotal * 0.06;

double total = subtotal + sales-tax;

cout << "price of item1 = $" << item1 << endl;
cout << "price of item2 = $" << item2 << endl;
cout << "price of item3 = $" << item3 << endl;
cout << "price of item4 = $" << item4 << endl;
cout << "price of item5 = $" << item5 << endl;
cout << "subtotal = $" << subtotal << endl;
cout << "sales-tax(6%) = $" << sales-tax << e
cout << "total = $" << total << endl;

return 0;

}

Scanned with CamScanner

Task 6:- Program-2

```
#include<iostream>
using namespace std;
int main():
{
   char ch;
Cout<<"Enter a small alphabet:";
    cin>>ch;
    ch = ch-32;
Cout<<"upper case alphabet :"ch<<endl
      return 0;
}
```

Output:-

```
Enter a small alphabet : b
upper case alphabet : B
```

Scanned with CamScanner