API-BASKETBALL (1.3.4)

support: https://dashboard.api-football.com | URL: https://www.api-basketball.com

Introduction

Welcome to Api-Basketball! You can use our API to access all API endpoints, which can get information about Basketball Leagues & Cups.

We have language bindings in C, C#, cURL, Dart, Go, Java, Javascript, NodeJs, Objective-c, OCaml, Php, PowerShell, Python, Ruby, Shell and Swift! You can view code examples in the dark area to the right, and you can switch the programming language of the examples with the tabs in the top right.

Authentication

We uses API keys to allow access to the API. You can register a new API key in rapidapi or directly on our dashboard.

The accounts on **RapidAPI** and on our **Dashboard** are dissociated. Each of these registration methods has its own **URL** and **API-KEY**. You must therefore adapt your scripts according to your subscription by adapting the URL and your API-KEY.

RAPIDAPI : https://api-basketball.p.rapidapi.com/

API-SPORTS : https://v1.basketball.api-sports.io/

Our API expects for the API key to be included in all API requests to the server in a header that looks like the following:

> Make sure to replace `XxXxXxXxXxXxXxXxXxXxXxXx` with your API key.

REQUESTS HEADERS & CORS

The API is configured to work only with **GET** requests and allows only the headers listed below:

- `x-rapidapi-host`
- `x-rapidapi-key`
- `x-apisports-key`

If you make non-GET requests or add headers that are not in the list, you will receive an error from the API.

Some frameworks *(especially in JS, nodeJS..)* automatically add extra headers, you have to make sure to remove them in order to get a response from the API.

RAPIDAPI Account

All information related to your subscription are available on the rapidApi developer dashboard.

The RapidAPI developer dashboard is where you can see all of your apps, locate API keys, view analytics, and manage billing settings.

To access the dashboard, simply login to RapidAPI and select 'My Apps' in the top-right menu. Alternatively, you can head directly to https://rapidapi.com/developer/dashboard.

In the main dashboard, you will see account-wide analytics and account information. To get more detailed information, you can select tabs on the left-hand side of the screen.

App Specific Analytics

Using the RapidAPI dashboard, you can also view analytics specific to each app in your account. To do so, switch over to the 'Analytics' tab of your application in the dashboard.

On the top of the page, you'll be able to see a chart with all the calls being made to all the APIs your app is connected to. You'll also be able to see a log with all the request data. You are also able to filter these analytics to only show certain APIs within the app.

In each graph, you can view the following metrics:

- `API Calls`: how many requests are being made
- `Error rates`: how many requests are error some
- `Latency`: how long (on average) requests take to execute

You may change the time period you're looking at by clicking the calendar icon and choosing a time range.

Headers sent as response

When consuming our API, you will always receive the following headers appended to the response:

- `server`: The current version of the API proxy used by RapidAPI.

- `x-ratelimit-requests-limit` : The number of requests the plan you are currently subscribed to allows you to make, before incurring overages.
- `x-ratelimit-requests-remaining` : The number of requests remaining before you reach the limit of requests your application is allowed to make, before experiencing overage charges.
- `X-RapidAPI-Proxy-Response` : This header is set to true when the RapidAPI proxy generates the response, (i.e. the response is not generated from our servers)

API-SPORTS Account

If you decided to subscribe directly on our site, you have a dashboard at your disposal at the following url: dashboard

It allows you to:

- To follow your consumption in real time
- Manage your subscription and change it if necessary
- Check the status of our servers
- Test all endpoints without writing a line of code.

You can also consult all this information directly through the API by calling the endpoint `status` .

> This call does not count against the daily quota.

```
get("https://v1.basketball.api-sports.io/status");

// response
{
    "get": "status",
    "parameters": [],
    "errors": [],
    "results": 1,
    "response": {
        "account": {
            "firstname": "xxxx",
            "lastname": "XXXXXX",
            "email": "xxx@xxx.com"
        },
        "subscription": {
            "plan": "Free",
            "end": "2020-04-10T23:24:27+00:00",
            "active": true
        },
        "requests": {
            "current": 12,
            "limit_day": 100
        }
    }
}
```

Headers sent as response

When consuming our API, you will always receive the following headers appended to the response:

- `x-ratelimit-requests-limit` : The number of requests allocated per day according to your subscription.
- `x-ratelimit-requests-remaining` : The number of remaining requests per day according to your subscription.
- `X-RateLimit-Limit` : Maximum number of API calls per minute.
- `X-RateLimit-Remaining` : Number of API calls remaining before reaching the limit per minute.

Dashboard



UP TO 50% OFF

For any subscription according to the chosen duration

Subscribe with Crypto

You can subscribe to any of our plans with your favorite cryptocurrency.

How ?

Tweets from @ApiFootball

API-SPORTS @ApiFootball · Oct 6

A new api is coming 🏈

6 9

API-SPORTS @ApiFootball · Jun 9

New release available for API-FOOTBALL 🚀

what's new?
➡ New endpoints
➡ In-play odds available
➡ More parameters for fixtures endpoints

api-football.com
API-FOOTBALL - NEW RELEASE -...

8 6

```
10:24 ○ leagues/id=1 #Handball
10:24 ○ v3/leagues/seasons #Football
10:24 ○ leagues/id=1 #NFL
10:24 ○ leagues/id=1 #Volleyball
10:24 ○ leagues/id=1 #Rugby
10:24 ○ leagues/id=1 #Basketball
10:24 ○ leagues/id=1 #Baseball
10:24 ○ competitions/id=1 #Formula-1
10:24 ○ leagues/id=1 #Hockey
10:24 ○ v3/leagues?id=1 #Football
```

Requests



API-FOOTBALL

MEGA PLAN
150 000 Requests per day

Quota reset in
(00h00 UTC time)
13H32

Daily Requests
1% Used

Remaining Requests
148 494

Monthly Requests
Last Update 2022-11-02, 10:20:05

2022-10-20
● Requests: 3158

Last 1510 Requests

Show 10 entries

Search:

Architecture



Sample Scripts

Here are some examples of how the API is used in the main development languages.

You have to replace `{endpoint}` by the real name of the endpoint you want to call, like `leagues` or `games` for example.

Also you will have to replace `XxXxXxXxXxXxXxXxXxXxXxXx` with your API-KEY provided in the dashboard or on rapidapi.

C

`libcurl`

```
CURL *curl;
CURLcode res;
curl = curl_easy_init();
if(curl) {
  curl_easy_setopt(curl, CURLOPT_CUSTOMREQUEST, "GET");
  curl_easy_setopt(curl, CURLOPT_URL, "https://v1.basketball.api-sports.io/{endp
  curl_easy_setopt(curl, CURLOPT_FOLLOWLOCATION, 1L);
  curl_easy_setopt(curl, CURLOPT_DEFAULT_PROTOCOL, "https");
  struct curl_slist *headers = NULL;
  headers = curl_slist_append(headers, "x-rapidapi-key: XxXxXxXxXxXxXxXxXxXxXxXx
  headers = curl_slist_append(headers, "x-rapidapi-host: v1.basketball.api-sport
  curl_easy_setopt(curl, CURLOPT_HTTPHEADER, headers);
  res = curl_easy_perform(curl);
}
curl_easy_cleanup(curl);
```

C#

`RestSharp`

```
var client = new RestClient("https://v1.basketball.api-sports.io/{endpoint}");
client.Timeout = -1;
var request = new RestRequest(Method.GET);
request.AddHeader("x-rapidapi-key", "XxXxXxXxXxXxXxXxXxXxXxXx");
request.AddHeader("x-rapidapi-host", "v1.basketball.api-sports.io");
IRestResponse response = client.Execute(request);
Console.WriteLine(response.Content);
```

cURL

`Curl`

```
curl --request GET \
    --url https://v1.basketball.api-sports.io/{endpoint} \
    --header 'x-rapidapi-host: v1.basketball.api-sports.io' \
    --header 'x-rapidapi-key: XxXxXxXxXxXxXxXxXxXxXxXx'
```

Dart

`http`

```
var headers = {
  'x-rapidapi-key': 'XxXxXxXxXxXxXxXxXxXxXxXx',
  'x-rapidapi-host': 'v1.basketball.api-sports.io'
```

```
};
var request = http.Request('GET', Uri.parse('https://v1.basketball.api-sports.io

request.headers.addAll(headers);

http.StreamedResponse response = await request.send();

if (response.statusCode == 200) {
  print(await response.stream.bytesToString());
}
else {
  print(response.reasonPhrase);
}
```

Go

Native

```
package main

import (
  "fmt"
  "net/http"
  "io/ioutil"
)

func main() {

  url := "https://v1.basketball.api-sports.io/{endpoint}"
  method := "GET"

  client := &http.Client {
  }
  req, err := http.NewRequest(method, url, nil)

  if err != nil {
    fmt.Println(err)
    return
  }
  req.Header.Add("x-rapidapi-key", "XxXxXxXxXxXxXxXxXxXxXxXx")
  req.Header.Add("x-rapidapi-host", "v1.basketball.api-sports.io")
  res, err := client.Do(req)
  if err != nil {
    fmt.Println(err)
    return
  }
  defer res.Body.Close()

  body, err := ioutil.ReadAll(res.Body)
  if err != nil {
    fmt.Println(err)
    return
  }
  fmt.Println(string(body))
}
```

Java

OkHttp

```
var myHeaders = new Headers();
myHeaders.append("x-rapidapi-key", "XxXxXxXxXxXxXxXxXxXxXxXx");
myHeaders.append("x-rapidapi-host", "v1.basketball.api-sports.io");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};
```

Unirest

```
Unirest.setTimeouts(0, 0);
HttpResponse<String> response = Unirest.get("https://v1.basketball.api-sports.io
  .header("x-rapidapi-key", "XxXxXxXxXxXxXxXxXxXxXxXx")
  .header("x-rapidapi-host", "v1.basketball.api-sports.io")
  .asString();
```

Javascript

Fetch

```
var myHeaders = new Headers();
myHeaders.append("x-rapidapi-key", "XxXxXxXxXxXxXxXxXxXxXxXx");
myHeaders.append("x-rapidapi-host", "v1.basketball.api-sports.io");

var requestOptions = {
  method: 'GET',
  headers: myHeaders,
  redirect: 'follow'
};

fetch("https://v1.basketball.api-sports.io/{endpoint}", requestOptions)
  .then(response => response.text())
  .then(result => console.log(result))
  .catch(error => console.log('error', error));
```

jQuery

```
var settings = {
  "url": "https://v1.basketball.api-sports.io/{endpoint}",
  "method": "GET",
  "timeout": 0,
  "headers": {
    "x-rapidapi-key": "XxXxXxXxXxXxXxXxXxXxXxXx",
    "x-rapidapi-host": "v1.basketball.api-sports.io"
  },
};

$.ajax(settings).done(function (response) {
  console.log(response);
});
```

XHR

```
var xhr = new XMLHttpRequest();
xhr.withCredentials = true;
xhr.addEventListener("readystatechange", function() {
  if(this.readyState === 4) {
    console.log(this.responseText);
  }
});

xhr.open("GET", "https://v1.basketball.api-sports.io/%7Bendpoint%7D");
xhr.setRequestHeader("x-rapidapi-key", "XxXxXxXxXxXxXxXxXxXxXxXx");
xhr.setRequestHeader("x-rapidapi-host", "v1.basketball.api-sports.io");

xhr.send();
```

NodeJs

`Axios`

```
var axios = require('axios');

var config = {
  method: 'get',
  url: 'https://v1.basketball.api-sports.io/{endpoint}',
  headers: {
    'x-rapidapi-key': 'XxXxXxXxXxXxXxXxXxXxXxXx',
    'x-rapidapi-host': 'v1.basketball.api-sports.io'
  }
};

axios(config)
.then(function (response) {
  console.log(JSON.stringify(response.data));
})
.catch(function (error) {
  console.log(error);
});
```

`Native`

```
var https = require('follow-redirects').https;
var fs = require('fs');

var options = {
  'method': 'GET',
  'hostname': 'v1.basketball.api-sports.io',
  'path': '/{endpoint}',
  'headers': {
    'x-rapidapi-key': 'XxXxXxXxXxXxXxXxXxXxXxXx',
    'x-rapidapi-host': 'v1.basketball.api-sports.io'
  },
  'maxRedirects': 20
};

var req = https.request(options, function (res) {
  var chunks = [];

  res.on("data", function (chunk) {
    chunks.push(chunk);
  });

  res.on("end", function (chunk) {
    var body = Buffer.concat(chunks);
    console.log(body.toString());
  });

  res.on("error", function (error) {
    console.error(error);
  });
});

req.end();
```

Requests

```
var request = require('request');
var options = {
  'method': 'GET',
  'url': 'https://v1.basketball.api-sports.io/{endpoint}',
  'headers': {
    'x-rapidapi-key': 'XxXxXxXxXxXxXxXxXxXxXxXx',
    'x-rapidapi-host': 'v1.basketball.api-sports.io'
  }
};
request(options, function (error, response) {
  if (error) throw new Error(error);
  console.log(response.body);
});
```

Unirest

```
var unirest = require('unirest');
var req = unirest('GET', 'https://v1.basketball.api-sports.io/{endpoint}')
  .headers({
    'x-rapidapi-key': 'XxXxXxXxXxXxXxXxXxXxXxXx',
    'x-rapidapi-host': 'v1.basketball.api-sports.io'
  })
  .end(function (res) {
    if (res.error) throw new Error(res.error);
    console.log(res.raw_body);
  });
```

Objective-c

`NSURLSession`

```
#import <Foundation/Foundation.h>

dispatch_semaphore_t sema = dispatch_semaphore_create(0);

NSMutableURLRequest *request = [NSMutableURLRequest requestWithURL:[NSURL URLWit
  cachePolicy:NSURLRequestUseProtocolCachePolicy
  timeoutInterval:10.0];
NSDictionary *headers = @{
  @"x-rapidapi-key": @"XxXxXxXxXxXxXxXxXxXxXxXx",
  @"x-rapidapi-host": @"v1.basketball.api-sports.io"
};

[request setAllHTTPHeaderFields:headers];

[request setHTTPMethod:@"GET"];

NSURLSession *session = [NSURLSession sharedSession];
NSURLSessionDataTask *dataTask = [session dataTaskWithRequest:request
completionHandler:^(NSData *data, NSURLResponse *response, NSError *error) {
  if (error) {
    NSLog(@"%@", error);
    dispatch_semaphore_signal(sema);
  } else {
    NSHTTPURLResponse *httpResponse = (NSHTTPURLResponse *) response;
    NSError *parseError = nil;
    NSDictionary *responseDictionary = [NSJSONSerialization JSONObjectWithData:d
    NSLog(@"%@",responseDictionary);
    dispatch_semaphore_signal(sema);
  }
}];
[dataTask resume];
dispatch_semaphore_wait(sema, DISPATCH_TIME_FOREVER);
```

OCaml

Cohttp

```
open Lwt
open Cohttp
open Cohttp_lwt_unix

let reqBody =
  let uri = Uri.of_string "https://v1.basketball.api-sports.io/%7Bendpoint%7D" i
  let headers = Header.init ()
    |> fun h -> Header.add h "x-rapidapi-key" "XxXxXxXxXxXxXxXxXxXxXxXx"
    |> fun h -> Header.add h "x-rapidapi-host" "v1.basketball.api-sports.io"
  in
  Client.call ~headers `GET uri >>= fun (_resp, body) ->
  body |> Cohttp_lwt.Body.to_string >|= fun body -> body

let () =
  let respBody = Lwt_main.run reqBody in
  print_endline (respBody)
```

Php

cURL

```
$curl = curl_init();

curl_setopt_array($curl, array(
  CURLOPT_URL => 'https://v1.basketball.api-sports.io/{endpoint}',
  CURLOPT_RETURNTRANSFER => true,
  CURLOPT_ENCODING => '',
  CURLOPT_MAXREDIRS => 10,
  CURLOPT_TIMEOUT => 0,
  CURLOPT_FOLLOWLOCATION => true,
  CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
  CURLOPT_CUSTOMREQUEST => 'GET',
  CURLOPT_HTTPHEADER => array(
    'x-rapidapi-key: XxXxXxXxXxXxXxXxXxXxXxXx',
    'x-rapidapi-host: v1.basketball.api-sports.io'
  ),
));

$response = curl_exec($curl);

curl_close($curl);
echo $response;
```

Request2

```
<?php
require_once 'HTTP/Request2.php';
$request = new HTTP_Request2();
$request->setUrl('https://v1.basketball.api-sports.io/{endpoint}');
$request->setMethod(HTTP_Request2::METHOD_GET);
$request->setConfig(array(
  'follow_redirects' => TRUE
));
$request->setHeader(array(
  'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx',
  'x-rapidapi-host' => 'v1.basketball.api-sports.io'
));
try {
  $response = $request->send();
  if ($response->getStatus() == 200) {
    echo $response->getBody();
  }
  else {
    echo 'Unexpected HTTP status: ' . $response->getStatus() . ' ' .
    $response->getReasonPhrase();
  }
}
catch(HTTP_Request2_Exception $e) {
  echo 'Error: ' . $e->getMessage();
}
```

`Http`

```
$client = new http\Client;
$request = new http\Client\Request;
$request->setRequestUrl('https://v1.basketball.api-sports.io/{endpoint}');
$request->setRequestMethod('GET');
$request->setHeaders(array(
    'x-rapidapi-host' => 'v1.basketball.api-sports.io',
    'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));
$client->enqueue($request)->send();
$response = $client->getResponse();
echo $response->getBody();
```

PowerShell

`RestMethod`

```
$headers = New-Object "System.Collections.Generic.Dictionary[[String],[String]]"
$headers.Add("x-rapidapi-key", "XxXxXxXxXxXxXxXxXxXxXxXx")
$headers.Add("x-rapidapi-host", "v1.basketball.api-sports.io")

$response = Invoke-RestMethod 'https://v1.basketball.api-sports.io/{endpoint}' -
$response | ConvertTo-Json
```

Python

`http.client`

```
import http.client

conn = http.client.HTTPSConnection("v1.basketball.api-sports.io")

headers = {
    'x-rapidapi-host': "v1.basketball.api-sports.io",
    'x-rapidapi-key': "XxXxXxXxXxXxXxXxXxXxXxXx"
    }

conn.request("GET", "/{endpoint}", headers=headers)

res = conn.getresponse()
data = res.read()

print(data.decode("utf-8"))
```

`Requests`

```
url = "https://v1.basketball.api-sports.io/{endpoint}"

payload={}
headers = {
  'x-rapidapi-key': 'XxXxXxXxXxXxXxXxXxXxXxXx',
  'x-rapidapi-host': 'v1.basketball.api-sports.io'
}

response = requests.request("GET", url, headers=headers, data=payload)

print(response.text)
```

Ruby

`Net::HTTP`

```
require 'uri'
require 'net/http'
require 'openssl'

url = URI("https://v1.basketball.api-sports.io/{endpoint}")

http = Net::HTTP.new(url.host, url.port)
http.use_ssl = true
http.verify_mode = OpenSSL::SSL::VERIFY_NONE

request = Net::HTTP::Get.new(url)
request["x-rapidapi-host"] = 'v1.basketball.api-sports.io'
request["x-rapidapi-key"] = 'XxXxXxXxXxXxXxXxXxXxXxXx'
```

```
response = http.request(request)
puts response.read_body
```

Shell

`Httpie`

```
http --follow --timeout 3600 GET 'https://v1.basketball.api-sports.io/{endpoint}
 x-rapidapi-key:'XxXxXxXxXxXxXxXxXxXxXxXx' \
 x-rapidapi-host:'v1.basketball.api-sports.io'
```

`wget`

```
wget --no-check-certificate --quiet \
  --method GET \
  --timeout=0 \
  --header 'x-rapidapi-key: XxXxXxXxXxXxXxXxXxXxXxXx' \
  --header 'x-rapidapi-host: v1.basketball.api-sports.io' \
   'https://v1.basketball.api-sports.io/{endpoint}'
```

Swift

`URLSession`

```
import Foundation
#if canImport(FoundationNetworking)
import FoundationNetworking
#endif

var semaphore = DispatchSemaphore (value: 0)

var request = URLRequest(url: URL(string: "https://v1.basketball.api-sports.io/{
```

```
request.addValue("XxXxXxXxXxXxXxXxXxXxXxXx", forHTTPHeaderField: "x-rapidapi-key
request.addValue("v1.basketball.api-sports.io", forHTTPHeaderField: "x-rapidapi-

request.httpMethod = "GET"

let task = URLSession.shared.dataTask(with: request) { data, response, error in
  guard let data = data else {
    print(String(describing: error))
    semaphore.signal()
    return
  }
  print(String(data: data, encoding: .utf8)!)
  semaphore.signal()
}

task.resume()
semaphore.wait()
```

Timezone

timezone

Get the list of available timezone to be used in the games endpoint.

> This endpoint does not require any parameters.

HEADER PARAMETERS

`x-rapidapi-key` required	string Your RapidAPI Key

Responses

› **200**

OK

GET /timezone

Request samples

Php Python Node JavaScript Curl Ruby

Copy

```
$client = new http\Client;
$request = new http\Client\Request;

$request->setRequestUrl('https://v1.basketball.api-sports.io/timezone');
$request->setRequestMethod('GET');
$request->setHeaders(array(
        'x-rapidapi-host' => 'v1.basketball.api-sports.io',
        'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));

$client->enqueue($request)->send();
$response = $client->getResponse();

echo $response->getBody();
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
    "get": "timezone",
    "parameters": [ ],
    "errors": [ ],
    "results": 425,
    - "response": [
          "Africa/Abidjan",
          "Africa/Accra",
          "Africa/Addis_Ababa",
          "Africa/Algiers",
          "Africa/Asmara"
      ]
  }
```

Seasons

seasons

All `seasons` can be used in other endpoints as filters.

> This endpoint does not require any parameters.

HEADER PARAMETERS

`x-rapidapi-key` required	string Your RapidAPI Key

Responses

› **200**

OK

GET /seasons

Request samples

Php Python Node JavaScript Curl Ruby

Copy

```
$client = new http\Client;
$request = new http\Client\Request;

$request->setRequestUrl('https://v1.basketball.api-sports.io/seasons');
$request->setRequestMethod('GET');
$request->setHeaders(array(
        'x-rapidapi-host' => 'v1.basketball.api-sports.io',
        'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));

$client->enqueue($request)->send();
$response = $client->getResponse();

echo $response->getBody();
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
    "get": "seasons",
    "parameters": [ ],
    "errors": [ ],
    "results": 8,
  - "response": [
        "2015-2016",
        "2016-2017",
        2017,
        "2017-2018",
        2018,
        "2018-2019",
        2019,
        "2019-2020"
    ]
}
```

Countries

countries

Get the list of available countries.

The `id` `name` and `code` fields can be used in other endpoints as filters.

> All the parameters of this endpoint can be used together.

QUERY PARAMETERS

`id`	integer The id of the country
`name`	string The name of the country
`code`	string = 2 characters Example: `code=EN, IT, FR` The code of the country
`search`	string >= 3 characters

HEADER PARAMETERS

`x-rapidapi-key` required	string Your RapidAPI Key

Responses

> 200

OK

GET /countries

Request samples

Php Python Node JavaScript Curl Ruby Use Cases

Copy

```php
$client = new http\Client;
$request = new http\Client\Request;

$request->setRequestUrl('https://v1.basketball.api-sports.io/countries');
$request->setRequestMethod('GET');
$request->setHeaders(array(
        'x-rapidapi-host' => 'v1.basketball.api-sports.io',
        'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));

$client->enqueue($request)->send();
$response = $client->getResponse();

echo $response->getBody();
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
    "get": "countries",
  - "parameters": {
        "search": "usa"
    },
    "errors": [ ],
    "results": 1,
  - "response": [
      + { … }
    ]
}
```

Leagues

leagues

Get the list of available leagues and cups.

The league `id` are **unique** in the API and leagues keep it across all `seasons`

> Most of the parameters of this endpoint can be used together.

QUERY PARAMETERS

`id`	integer The id of the league
`name`	string The name of the league
`country_id`	integer

	The id of the country
`country`	string The name of the country
`type`	string Enum: `"league"` `"cup"` The type of the league
`season`	integer = 4 characters The season of the league
`search`	string >= 3 characters The code of the country
`code`	string = 2 characters Example: `code=FR, EN, IT`

HEADER PARAMETERS

`x-rapidapi-key` required	string You rapidAPI Key

Responses

> 200

OK

GET /leagues

Request samples

Php Python Node JavaScript Curl Ruby Use Cases

Copy

```
$client = new http\Client;
$request = new http\Client\Request;
```

```
$request->setRequestUrl('https://v1.basketball.api-sports.io/leagues');
$request->setRequestMethod('GET');
$request->setHeaders(array(
        'x-rapidapi-host' => 'v1.basketball.api-sports.io',
        'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));

$client->enqueue($request)->send();
$response = $client->getResponse();

echo $response->getBody();
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
    "get": "leagues",
  - "parameters": {
        "id": "12"
    },
    "errors": [ ],
    "results": 1,
  - "response": [
      + { … }
    ]
}
```

Teams

teams

Get data about teams.

The team `id` are **unique** in the API and teams keep it among all the leagues/cups in which they participate.

> **This endpoint requires at least one parameter.**

QUERY PARAMETERS

`id`	integer The id of the team
`name`	string The name of the team
`league`	integer The id of the league
`season`	integer = 4 characters The season of the league
`search`	string >= 3 characters

HEADER PARAMETERS

`x-rapidapi-key` required	string Your RapidAPI Key

Responses

> 200

OK

GET /teams

Request samples

Php | Python | Node | JavaScript | Curl | Ruby | Use Cases

Copy

```
$client = new http\Client;
$request = new http\Client\Request;

$request->setRequestUrl('https://v1.basketball.api-sports.io/teams');
$request->setRequestMethod('GET');
$request->setQuery(new http\QueryString(array(
        'id' => '139'
)));

$request->setHeaders(array(
        'x-rapidapi-host' => 'v1.basketball.api-sports.io',
        'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));

$client->enqueue($request)->send();
$response = $client->getResponse();

echo $response->getBody();
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
    "get": "teams",
  - "parameters": {
        "name": "Denver Nuggets"
    },
    "errors": [ ],
    "results": 1,
  - "response": [
      + { … }
    ]
}
```

statistics

QUERY PARAMETERS

`league` required	integer The id of the league
`season` required	string = 4 characters The season of the league
`team` required	integer The id of the team
`date`	stringYYYY-MM-DD A Limit Date

HEADER PARAMETERS

`x-rapidapi-key` required	string Your RapidAPI Key

Responses

> 200

OK

GET /statistics

Request samples

Php Python Node JavaScript Curl Ruby Use Cases

Copy

```
$client = new http\Client;
$request = new http\Client\Request;

$request->setRequestUrl('https://v1.basketball.api-sports.io/statistics');
$request->setRequestMethod('GET');
$request->setQuery(new http\QueryString(array(
        'season' => '2019-2020',
        'team' => '139',
        'league' => '12'
)));

$request->setHeaders(array(
        'x-rapidapi-host' => 'v1.basketball.api-sports.io',
        'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));

$client->enqueue($request)->send();
$response = $client->getResponse();

echo $response->getBody();
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
    "get": "statistics",
  - "parameters": {
        "league": "12",
        "season": "2019-2020",
        "team": "139"
    },
    "errors": [ ],
    "results": 5,
  - "response": {
      + "league": { … },
      + "country": { … },
      + "team": { … },
      + "games": { … },
      + "points": { … }
    }
}
```

Standings

standings

Get the standings for a league.

Return a table of one or more rankings according to the league / cup. Some competitions have several rankings in a year, regular season, pre season etc…

To know the list of available stages or groups you have to use the endpoint standings/stages or standings/groups

> Standings are updated every hours

QUERY PARAMETERS

league required	integer The id of the league
season required	integer = 4 characters The season of the league
team	integer The id of the team
stage	string A valid stage

`group`	string A valid group

HEADER PARAMETERS

`x-rapidapi-key` required	string Your RapidAPI Key

Responses

> 200

OK

GET /standings

Request samples

Php Python Node JavaScript Curl Ruby Use Cases

Copy

```
$client = new http\Client;
$request = new http\Client\Request;

$request->setRequestUrl('https://v1.basketball.api-sports.io/standings');
$request->setRequestMethod('GET');
$request->setQuery(new http\QueryString(array(
        'league' => '12',
        'season' => '2019-2020'
)));

$request->setHeaders(array(
        'x-rapidapi-host' => 'v1.basketball.api-sports.io',
        'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));

$client->enqueue($request)->send();
$response = $client->getResponse();
```

```
echo $response->getBody();
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
    "get": "standings",
  - "parameters": {
        "league": "12",
        "season": "2019-2020",
        "team": "137"
    },
    "errors": [ ],
    "results": 1,
  - "response": [
     + [ … ]
    ]
}
```

standings/stages

Get the list of available stages for a league to be used in the standings endpoint.

QUERY PARAMETERS

`league` required	integer The id of the league
`season` required	string = 4 characters The season of the league

HEADER PARAMETERS

`x-rapidapi-key`
required

string
Your RapidAPI Key

Responses

> 200

OK

GET /standings/stages

Request samples

Php | Python | Node | JavaScript | Curl | Ruby

Copy

```
$client = new http\Client;
$request = new http\Client\Request;

$request->setRequestUrl('https://v1.basketball.api-sports.io/standings/stages'
$request->setRequestMethod('GET');
$request->setHeaders(array(
        'x-rapidapi-host' => 'v1.basketball.api-sports.io',
        'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));

$client->enqueue($request)->send();
$response = $client->getResponse();

echo $response->getBody();
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
    "get": "standings/stages",
  - "parameters": {
        "league": "12",
        "season": "2019-2020"
    },
    "errors": [ ],
    "results": 1,
  - "response": [
        "NBA - Regular Season"
    ]
}
```

standings/groups

Get the list of available groups for a league to be used in the standings endpoint.

QUERY PARAMETERS

`league` required	integer The id of the league
`season` required	integer = 4 characters The season of the league

HEADER PARAMETERS

`x-rapidapi-key` required	string Your RapidAPI Key

Responses

> 200

OK

— 201

Created

GET /standings/groups

Request samples

Php Python Node JavaScript Curl Ruby

Copy

```
$client = new http\Client;
$request = new http\Client\Request;

$request->setRequestUrl('https://v1.basketball.api-sports.io/standings/groups'
$request->setRequestMethod('GET');
$request->setHeaders(array(
        'x-rapidapi-host' => 'v1.basketball.api-sports.io',
        'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));

$client->enqueue($request)->send();
$response = $client->getResponse();

echo $response->getBody();
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
    "get": "standings/groups",
  - "parameters": {
        "league": "12",
        "season": "2019-2020"
    },
    "errors": [ ],
    "results": 8,
  - "response": [
        "Western Conference",
        "Eastern Conference",
        "Atlantic",
        "Southeast",
        "Central",
        "Northwest",
        "Pacific",
        "Southwest"
    ]
}
```

Games

games

For all requests to games you can add the query parameter `timezone` to your request in order to retrieve the list of games in the time zone of your choice like *“Europe/London“*

To know the list of available time zones you have to use the endpoint timezone

Available status

- NS : Not Started
- Q1 : Quarter 1 (In Play)
- Q2 : Quarter 2 (In Play)
- Q3 : Quarter 3 (In Play)
- Q4 : Quarter 4 (In Play)

- OT : Over Time (In Play)
- BT : Break Time (In Play)
- HT : Halftime (In Play)
- FT : Game Finished (Game Finished)
- AOT : After Over Time (Game Finished)
- POST : Game Postponed
- CANC : Game Cancelled
- SUSP : Game Suspended

> Games are updated every 15 seconds

> **This endpoint requires at least one parameter.**

QUERY PARAMETERS

`id`	integer The id of the game
`date`	string A valid date
`league`	integer The id of the league
`season`	integer = 4 characters The season of the league
`team`	integer The id of the team
`timezone`	string A valid timezone

HEADER PARAMETERS

`x-rapidapi-key` required	string Your RapidAPI Key

Responses

> 200

OK

GET /games

Request samples

Php Python Node JavaScript Curl Ruby Use Cases

Copy

```php
$client = new http\Client;
$request = new http\Client\Request;

$request->setRequestUrl('https://v1.basketball.api-sports.io/games');
$request->setRequestMethod('GET');
$request->setQuery(new http\QueryString(array(
        'date' => '2019-11-23'
)));

$request->setHeaders(array(
        'x-rapidapi-host' => 'v1.basketball.api-sports.io',
        'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));

$client->enqueue($request)->send();
$response = $client->getResponse();

echo $response->getBody();
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
    "get": "games",
  - "parameters": {
        "league": "12",
        "date": "2019-11-23",
        "team": "134",
        "timezone": "europe/london",
        "season": "2019-2020"
    },
    "errors": [ ],
    "results": 1,
  - "response": [
      + { … }
    ]
}
```

h2h

Get heads to heads between two teams.

QUERY PARAMETERS

`h2h` required	stringid-id The ids of the teams
`date`	stringYYYY-MM-DD A valid date
`league`	integer The id of the league
`season`	integer = 4 characters The season of the league
`timezone`	string A valid timezone

HEADER PARAMETERS

`x-rapidapi-key` required	string Your RapidAPI Key

Responses

> 200

OK

GET /games/h2h

Request samples

Php Python Node JavaScript Curl Ruby Use Cases

Copy

```
$client = new http\Client;
$request = new http\Client\Request;

$request->setRequestUrl('https://v1.basketball.api-sports.io/games');
$request->setRequestMethod('GET');
$request->setQuery(new http\QueryString(array(
        'h2h' => '132-134'
)));

$request->setHeaders(array(
        'x-rapidapi-host' => 'v1.basketball.api-sports.io',
        'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));

$client->enqueue($request)->send();
$response = $client->getResponse();

echo $response->getBody();
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
    "get": "games",
  - "parameters": {
        "league": "12",
        "h2h": "132-134",
        "season": "2019-2020"
    },
    "errors": [ ],
    "results": 4,
  - "response": [
      + { … }
    ]
}
```

Odds

odds

Get odds from games or leagues.

We provide pre-match odds between 1 and 7 days before the game.

We keep a 7-day history *(The availability of odds may vary according to the leagues, seasons, games and bookmakers)*

> Odds are updated once a day

QUERY PARAMETERS

`league`	integer The id of the league
`season`	integer = 4 characters The season of the league

game	integer The id of the game
bookmaker	integer The id of the bookmaker
bet	integer The id of the bet

HEADER PARAMETERS

x-rapidapi-key required	string Your RapidAPI Key

Responses

> 200

OK

GET /odds

Request samples

Php Python Node JavaScript Curl Ruby Use Cases

Copy

```
$client = new http\Client;
$request = new http\Client\Request;

$request->setRequestUrl('https://v1.basketball.api-sports.io/odds');
$request->setRequestMethod('GET');
$request->setQuery(new http\QueryString(array(
        'season' => '2019-2020',
        'bet' => '1',
        'bookmaker' => '6',
        'game' => '1912',
        'league' => '12'
)));

$request->setHeaders(array(
        'x-rapidapi-host' => 'v1.basketball.api-sports.io',
        'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));

$client->enqueue($request)->send();
$response = $client->getResponse();

echo $response->getBody();
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
    "get": "odds",
  - "parameters": {
        "bet": "2",
        "game": "1912"
    },
    "errors": [ ],
    "results": 1,
  - "response": [
      + { … }
    ]
}
```

bookmakers

Get all available bookmakers.

All bookmakers `id` can be used in endpoint odds as filters.

QUERY PARAMETERS

`id`	integer The id of the bookmaker
`search`	string >= 3 characters The name of the bookmaker

HEADER PARAMETERS

`x-rapidapi-key` required	string Your RapidAPI Key

Responses

> 200

OK

GET /bookmakers

Request samples

Php Python Node JavaScript Curl Ruby Use Cases

Copy

```
$client = new http\Client;
$request = new http\Client\Request;

$request->setRequestUrl('https://v1.basketball.api-sports.io/bookmakers');
$request->setRequestMethod('GET');
$request->setHeaders(array(
        'x-rapidapi-host' => 'v1.basketball.api-sports.io',
        'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));

$client->enqueue($request)->send();
$response = $client->getResponse();
```

```
echo $response->getBody();
```

Response samples

200

Content type
application/json

Copy Expand all Collapse all

```
{
    "get": "bookmakers",
    "parameters": [ ],
    "errors": [ ],
    "results": 15,
  - "response": [
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … }
    ]
}
```

bets

Get all available bets.

All bets `id` can be used in endpoint odds as filters

QUERY PARAMETERS

`id`	integer The id of the bet
`search`	string >= 3 characters The name of the bet

HEADER PARAMETERS

`x-rapidapi-key` required	string Your RapidAPI Key

Responses

› 200

OK

GET /bets

Request samples

Php Python Node JavaScript Curl Ruby Use Cases

Copy

```
$client = new http\Client;
$request = new http\Client\Request;

$request->setRequestUrl('https://v1.basketball.api-sports.io/bets');
$request->setRequestMethod('GET');
$request->setHeaders(array(
        'x-rapidapi-host' => 'v1.basketball.api-sports.io',
        'x-rapidapi-key' => 'XxXxXxXxXxXxXxXxXxXxXxXx'
));
```

```
$client->enqueue($request)->send();
$response = $client->getResponse();

echo $response->getBody();
```

Response samples

200

Content type

application/json

Copy Expand all Collapse all

```
{
    "get": "bets",
  - "parameters": {
        "search": "under"
    },
    "errors": [ ],
    "results": 7,
  - "response": [
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … },
      + { … }
    ]
}
```