ZOKA QUANTIC / TESTNET v2

VERIFIABLE PRIVACY.

A Rust-based blockchain combining STARK proofs, hybrid post-quantum encryption and CPU mining, with private payments across desktop, browser and Android.

PRIVACY BY DESIGN | STARK v2 | CROSS-PLATFORM PAYMENTS

ONE ECOSYSTEM. THREE WAYS TO PAY.



ZSilent
DESKTOP · WINDOWS

Web Wallet
BROWSER · WEB

ZKAPriv
ANDROID · 8+

CROSS-PLATFORM PAYMENTS RECORDED ON TESTNET

ZSilent → Web Wallet → ZKAPriv → ZSilent

Confirmed blocks: #4,789 · #4,791 · #4,809

One Quantic v2 chain. STARK proofs generated by each wallet, without centralized custody.

02 Layered cryptography

Four complementary mechanisms protect spending authorization, encrypted note contents, node identities and consensus.

1 **PREPARE**
The wallet creates the payment notes.

2 **ENCRYPT**
X-Wing encrypts the recipient note.

3 **PROVE**
STARK validates without revealing the spent note.

4 **CONFIRM**
Nodes verify; RandomX determines the block.

TECHNOLOGY USED IN QUANTIC TESTNET v2

01 PRIVATE AUTHORIZATION

STARK · Plonky3 · Poseidon2

Hash-based spending proofs enforce payment rules without ECDSA/secp256k1 authorization signatures or a trusted setup.

02 NOTE ENCRYPTION

X-Wing · ML-KEM-768 · X25519

Hybrid encryption for recipient notes. ML-KEM provides post-quantum key encapsulation.

03 PEERS & IDENTITIES

ML-DSA-65 · QUIC · iroh

Post-quantum node authentication and hybrid key exchange on connections. Tor is an optional transport.

04 OPEN CONSENSUS

RandomX · Stratum · XMRig

CPU-oriented Proof of Work, ASERT difficulty adjustment and a target interval of 120 seconds.

PAYMENT PRIVACY ≠ IP ANONYMITY. Optional Tor adds a separate transport-level privacy layer.

03 Three wallets. One network.

The protocol now has desktop and Android applications, plus a browser implementation with its own cryptographic engine.

WINDOWS · v4.0.7



ZSilent

Desktop wallet

Self-custody with a local node. Private sending and receiving, explorer, pending-payment tracking and optional Tor mode.

BROWSER · TESTNET v2



Zoka Web Wallet

Browser-based wallet

WASM code builds STARK proofs in the browser. Locally encrypted vault, multiple wallets and network scanning.

ANDROID · v3.0.0



ZKAPriv

Android wallet

Builds STARK proofs on the phone, with multiple wallets, QR scanning and optional Arti/Tor. Compatible with Quantic Testnet v2.

TESTED INTEROPERABILITY

The ZKAPriv 3.0.0 release documents a ZSilent → web → Android → ZSilent payment loop mined on November 4.



24-word recovery and user-controlled keys. Balances on the retired Zenith chain do not migrate to Quantic v2.

04 Verifiable infrastructure

Nodes, mining, exploration and APIs form an operational testnet, with connectivity improvements released in early November.

v4.0.5

NODE + CLI MINER

XMRig Stratum, peer-to-peer pending-transaction propagation, and transaction lookups by ID.

v4.0.6

WEB WALLET API

Server release adds POST /transactions, POST /address, write-rate limits and light-wallet support.

EXPLORER

ZOKASCAN

Blocks, activity and network metrics. Users can inspect their balances with a view key processed inside the browser.

QUIC / iroh

P2P NETWORK

Persistent seeds, peer discovery, hybrid transport and checkpoints signed with Ed25519 + ML-DSA-65.

TESTNET DEVELOPMENT MILESTONES

29 OCT	30 OCT	04 NOV	05 NOV
STARK v2	**Network privacy**	**Node + desktop**	**Android**
New chain	Optional Tor	API 4.0.6 / ZSilent 4.0.7	ZKAPriv 3.0.0

Milestones reflect public releases and documented tests, not projected performance. Mainnet remains a future phase.

05 The privacy landscape

Different networks take different cryptographic approaches. This comparison describes design choices rather than ranking security.

NETWORK	PRIVACY MODEL	CORE CRYPTOGRAPHY	POST-QUANTUM FOCUS
Monero	Private by default	Ring signatures, RingCT, stealth addresses	Not a focus of current design
Zcash	Optional shielded payments	zk-SNARKs · Halo 2 / Orchard	Not a focus of current protocol
Firo	Spark private payments	Lelantus Spark	Not a focus of current design
Quantus	Privacy and PoW in its proposition	ML-DSA signatures; recursive STARKs	PQC is a design pillar
Zoka Quantic	STARK private pool · testnet v2	Plonky3 · Poseidon2 · X-Wing	ML-KEM for notes; ML-DSA for nodes

Deployments, threat models and maturity differ. “Post-quantum” refers to specific cryptographic components, not a universal guarantee.

OFFICIAL REFERENCES · RELEASES & DOCUMENTATION

- Zoka Node / API
- ZSilent 4.0.7
- ZKAPriv 3.0.0
- Web Wallet code
- ZokaScan
- Monero / Zcash / Firo / Quantus

Basis: Zoka releases through Nov 5, 2026 and public documentation of each network.