Zoka Quantic — Litepaper

Zero knowledge by default. Post-quantum cryptography built in.

Version 2.6 — design draft, revised 30 October 2026.

This is the short version of where ZOKA is going, written for people who do not want to read a cryptography paper before deciding whether to care. If you want the full technical document, read the **Whitepaper** instead.

One project, two networks

We are ZOKA QUANTIC: a blockchain with zero-knowledge proofs and private payments by default, with post-quantum cryptography built into the protocol. Your keys stay with you, the payment is encrypted for its recipient, and the network verifies that it is valid without reading its private contents. Hash-based STARK proofs show that each payment follows the rules; X-Wing encrypts payments with classical and post-quantum cryptography; and nodes and the team's checkpoints sign with ML-DSA, a post-quantum signature. All of this runs on the testnet today.

The blockchain's public testing network is **Zoka Quantic Testnet**. **Zoka Quantic Mainnet** is coming soon, with no announced launch date.

- **ZOKA has two networks, and both start from zero. Zoka Quantic Testnet** is for testing, with coins that have no value. **Zoka Quantic Mainnet** is the planned production network; it launches only when the protocol has been reviewed by outside experts and has a phone wallet. The two never mix.
- **Zenith laid the foundation.** Our first network is where we built and tested the node, the wallets, mining and the Tor connection with real users, and where we learned what had to change. Zoka Quantic is the evolution: a better chain, started from zero. Zenith was retired on 21 October 2026, and nothing from it moves to the new networks: no balances, no addresses, no history. There is no claim or swap.
- **Zoka Quantic Testnet v2 is live** since 29 October 2026, with the fully post-quantum pool. It replaced the first testnet chain, which ran for a week with the earlier design; its test coins do not carry over.
- **ZSilent 4.0** is the official desktop wallet. Earlier versions belong to retired networks and cannot join. A **CLI miner** for Windows and Linux is there for people who prefer a terminal.
- **Short addresses.** You share a 57-character address, or its QR code, which any phone camera reads.
- **Mine with XMRig.** Zoka Quantic uses the same algorithm as Monero, so the popular XMRig miner mines through your own node.
- **No open ports, and Tor if you want it.** Nodes find each other through relays, with a connection that is encrypted with post-quantum cryptography. An optional Tor mode hides your IP address from peers and relays.
- **The P2P Exchange is gone.** It was removed from the wallet and the node in October 2026.

Why start from zero?

A blockchain is forever. Anyone can save a copy of it today and study it with whatever computers exist in fifteen years. Quantum computers, if they become large enough, will open some of the locks that protect today's payments. For a privacy network, that is not a future problem: what those machines will read is being written now.

The foundation taught us what to improve. On Zenith, each private transaction showed which earlier coin it was spending. Those fields did not directly reveal payment amounts or recipient addresses, but anyone could link spent notes to earlier transactions. No quantum computer is needed for this linkage. The earlier documents overstated the sender privacy provided by Zenith.

Fixing it means changing the shape of every transaction. That is much cleaner on a new chain than as a patch on top of an old one, so every coin on Zoka Quantic starts with the new protection. We did it in two steps: the first testnet made privacy post-quantum, and testnet v2 made the rest post-quantum too.

How Zoka Quantic protects you (without the math)

1. **Who received the money.** A payment does not show its recipient. Only the recipient can recognise it, because it is locked with a combination of today's cryptography and a post-quantum mechanism, ML-KEM, standardized by NIST. The combination is intended to remain secure if either part holds, so even someone who knows your address and owns a quantum computer should not be able to find or read your payments.
2. **How much was sent.** Amounts stay hidden. The network still checks that nobody created money out of thin air, using zero-knowledge proofs, without ever seeing a number.
3. **Which coin you spent.** Instead of showing the coin it spends, a transaction carries a proof that says "I own a valid coin on this chain, and I have not spent it before". The network checks the proof without learning which coin it was. Timing and other information can still narrow the possibilities.
4. **That nobody spends what is not theirs.** The same proof shows that you hold the key to every coin you spend. It is built on hash functions, not on the elliptic curves a quantum computer could break, so it does not need a signature that such a machine could forge.
5. **A note for the recipient.** You can attach a short message (up to 512 bytes) that only the recipient can read.

No secret setup. The proofs are STARKs, which need no trusted ceremony: nobody holds a secret that could print coins.

What we are not claiming. Zoka Quantic is not "quantum-proof". What we can say is narrower and checkable: no part of a payment depends on the mathematics that quantum computers are expected to break. How much security margin the chosen parameters keep is an estimate, and outside experts still have to review the design and the code before the mainnet. The proofs are also big: about 2 MB per payment for now.

What defines the network?

- Private payments by default, with no optional transparent payment mode.

- Zero-knowledge spend proofs that do not publish the note being spent, with no trusted setup and no elliptic curves.
- Hybrid encryption intended to resist future quantum attacks on archived payments.
- RandomX proof of work, the same algorithm as Monero, designed for ordinary CPUs, with a difficulty that follows the network's real speed. XMRig works with it unmodified.
- Short addresses: 57 characters, with a standard QR code. Behind each one there is a long address of about 1,760 characters that carries the keys; the network looks it up for you.

These are design objectives. They do not establish superiority over another network or replace an independent review of the implementation.

The technology, without a wall of acronyms

- **Zero-knowledge proofs (STARKs):** prove a payment follows the rules without showing the private information used to make it. Zenith used Groth16, and the first testnet used Halo 2; testnet v2 uses STARKs built with Plonky3 and the Poseidon2 hash, with no trusted-setup ceremony.
- **X-Wing:** encrypt each payment for its recipient with both classical and post-quantum cryptography. It protects the contents; the proof checks that the payment is valid.
- **iroh and QUIC:** how nodes talk. Every connection uses an encryption that mixes classical and post-quantum key exchange, and each node proves who it is with an ML-DSA signature. Public relays connect nodes behind home routers, so nobody opens a port. A relay or a peer can still see your IP address.
- **RandomX and Stratum:** CPU proof of work secures the chain, and XMRig mines through the node's Stratum service. A miner gets the reward for the blocks it finds.

These layers work together. None is a shortcut to "100% anonymity": your device, your backup, public metadata and how you share your address still matter. Payment privacy is the rule; perfect protection against every possible observer is not a promise we can make.

The token — ZKA on Zoka Quantic

- There will only ever be **23 million ZKA**.
- **5 million go to the team when the chain starts**, usable right away. We are saying it plainly because the first version of ZOKA had no such allocation, and you should not have to discover it in a file. This is **21.7% of the total cap**, with no lock-up, paid in the chain's first block, whose amount is public. It is included in the 23 million. On the testnet these are test coins, like all the others.
- The other **18 million are mined**: 12 ZKA for **1,051,200 blocks** (12,614,400 ZKA), then 6 ZKA for **897,600 blocks** (5,385,600 ZKA). New coin issuance ends roughly **7.4 years** after launch at the target block time. Mining can continue for transaction fees.
- The target is a block every **2 minutes**; actual intervals vary. Newly mined coins require **60 blocks** of maturity (about two hours at that target). The team allocation is spendable from the next block, without that delay.
- Mining rewards are paid privately. The size of each block reward is public, so anyone can check how many ZKA exist at any moment.
- Fees are public and the same for everyone: **0.0001 ZKA** for each input or output, with a minimum of two, so a simple payment costs 0.0002 ZKA. The wallet shows the exact fee before you send.

1 ZKA = 1,000,000 atoms.

How can you take part?

Start with **Zoka Quantic Testnet**. Its coins are for testing: they never become mainnet coins.

1. Use the official wallet

ZSilent 4.0 includes the node and the wallet, for Windows, and a Stratum switch for mining with XMRig:

> github.com/zoka-network/zsilent-core/releases

A new wallet gets a 24-word recovery phrase. Write it down offline: it is shown once.

2. Mine from the terminal

The **CLI miner** packs the node and a few scripts, for Windows and Linux: one to create a wallet, one to mine with XMRig, one to see your balance. It comes with a guide in English and Spanish:

> github.com/zoka-network/zokanetwork/releases

Get XMRig from its official releases and check the SHA-256 of everything you download against its release before running it.

3. The Android wallet

ZKAPriv is the Android wallet. Its version for testnet v2 is in development: the new proofs still have to be measured on phones.

4. Build from source and contribute

Everything is open source, in Rust and Kotlin. Pull requests are welcome.

Design objectives and limits

Intended capabilities, subject to review

- Hide who sent and who received a payment, and how much, including from a future quantum computer.
- Hide which coin each payment spends.
- Stop anyone, including someone with a future quantum computer, from creating coins or spending yours.
- Let anyone mine with an ordinary CPU.
- Let you verify everything yourself by running your own node.
- Work without an email, a phone number or a KYC document.

Limits

- Recover funds if you lose your seed phrase. There is no support team and no password reset.

- Protect you from someone watching every internet cable on Earth in real time.
- Hide that *a* transaction happened, or how many inputs and outputs it has. Only the details are hidden.
- Reverse a payment. Sending to the wrong address has no undo.
- Small proofs. A payment weighs about 2 MB for now.
- Pay small miners often. Mining is solo for now: each block pays whoever found it. A shared pool without custody is planned.
- Change what Zenith, the rehearsal, already published. Its transaction history stays as it is.
- Run without trusting the team's checkpoints. The team signs which chain is the canonical one, to prevent forks; that key cannot create coins or spend yours.

Anyone who promises perfect privacy in a payment system is selling something.

Status today

- **Zoka Quantic Testnet v2** is live since 29 October 2026, with the fully post-quantum pool, ZSilent 4.0 and the CLI miner.
- **Next:** smaller proofs, ZKAPriv on the new pool, support for existing mining pools, code-signed releases and an external review.
- **Zoka Quantic Mainnet** launches only after that review. No date has been set.
- **Zenith**, the rehearsal that led to Zoka Quantic, was retired on 21 October 2026, and the first testnet chain on 29 October 2026.
- **Peer-to-peer operation.** Nodes discover and synchronize with peers through relays; no open router ports are needed.
- **macOS and iOS** wallets are planned for later.

Where to learn more

- **Guides**: Zoka Quantic Docs covers ZSilent, private payments, recovery, CLI mining, XMRig, nodes and troubleshooting.
- **Downloads**: Official clients.
- **Explorer**: ZokaScan: blocks, network charts, a public API, and your own balance by view key, opened inside your browser.
- **Whitepaper** (technical design draft): Zoka Quantic Whitepaper
- **Code**: github.com/zoka-network and gitlab.com/zokanetwork.
- **Community**: discord.gg/uZRPcNb3m7

> Verify what is true. Reveal nothing else.

— Natosh Zoka, core dev @ ZokaNetwork