


# ORM Fundamentals

## The ORM Concept, Config, CRUD Operations



SoftUni Team  
Technical Trainers



SoftUni



Software University

<https://softuni.org/>

## 1. Introduction to ORM


- Architecture
- Example
- Approaches

## 2. ORM Advantages



sli.do

#



# ORM Introduction

## Object-Relational Mapping

# What is ORM?

- **Technique** for **converting data** between incompatible type systems using **object-oriented programming** languages
- **Object-Relational Mapping** (ORM) allows manipulating databases **using common classes and objects**
  - Java/C#/etc. classes → Database Tables
  - Database Tables → Java/C#/etc. classes



# What is ORM? (2)



employees	
id	INT(11)
first_name	VARCHAR(20)
middle_name	VARCHAR(20)
last_name	VARCHAR(20)
isEmployed	TINYINT(1)

Indexes



```
public class Employee {  
    public int id;  
    public String firstName;  
    public String middleName;  
    public String lastName;  
    public boolean isEmployed;  
}
```


# Why do we need ORM?

- In OOP, data-management tasks act on **objects** that are almost always **non-scalar** values
- Many **database** can only store and manipulate **scalar** values, organized within **tables**
- We must **manually** convert values into groups of simpler values to store in DB and convert them back when we retrieve data



- The main difference, between JDBC and ORM, is **complexity**
- **JDBC/SQL**
  - If the application is simple as to present data directly from the database
- **ORM**
  - If the application is domain driven and the relations among objects is complex





- **ORM frameworks** typically **provide** the following functionality:
  - **Automatically generate SQL** to perform data operations as:
    - persist, update, delete, merge, createQuery and so on.
  - **Object model from database schema** (DB First model)
  - **Database schema from object model** (Code First model)

# Perform data operations with ORM (1)

- **Automatically generate SQL** to perform data operations

- Save entity to DB

```
Student student = new  
Student('George', 'Brown');  
session.save(student);
```



```
INSERT INTO students  
(firstName, lastName)  
VALUES  
( 'George', 'Brown' )
```

- Retrieve data from DB

```
Student student = (Student)  
session.get(Student.class, 1);
```



```
SELECT * FROM students  
WHERE id=1;
```

# Perform data operations with ORM (2)

- We can use and specific ORM Query Language as **HQL** or **SQL**


- Using HQL

```
List<Student> studentList =  
session.createQuery("FROM Student").toList();
```

- Using SQL

```
String sql = "SELECT * FROM Employee";  
SQLQuery query = session.createSQLQuery(sql);  
query.addEntity(Employee.class);  
List<Employee> results = query.list();
```

- **Models** the database after the entity classes



- A bit old-fashioned, but very powerful
- Implemented in the "classical" ORM

```
...  
<description>Mapping file</description>  
<entity class="Employee">  
  <table name="EMPLOYEE" />  
  <attributes>  
    <id name="id">  
      <generated-value strategy="TABLE" />  
    </id>  
    <basic name="name">  
      <column name="EMP_NAME" length="100" />  
    </basic>  
    <basic name="salary">  
      </basic>  
  </attributes>  
</entity>  
...
```

# POJO Mapped to DB Tables

- Based on Java annotations and XML
- Easier to implement and maintain

```
@Entity
@Table(name = "employees")
public class Employee {
    @Id
    private int id;
    @Column(name = "name")
    private String name;
    @Column(name = "position")
    private String position;
}
```



# **ORM Advantages**

## And disadvantages



# ORM Advantages (1)

- **Productivity**
  - Eliminates repetitive code
  - Generates database automatically
- **Maintainability**
  - Fewer lines of code
  - Easier to manage object model changes



# ORM Advantages (2)

- **Performance**
  - Lazy loading
  - Caching
- **Database vendor independence**
  - The database is abstracted
  - Can be configured outside the application



# ORM Disadvantages


- **Reduced performance**
  - Due to overhead or auto generated SQL
- **Reduces flexibility**
  - Some operations are hard to implement
- **Lose understanding**
  - What the code is actually doing - the developer is more in control using SQL



- **Object-Relational Mapping (ORM)** allows manipulating databases **using common classes and objects**
- The main difference, between JDBC and ORM, is **complexity**
- **POJO + XML** mapping
- **POJO** mapped to **DB tables**



# Questions?



# SoftUni Diamond Partners



**SCHWARZ**




**SUPER  
HOSTING  
.BG**



**INDEAVR**  
Serving the high achievers

**Bosch.io**





- Software University – High-Quality Education, Profession and Job for Software Developers
  - [softuni.bg](https://softuni.bg)
- Software University @ Facebook
  - [facebook.com/SoftwareUniversity](https://facebook.com/SoftwareUniversity)
- SoftUni Global
  - [softuni.org](https://softuni.org)





- This course (slides, examples, demos, exercises, homework, documents, videos and other assets) is **copyrighted content**
- Unauthorized copy, reproduction or use is illegal
- © SoftUni – <https://about.softuni.bg/>
- © Software University – <https://softuni.bg>
- © SoftUni Global – <https://softuni.org>

