Network Port Scanner – Ethics & Detection Report

Presented By

Zoltan Frenyo, El Messaoudi Yasmine & Vaishnu Balakrishnan Sugumaran

Introduction

This report explains the **ethical considerations and detection aspects of port scanning** performed during the Python Network Scanner project. The objective is to demonstrate how scanning activity appears from a **defender's perspective**, why testing must be conducted in a **controlled lab environment**, and why **proper authorization is required before running any scanning tool**.

Port scanning is a common technique used in **network administration, security auditing, and penetration testing**, but it can also be misused if performed without permission.

Testing Environment (Lab-Only Confirmation)

All port scanning activities for this project were conducted **strictly within a controlled laboratory environment**. No external networks, public systems, or unauthorized devices were scanned.

Test Environment Setup

The testing environment consisted of:

- **Host Machine:** Personal computer used to run the Python scanner
- **Virtual Machine:** Isolated system used as the scanning target
- **Network Type:** Virtual internal network
- **Monitoring Tool:** Packet capture tool used to observe network traffic

Purpose of Lab Isolation

Using a lab environment ensures:

- No impact on real systems
- Safe experimentation
- Legal and ethical compliance
- Accurate observation of scan behavior

This controlled setup allows students and researchers to **analyse scanning techniques safely**.

Port Scanning from a Defender's Perspective

From the perspective of a **network defender**, port scanning appears as a pattern of repeated connection attempts to multiple ports on a system.

What Happens During a Port Scan

When a scanner runs, it sends network requests such as:

```
SYN → Target Port
```

The target system responds depending on the port state:

Port State	Response
Open	SYN-ACK
Closed	RST

Observations from Packet Capture

During testing, packet capture was used to monitor the traffic generated by the scanner.

Observed Traffic Pattern

The capture showed:

- Multiple **TCP SYN packets**
- Rapid attempts to sequential ports
- Repeated connection attempts from the same source IP

Each packet attempts to determine whether the port is open.

Indicators of a Port Scan

From a defender's point of view, scanning activity can be identified by:

- Many connection attempts in a short time
- Sequential port targeting
- Multiple SYN packets without completing connections
- Traffic from a single source targeting many ports

Security monitoring systems can flag this behavior as **reconnaissance activity**.

How Security Teams Detect Port Scans

Security teams use several methods to detect scanning activity.

Intrusion Detection Systems (IDS)

These systems analyse traffic patterns and detect suspicious behavior such as:

- Rapid connection attempts
- Sequential port probing
- Unusual traffic volumes

Packet Analysis

Network analysts reviewing packet captures can detect scans by observing:

- TCP SYN bursts
- Incomplete TCP handshakes
- Traffic targeting many ports

Why Authorization Matters

Running a port scanner without permission can cause **serious legal and ethical issues**.

Legal Considerations

Scanning systems without authorization may be considered:

- Unauthorized network probing
- Attempted intrusion

- Violation of organizational policies

Many organizations treat port scans as **hostile reconnaissance**.

Ethical Responsibility

Security professionals must follow ethical guidelines:

- Obtain **explicit permission** before testing
- Define a **clear scope of testing**
- Ensure **no disruption to production systems**

Ethical security testing always follows the principle:

```
Permission first, testing second.
```

Responsible Security Testing

Before performing any scan, testers should:

1. Obtain written authorization
2. Define the target systems
3. Inform administrators
4. Perform tests in controlled environments
5. Document findings responsibly

Conclusion

This project demonstrated how a simple Python-based port scanner works and how its activity appears from the perspective of a network defender.

Key takeaways include:

- Port scanning generates **recognizable network patterns**.
- Security monitoring tools can detect scanning behavior.
- Testing must always occur in **controlled lab environments**.
- **Authorization is essential** before scanning any system.

Understanding both the **attacker's techniques** and the **defender's detection methods** is critical for developing effective cybersecurity practices.