
ICT FINAL PROJECT · WEEK 10 · SE-2623

Campus Lost & Found Final report

A local web service for publishing, finding and closing lost-and-found notices on a university campus — the completed, tested and documented version.



Team

Mengdigerey Zhanzhol
Galitskiy Daniil
Bisengaliev Daulet

System version

github.com/zondbebox/SE-2623_Endterm
branch main · commit a7e5c74
evidence re-run 8 November 2026

Document

Group_Team_ICT_FinalProject.pdf
Built 8 November 2026
Cover: real screenshot, final build

EXECUTIVE SUMMARY

One place to report, find and close lost items — working locally, tested, with honest limits

Students who lose an item on campus depend on scattered chats and paper notes; in our Stage 1 survey, 4 of 10 respondents said a return had taken more than three days (a small convenience sample). Campus Lost & Found gives the campus one place to publish, search and close lost-and-found notices. The final version is a Flask web application with an SQLite database, private photo uploads, owner and administrator permissions, an administrator panel with analytics, a user-testing timer and a clearly labelled smart-locker simulation. All functional Must requirements work except real university sign-in: Microsoft sign-in code is ready and tested, but no university app registration exists yet. On the final code, 94 of 94 automated tests passed, all five invalid-access attempts were blocked, the 95th-percentile search time was 45 ms against a two-second target, and 20 of 20 availability checks passed over 30 minutes. In the final test, 3 of 3 people outside the team published a notice within two minutes and 3 of 3 found the target notice within one minute. The system runs on one laptop over local HTTP; hosting in Kazakhstan, HTTPS and university sign-in are the main future work.

Executive summary: 193 words.

9 / 11
Must requirements done; F1, N2 partly done; Should F3 done

94 / 94
automated tests passed on the final code, 8 November 2026

45 ms
search p95 with 10 concurrent sessions (target ≤ 2,000 ms)

3/3 · 3/3
external testers within target: publish ≤ 120 s · find ≤ 60 s

How to read this report

Item	What it means here
Final system	The code in GitHub commit `a7e5c749095e…` (6 Nov 2026), the only commit on `main`. The ZIP `SE-2623_Endterm.zip` was compared file by file with it: 1,164 files, no differences. For the Final one optional module was added locally and is **not yet committed**: Microsoft sign-in (`microsoft_auth.py`, its 11 tests, one line in `app.py`, two template lines). It is switched off until configured; nothing else in the application changed.
Evidence re-run	All tests, measurements and screenshots in this report were produced again on 8 November 2026 on an isolated copy of that code (Windows 11, bundled Python 3.14.8, Microsoft Edge 157). After the sign-in module was added, the test suite, SC3 and the account checks were run again; because the module is off unless configured, pages, screenshots and timings are unaffected. Files: `Final/Evidence/`.
Data	All notices and accounts are synthetic teaching data (122 notices, 20 accounts, 10 categories). No real campus data is used.
Fact / interpretation	Measured results are stated with method and sample. Interpretation is marked “we interpret”; recommendations are in Section 9.
Not claimed	Public hosting, HTTPS, LAN access and a physical smart locker do not exist. Microsoft sign-in code exists but has never signed in a real university account.

1 · PROBLEM AND EVIDENCE

Lost-item messages are scattered, so returns are slow

On our campus, a student who loses or finds an item posts in group chats, tells a guard or puts up a paper note. Each channel reaches only part of the campus, posts scroll away, and nobody knows when an item has been returned. Our Stage 1 hypothesis was that one searchable noticeboard tied to university accounts would make matching faster.

9 / 10
survey respondents rated such a service useful

4 / 10
said a return had taken more than three days

10
responses — a convenience sample of fellow students

Source: SE-2623 Stage 1 student survey, October 2026 (SE-2623 team, 2026a, p. 2). The sample is small and not representative of all students; we treat it as a signal that the problem exists, not as a measurement of its size.

The project is a small **information system** for a campus service, the kind of ICT use in public-sector and education services covered in Week 10: it replaces informal, paper-and-chat processes with a shared, searchable record, while keeping a human in the loop for the actual hand-over (Parsons, 2022, Module 9; Nurpeisova & Kaidash, 2017). The Final brief asks for the Stage 1 design, Assignment 3 database and security, Assignment 4 multimedia and Stage 2 prototype as one finished system (Astana IT University, 2026); this report follows that structure, building on the earlier reports (SE-2623 team, 2026a, 2026b) and the repository (SE-2623 team, 2026c).

2 · USERS AND REQUIREMENTS

Two user groups, one shared record

User group	Need	What they can do in the final system
Student	Find a lost item or return a found one	Register a local account, sign in, publish a lost/found notice with one photo, search by title, filter by category and status, open details, contact the author by email draft, edit own notice, mark it returned, see “My notices”.
Administrator	Keep the noticeboard relevant and safe	Everything a student can do, plus: admin overview with live counts, notice and user lists with search, removal of misuse with a confirmation page, analytics with CSV export, the user-testing timer and the smart-locker simulation.

Out of scope since Stage 1: payments, live chat, delivery and automatic item matching. They were excluded to keep the core flow — publish, search, contact, close — reliable. Stage 1 defined eight functional requirements (F1–F8), four non-functional requirements (N1–N4, all Must) and three success criteria (SC1–SC3). Their wording and priorities are kept unchanged in Section 3; no target was weakened.

3 · REQUIREMENT STATUS — FUNCTIONAL

Every functional Must works; university identity is the one partial item

Wording/priority: Stage 1 report pp. 3–4; Stage 2 status: Stage 2 report p. 5; evidence re-run 8 November 2026 (tests in `Campus_Lost_Found/`, screenshots S01–S16 in `Final/Evidence/screenshots/`).

ID	Requirement (acceptance check)	Priority	Stage 2	Final	Evidence
F1	University account sign-in (reject identities outside astanait.edu.kz)	Must	◐ **Partly**	◐ **Partly**	Other domains rejected: `test_registration_rejects_invalid_domain_syntax_and_password_lengths`; SC3-1; S01. Microsoft sign-in code: 11 tests with simulated responses; never connected to a real tenant.
F2	Publish a lost or found notice (valid notice appears in the list)	Must	✓ **Done**	✓ **Done**	`test_owner_create_edit_and_return_persist_after_application_restart`; browser run created notice #123 (S04 → S05).
F3	Attach one photo (JPG/PNG up to 5 MB)	Should	✓ **Done**	✓ **Done**	`test_photo_file_limit_pixel_limit_and_request_limit`, `test_png_photo_is_supported`, `test_photo_is_reencoded_without_metadata…`; S04 photo picker, S05 stored photo.
F4	Browse notices and open details (list and details show saved content)	Must	✓ **Done**	✓ **Done**	`test_stored_markup_is_escaped_in_browse_and_detail`; S02, S03, S07.
F5	Search title; filter by category (seeded matching notices appear)	Must	✓ **Done**	✓ **Done**	`test_search_treats_sql_and_like_metacharacters_as_literal_text`, `test_browse_retains_valid_filters…`; browser query “red notebook” + Books and Stationery → 1 result, “Red notebook” (S06).
F6	Contact via university email (contact opens the author’s email)	Must	✓ **Done**	✓ **Done**	`test_contact_is_mailto_and_admin_navigation_is_not_shown_to_student`; browser check: link is `mailto:student01.demo@…?subject=…%234` (S07). The site sends no email itself.
F7	Edit own notice; mark returned (owner changes persist after refresh)	Must	✓ **Done**	✓ **Done**	Persistence after app restart (test above); `test_student_cannot_edit_or_close_another_owners_notice`; browser: badge “Returned” (S08).
F8	Administrator removes misuse (admin succeeds; student is denied)	Must	✓ **Done**	✓ **Done**	`test_admin_confirmation_is_read_only_until_posted`, `test_student_cannot_remove_notice_even_with_forged_admin_role`; browser removal of #123 (S12); student gets 403 (SC3-5).

Why F1 is still partly done (one sentence). Signing in with a real Astana IT University account requires an application registration in the university’s Microsoft Entra ID tenant, which only university IT can create, so the final system keeps local accounts with an `@astanait.edu.kz` format check; the Microsoft sign-in code (OpenID Connect with PKCE) is ready and passes 11 tests against simulated Microsoft responses, but it stays off and is not counted as done until a real registration signs in a real account (set-up: `Final/SSO/`).

Instructor comments on Stage 1: none were reported to the team (Stage 2 report, p. 9), so no Stage 1 comment remains open.

3 · REQUIREMENT STATUS — NON-FUNCTIONAL AND SUCCESS CRITERIA

Quality targets were re-measured on the final code

ID	Requirement (check)	Stage 2	Final	Evidence and method
N1	Search p95 ≤ 2 s with 10 concurrent users	✓ Done p95 81 ms	✓ Done	p95 **44.9 ms**, max 54.6 ms, median 28.8 ms; 10 signed-in sessions × 10 title searches, started together. Loopback HTTP until the full HTML is received; images and painting excluded. `search_performance_final.json`
N2	Enforce university identity and owner/admin rights	◐ Partly	◐ Partly	Rights: SC3 5/5 blocked; every `/admin/*` page returns 403 to all three student accounts and 200 to the administrator (`account_checks.json`). Identity: same limit as F1.
N3	Support 360 px screens and keyboard input (core screens, labels, focus order)	◐ Partly	✓ Done	Edge at 360 × 760 px: 12 of 12 pages without horizontal scrolling; all form fields on browse, post and sign-in have labels; Tab reaches every control of the post form in visual order with a visible focus ring (M01–M04, K01; `browser_checks.json`). Automated browser check — not tested by users with assistive technology.
N4	Pass 20/20 checks during a 30-minute demo (core pages plus retry when offline)	◐ Partly	✓ Done	**20/20** authenticated checks of five core pages over 30 minutes (student + admin sessions; `stability_30min_final.json`). Offline retry in Edge: with the network cut the locker refresh reports that the result could not be confirmed; after reconnecting, "Refresh status" and a page reload both succeed.

Success criteria from Stage 1 (details in Section 7)

Criterion	Target	Stage 2 result	Final result	Met?
SC1 · Testers post a notice within 2 minutes	≥ 80 % (Stage 1: 4/5), ≤ 120 s	Stage 2 report: **Pending**. Team-reported afterwards: 5/5 (70–92 s), no raw record	3/3 within target times (s): 89, 84, 78	✓ Yes
SC2 · Testers find an item within 1 minute	≥ 80 % (Stage 1: 4/5), ≤ 60 s	Stage 2 report: **Pending**. Team-reported afterwards: 5/5 (45–53 s), no raw record	3/3 within target times (s): 40, 45, 42	✓ Yes
SC3 · Invalid-access checks are blocked	5/5	5/5	5/5 (8 November 2026)	✓ Yes

> **Honesty note.** Automated checks and AI-assisted reviews verify software behaviour; they are never counted as human testers. SC1 and SC2 can only be met by people outside the team using the system.

Should requirements

Stage 1 had one Should requirement, F3 (one photo). It is done. Beyond Stage 1 the team added an administrator panel, analytics, a user-testing timer, a backup with restore check and a smart-locker simulation; these are extras, not substitutes for any Must requirement.

4 · AS-BUILT ARCHITECTURE

Everything runs on one laptop, behind the operating-system account

The diagram shows what actually runs, not the Stage 1 plan. Browser and server share one laptop and talk over the loopback address `127.0.0.1:5055`; the server refuses other host names, so phones or other computers on the same Wi-Fi cannot connect.




Figure 1. As-built architecture of commit a7e5c74. Source: `Final/Architecture/` (portrait and landscape SVG).

Encrypted

Nothing. Traffic is local HTTP without TLS; files on disk are not encrypted by the application.

Hashed or signed

Passwords: scrypt hashes. Session cookie: signed with a random 256-bit key in `runtime/session.key` — tamper-proof, but readable.

Authenticated

Every page except sign-in and registration. Photos only through a signed-in route. Admin pages also need role = admin.

Public

Nothing on the network. The GitHub repository is public and holds synthetic data only, including demo password hashes.

Not in the system

LAN or Internet access, HTTPS, a physical locker. Microsoft sign-in: code ready, switched off, never connected to a real tenant.

4 · DIFFERENCES FROM THE STAGE 1 DESIGN

What changed between plan and build, and why

Area	Stage 1 design	Final (as built)	Reason
Identity	University SSO via the university identity provider	Local accounts (`@astanait.edu.kz` , scrypt) + optional Microsoft sign-in code, off until configured	No app registration in the university Entra tenant; Stage 1 risk plan allowed a labelled local sign-in.
Network	Wi-Fi / HTTPS, DNS-resolved host	Loopback HTTP only (127.0.0.1)	No TLS certificate or host; binding to loopback keeps unencrypted traffic off the network.
Hosting	Prototype server (deployment "needs setup")	Waitress on the demo laptop; portable Windows runtime included	Free static hosts cannot run Flask + SQLite; KZ data-location rules (Section 5) need a deliberate choice.
Stored data	Planned disk encryption, restricted file access	Plain SQLite and photo files under `data/`	Disk encryption is an operating-system setting, not part of the app; demo data is synthetic.
Databases	One SQLite database + photo files	Main DB + separate research DB + separate telemetry DB	Test timings and simulated sensor events must never mix with notices.
Administrator UI	One moderation screen with confirmation	Admin panel, notice and user lists, analytics, CSV export	Stage 2 required data analysis inside the product.
Smart component	None	Smart-locker LF-01 software simulation	Stage 2 smart-extension task; no hardware was bought.
Recovery	Offline copy of files	Full backup ZIP with SHA-256 manifest + non-destructive restore check	A single SQLite file is easy to lose or corrupt during a demo.
Team tools	VS Code, Git, Google Drive	Same; GitHub holds one upload commit	History was not committed per feature (see Section 9 and A3).

TECHNOLOGIES

Layer	Technology (version)	Why it fits
Interface	HTML (Jinja2 3.1.6), CSS, small vanilla JS files	Works without a build step; pages still work with JavaScript disabled.
Application	Python 3.14.8, Flask 3.1.3, Werkzeug 3.1.9	Small, readable code the whole team can explain.
Web server	Waitress 3.0.2, 4 threads	Production-grade WSGI server that runs on Windows.
Data	SQLite (Python `sqlite3`), sqlite-web 0.8.2 read-only inspector	One file, no server to install, constraints in SQL.
Media	Pillow 12.3.0	Validates and re-encodes uploaded photos.
Quality	`unittest` (94 tests), custom benchmark and monitor scripts	No extra dependencies; runs from `TESTS.bat` .

5 · DATA

Three related tables hold the notices; two side databases stay separate




Figure 2. Schema from `backend/schema.sql` (main database, foreign keys ON, ON DELETE RESTRICT) and `stage2_features.py` (side databases). The telemetry `notice_id` is checked by application code, not by a cross-file foreign key.

What is stored, and where it physically is

Data	Personal?	Physical location in the final configuration
Email address (account name)	Yes — identifies a person	`Campus_Lost_Found/data/campus.sqlite3`, table `users`, on the demo laptop's local disk.
Password	Secret	Only the scrypt hash, same file. The plain password is never stored or logged.
Notice text, location, date, owner link	Can become personal when linked to the author	Same file, table `notices`.
Item photographs	Can contain faces or ID cards	`data/uploads/`, random 48-hex-character names, metadata removed, served only to signed-in users.
Test observations	Pseudonymous (T01…)	`data/research.sqlite3`; no names or emails are accepted.
Audit log, session key	Account ids, times	`runtime/audit.jsonl`, `runtime/session.key`.
Backups	All of the above	`backups/campus_full_*.zip` on the same disk (session key excluded).

The shipped database is synthetic: 122 notices (96 open, 26 returned; 60 lost, 62 found), 20 accounts (1 administrator) and 10 categories. Its SHA-256 equals the frozen analysis copy in `Analysis/frozen_campus.sqlite3`, so the charts in Section 7 describe the delivered data.

5 · SECURITY

Controls inside the boundary, and what lies outside it

Threat	Control in the code	Verified by
Password theft from the DB	scrypt hashes; constant-time check with a dummy hash for unknown emails	`test_passwords_use_independent_scrypt_hashes`
Password guessing	5 attempts per minute per address for login and registration	`test_five_failed_logins_trigger_rate_limit…`
SQL injection	Parameterised queries; LIKE wildcards escaped	`test_sql_injection_cannot_bypass_login`
Cross-site request forgery	Random token on every POST form, compared with `hmac.compare_digest`	`test_missing_or_wrong_csrf_rejects_write`
Cross-site scripting	Jinja auto-escaping; Content-Security-Policy `default-src 'self'`	`test_stored_markup_is_escaped…`
Acting on others' data	Server-side owner check and role check on every change	SC3-4, SC3-5; 403 matrix
Malicious upload	Type, size (5 MiB) and pixel (12 MP) limits; re-encode; random name	`test_invalid_photo_extension_type_bytes…`
Forged Microsoft sign-in	state + nonce + PKCE; RS256 signature, issuer, audience, tenant, expiry and domain checked	`test_microsoft_auth.py` (simulated)
Spreadsheet formulas in CSV	Cells starting with = + − @ are prefixed	`test_csv_neutralizes_formulas…`

Controls follow common guidance for Flask applications and password and CSRF handling (Pallets, n.d.; OWASP Foundation, n.d.-a, n.d.-b).

Outside the boundary: anyone who can sign in to the laptop's Windows account can copy the SQLite files, photos and backups; the application cannot stop that. Traffic is HTTP, which is acceptable only because it never leaves the machine.

5 · PERSONAL DATA AND KAZAKHSTAN LAW

Why the storage location matters

What the law says (checked on adilet.zan.kz, 8 Nov 2026). The Law of the Republic of Kazakhstan No. 94-V "On Personal Data and Their Protection" (21 May 2013, last amended 14 Sep 2026) defines personal data as information about an identifiable person (Art. 1). Art. 12(2) requires personal data to be stored in a database or digital object located on the territory of Kazakhstan, and storage ends when the purpose of collection is achieved. Collection needs the subject's consent (Arts. 7–8). Owners and operators must protect data from unauthorised access (Art. 22) and, in the Russian text, notify the authorised body of a breach within one working day of detecting it (Art. 25(2)(8)) (Republic of Kazakhstan, 2013/2026). The law does not name a ministry; the ministry currently publishing personal-data guidance is the Ministry of Artificial Intelligence and Digital Development (n.d.).


Our interpretation. Email addresses linked to notices are personal data. In the final configuration they exist only on the demo laptop, which stays in Kazakhstan. Two things would change that: (1) committing a database with real users to GitHub, whose servers are outside Kazakhstan — today the repository holds synthetic accounts only, and the data folder should be excluded from Git before any real use; (2) hosting the app on a foreign cloud region. We do not claim legal compliance; a real launch would need the university's legal review.

If the system were hosted publicly	What must change
Data location	Database, photos and backups in a data centre located in Kazakhstan (Art. 12(2)).
Transport and identity	HTTPS with a valid certificate; university Microsoft Entra sign-in instead of local passwords.
Consent and retention	Consent text at registration; delete or anonymise returned notices after a fixed period.
Incidents	A named responsible person and a procedure to notify the authorised body within one working day.


6 · INTERFACE — STUDENT JOURNEY

From “I found something” to “Returned” in four screens


All screenshots were captured from the final build on 8 November 2026 at 1440 × 900 px, signed in as the synthetic student `zhanzhol.demo`. The notice “Blue notebook with star sticker” was created during this run and later removed by the administrator.




S04 · Publish. Labelled fields with limits; photo picker shows a preview, size and pixel count before upload.




S05 · Saved. Confirmation “Notice published and saved to the database”; the re-encoded photo is served through a signed-in route.



S06 · Find. Title search “red notebook” plus the category filter returns exactly one notice.




S07 · Contact. “Contact author” opens an email draft to the stored owner; safety advice sits next to it.




S08 · Close. The owner marks the notice returned; the badge changes to “Returned” and the change is saved.

6 · INTERFACE — ADMINISTRATOR JOURNEY AND SMALL SCREENS


The administrator sees the whole board and removes misuse with a confirmation step




S09 · Admin panel. Live counts read from SQLite (123 = 122 seeded + the demo notice created during the run).




S12 · Remove. Opening the page changes nothing; only the confirmed POST deletes the notice and its photo.





S11 · Notices. Search, status filter and pages of 20; links to the existing detail and removal pages.



S10 · Analytics. Three SQL questions with an explicit "synthetic teaching data" notice and CSV export.







M01–M04 · 360 px. The same pages at a 360 × 760 px mobile viewport. On all 12 checked pages the page width equals the screen width (no sideways scrolling), in the spirit of WCAG 2.2 "Reflow" (W3C, 2023).

Observed limitation: at 360 px the header and both navigation bars take about the first screen before the content starts. It works, but a collapsible menu would shorten the path to "Post a notice".

6 · MULTIMEDIA AND ACCESSIBILITY

Images help recognition; motion and video are optional extras


Element	How it works in the final build	Evidence / limit
Item photos	One JPG/PNG per notice, ≤ 5 MiB and ≤ 12 MP; rotated by EXIF, scaled to ≤ 1600 px, re-encoded (JPEG quality 85) so metadata such as GPS is removed.	`test_photo_is_reencoded_without_metadata_and_only_served_after_login`
Category images	Three WebP illustrations (9–31 KB) replace 0.6–1.3 MB PNG originals; licences in `static/media/CREDITS.txt`.	Alternative text on every image: `test_media_is_served_and_has_alternative_text`
Hero illustration, locker door	Inline SVG/CSS drawings; the locker door shows the stored simulated state.	Decorative parts are `aria-hidden`.
Motion	Card and chart entrance animations, page transitions; a "Motion on/off" switch, and the system "reduce motion" setting is respected.	Content does not depend on animation; screenshots were taken with reduced motion.
Demo video	Assignment 4 video, 2:14, 1920 × 1080, 30 fps, H.264/AAC; unlisted on YouTube (`youtu.be/76M3hSqR-7w` , reachable on 8 November 2026) and as a local MP4.	Recorded on the older Assignment 4 interface — see note below.

Video status. We extracted frames from the MP4: it shows the earlier white-and-teal interface ("Find what matters.", label "Multimedia project / Part 2"), the old photo field and no administrator panel, analytics or locker. It is therefore kept only as a backup for the student flow. Scenes to re-record are listed in `Final/Demo/Demo_Plan_and_Backup.md` ; the captions also still need re-timing.

Keyboard and labels (browser check, 8 November 2026)

An automated Edge session pressed Tab through the "Post a notice" page. Focus moved in visual order: skip link → header → navigation → back link → type → category → title → description → location → date → Choose photo → **Publish notice** → Cancel → footer. A visible focus ring was detected on every control except one reading inside the date field's internal segments. All 12 form fields on the browse, post and sign-in pages have a programmatic label.

This is automated browser evidence, not an accessibility audit with assistive-technology users.



K01. Keyboard focus on the form during the Tab walk.

7 · TESTING — SOFTWARE CHECKS

94 automated tests, five access attacks and two timed measurements on the final code

Test file	Tests	What it covers
`backend/test_backend.py`	14	Schema constraints, seed data, transactions, read-only queries, backup/restore
`test_app.py`	17	Login, rate limit, SQL injection, CSRF, ownership, persistence, escaping, number limits
`test_stage2_core.py`	11	Registration, photo validation and re-encoding, mailto, role navigation
`test_admin_panel.py`	11	Admin-only access, counts, pagination, search, no password hashes in pages
`test_analytics.py`	7	Aggregates vs independent SQL, empty data, CSV safety, access
`test_stage2_features.py`	14	Research timer rules, consent, CSV; locker open/alert/close/reset
`test_backup_full.py` · `test_media.py`	7 · 2	Archive contents, hashes, traversal/corruption rejection · media and alt text
`test_microsoft_auth.py` (new)	11	Microsoft sign-in against simulated Microsoft: off when unconfigured, PKCE/state/nonce, RS256 signature, wrong issuer/audience/tenant/expiry, non-university email

Run: `python\python.exe -B -m unittest discover -v` in an isolated copy, 8 November 2026: **Ran 94 tests in 29.6 s — OK**. Log: `Final/Evidence/test_suite_final.log`.

SC3 — five invalid-access attempts

Attempt	Answer	Result
Register an address outside astanait.edu.kz	200	✓ **blocked**
Sign in with an incorrect password	200	✓ **blocked**
Anonymous visitor opens notice details	302	✓ **blocked**
Student edits another owner's notice	403	✓ **blocked**
Student opens and submits administrator removal	403/403	✓ **blocked**

Each check also verifies the database did not change (no new user, unchanged title, unchanged notice count).

N1 — search under 10 concurrent users

Response time, milliseconds (log scale not used)



Same scale. 100 requests, 10 signed-in sessions, loopback HTTP.

N4 — 30-minute availability

20 of 20 checks passed, spread evenly over 30 minutes (14:44–15:14 UTC, 8 November 2026). Slowest response 58 ms. A check passes only with HTTP 200, the expected page content and no sign-in form.

7 · FINAL TEST WITH PEOPLE OUTSIDE THE TEAM

3 people outside the team re-tested the Stage 1 criteria on the final build

Method (fixed before testing). Each participant is a volunteer outside the three-person team who agrees to take part. They use the student role on the final build with the same two task cards (`Testing/TASK_CARDS_EN.txt`): *Task 1* — publish a found "Blue notebook" notice with given details; *Task 2* — from a cleared noticeboard, find the "Red notebook" notice and say where it was found. The observer starts timing when the card is handed over and stops when the participant says the task is complete; one first attempt per task counts, failures are kept, and no coaching is given. A task counts as met if it is completed correctly, without help, within 120 s (publish) or 60 s (find). Stage 1 thresholds are 4 of 5 testers (80 %); with N participants the criterion is met when at least 80 % meet it.

Success criterion	Target	Stage 2 result	Final result	Met?	Evidence
SC1 · Testers post a notice within 2 minutes	≥ 80 % (Stage 1: 4/5), ≤ 120 s	Stage 2 report: **Pending**. Team-reported afterwards: 5/5 (70–92 s), no raw record	3/3 within target times (s): 89, 84, 78	✓ **Yes**	`Testing/final_test_results.csv`
SC2 · Testers find an item within 1 minute	≥ 80 % (Stage 1: 4/5), ≤ 60 s	Stage 2 report: **Pending**. Team-reported afterwards: 5/5 (45–53 s), no raw record	3/3 within target times (s): 40, 45, 42	✓ **Yes**	`Testing/final_test_results.csv`
SC3 · Invalid-access checks are blocked	5/5	5/5	5/5 (8 November 2026)	✓ **Yes**	`Evidence/sc3_final.json`

Sample. 3 participants (T01, T02, T03), all outside the team and consenting; dates 2026-11-06, 2026-11-07; devices: laptop · Windows 11 / Chrome; laptop · Windows 11 / Microsoft Edge; phone · Android / Chrome. The brief's minimum is three people; the Stage 1 targets were written for five. With 3 participants one person is 33 percentage points, so we report counts, not percentages alone.


> **Observations.** Participants made no specific comments; all three said that, overall, the system worked well. We interpret the results as evidence that first-time users can complete the two core tasks; they are not a measure of satisfaction.

About the Stage 2 column. The submitted Stage 2 report recorded SC1 and SC2 as *Pending* because no external sessions had been completed by its evidence freeze. The team later reported an Endterm session with five people: publish times 78, 70, 82, 88 and 92 s; find times 45, 48, 49, 53 and 47 s; devices three Windows 11/Chrome, one Android/Chrome and one Linux/Firefox; no comments. No raw record of that session (recorder database, sheet or notes) is in the package, so it is shown as team-reported history, not as Final evidence.


7 · DATA ANALYSIS (SYNTHETIC DATA)

Three SQL questions show the dashboard is wired to the database — not how the campus behaves


The same three queries power `/admin/analytics` and the files in `Analysis/`. Data: the delivered synthetic database (122 notices, frozen 30 Oct 2026; identical to the shipped file).



Q1 · Category backlog. Eight categories have 12 open notices each; Drinkware (13) and Electronics (12) are all returned. *We interpret* this as a pattern of the data generator, not of real recovery rates.



Q2 · Locations. "Library study area" has the most notices (13: 12 lost, 1 found). Free-text locations split one place into two labels ("Library, second floor").




Q3 · Weekly events. Monday–Sunday weeks by event date, including empty weeks; four September weeks reach 21 events. This reflects the seed schedule.

Finding we act on. The location question exposed a data-quality problem: free-text locations make counts unreliable. The recommended change (Section 9) is a fixed list of campus locations with an "Other" option. A live defense query shows the link to stored data: changing `GROUP BY status` (96 / 26) to `GROUP BY type` (60 / 62) keeps the total at 122.


8 · SMART EXTENSION

A simulated found-property locker warns staff when its door stays open

A real campus could keep found items in a locker with a door sensor. We built the software side only: the administrator page `/admin/smart-locker` records **SIMULATED** door readings for locker LF-01 linked to an existing "found" notice. No sensor, microcontroller or door exists, and every record says so.



S16. After "Simulate open", 11 s of waiting and "Refresh status", the page shows **OPEN TOO LONG** (last reported open for 13.6 seconds).



S16b. "Simulate close" resolves it; the status line reads "Reading saved. Door is closed.". The browser updated in place, without a page reload.

Part	Implemented and verified	Proposed only (physical pilot)
Device	Admin buttons and `simulate_locker.py` CLI	Reed switch + Wi-Fi microcontroller
Network	Same-origin `fetch` with CSRF token, 15 s timeout, never re-sends a POST automatically	Campus IoT network, HTTPS, per-device credentials
Processing	Warning after 10 s, evaluated when the page is requested	Periodic rule (30 s), offline detection after 120 s
Storage	`telemetry.sqlite3`, notice reference validated, history kept; reset for a removed notice	Retention limit and automatic expiry
Human role	Never marks a notice returned; staff verify the claimant	Same

Failure behaviour (tested offline in the browser). With the network cut, "Refresh status" shows "The result could not be confirmed. Refresh status before trying another action."; after reconnecting, the same button shows "Status refreshed". A missing "close" reading can create a false warning, which is why a person must check the locker.

9 · LIMITATIONS AND FUTURE WORK

What the prototype cannot do yet, and the next sensible steps

Limitation (fact)	Consequence	Next step (recommendation)
University sign-in not connected	Local registration accepts any well-formed `@astanait.edu.kz` address without proof of ownership.	Ask university IT for an Entra app registration, set three environment variables and test a real sign-in; the OpenID Connect code is ready (Microsoft, n.d.-a, n.d.-b; `Final/SSO/`).
Loopback HTTP on one laptop	Only one machine can use it; a demo depends on that laptop.	Host in a Kazakhstan data centre with HTTPS; keep the loopback build for offline demos.
SQLite + in-memory rate limit	One writer at a time; limits reset on restart and are not shared between servers.	PostgreSQL and a shared limiter (e.g. Redis) when moving beyond one server.
No email notifications	Owners must check the board themselves.	Optional notification email after a matching notice is posted.
Free-text locations	Analytics split one place into several labels.	Fixed location list with “Other”.
Simulated locker	No evidence about real hardware, networks or misuse.	Small physical pilot with device authentication and retention rules.
One upload commit	Git does not show who wrote which part.	Feature branches and commits from each member’s own account.

If 10,000 users joined tomorrow

What fails first (our analysis). The single laptop and loopback binding mean nobody else can even reach the site, so access fails before load does. Once hosted, the next bottleneck is writes: SQLite allows one writer at a time, and Waitress has 4 threads, so bursts of posts and photo uploads (up to 6 MB each) would queue; SQLite’s own guidance points to a client/server database for many concurrent writers (SQLite, n.d.). Photos on one disk and the in-memory rate limit would follow. The measured 45 ms p95 is for 10 sessions on a laptop and does not predict 10,000. **Plan:** host in Kazakhstan behind HTTPS; move to PostgreSQL; store photos in object storage with size-checked uploads; run several app instances behind a load balancer with a shared rate limiter; add SSO so accounts are real; load-test with a tool such as Locust before launch.

Lessons learned

- **Evidence beats claims.** Writing the requirement table forced us to separate “works in a test” from “seen by a real user”.
- **Scope is a design decision.** Dropping chat, matching and real SSO kept the core flow stable enough to test.
- **Process shows in Git.** Uploading the project in one commit hid our individual work; next time each feature goes in its own commit.
- **Users first, polish later.** The external user study should have started in Week 7, not at the end; heuristics (Nielsen, 2024) helped us design screens but cannot replace observing people.

B2 · INDIVIDUAL CONTRIBUTION STATEMENTS

Who built what

Status: drafted from the team-confirmed contribution table (Stage 2 report, p. 9) and the code; each member must check every fact, especially the "problem I solved", edit it in their own words and sign before submission. File paths are in the repository `github.com/zondbebox/SE-2623_Endterm`, commit `a7e5c74`.

Mengdigerey Zhanzhol — Accounts, notices, photos, security and backup · 112 words

I built the account and notice workflow: local registration and sign-in, publishing and editing notices, the single-photo upload, owner and administrator permissions, and the full backup with restore check. My files are Campus_Lost_Found/app.py, templates/form.html, backup_full.py and backup_tools.py. The only repository commit, a7e5c74, was uploaded from my GitHub account, zondbebox. One problem I solved: the backup writer and the restore reader used different size limits for the manifest file, so a backup could be created that restore would then refuse. I made both use one shared 1 MiB limit and added three regression tests. Next time I would commit every feature separately, so the history shows who built what.

Signature: Mengdigerey Zhanzhol Date

Galitskiy Daniil — Browsing and search, performance, SQL analytics, user study · 110 words

I was responsible for browsing and search, the search performance test, the SQL analytics and the user-testing method. My files are Campus_Lost_Found/analytics_routes.py, backend/analytics.py, Analysis/01-03 SQL queries, benchmark_search.py, the research timer in stage2_features.py and Testing/TASK_CARDS_EN.txt. They are in commit a7e5c74, uploaded from Zhanzhol's account; my own commits are still to be added. One problem I solved: very large numbers in the category and page filters crashed SQLite with an overflow error. I added range checks that return HTTP 400 or 404 before any query runs, plus four regression tests. Next time I would run the external user study weeks earlier, not at the end.

Signature: Galitskiy Daniil Date

Bisengaliev Daulet — Smart-locker simulation, multimedia, mobile and availability evidence · 111 words

I worked on the smart-locker extension, the multimedia and the 360 px, keyboard and availability evidence. My files are the locker part of Campus_Lost_Found/stage2_features.py, static/locker.js, static/locker.css, templates/smart_locker.html, simulate_locker.py, static/media/CREDITS.txt and the Assignment 4 video. They are in commit a7e5c74, uploaded from Zhanzhol's account; my own commits are still to be added. One problem I solved: when the found notice linked to an open locker was deleted, the simulation could not be closed. I added a reset action that records a new closed, unassigned state and keeps the history. Next time I would test on a real phone early and re-record the video after every interface change.

Signature: Bisengaliev Daulet Date

10 · REFERENCES (APA 7TH)

Sources

Astana IT University. (2026). *Final project — completed ICT project, presentation and individual defense* [Course brief, ICT_Final.pdf]. Unpublished course document.

Microsoft. (n.d.-a). *OpenID Connect on the Microsoft identity platform*. Microsoft Learn. Retrieved November 8, 2026, from https://learn.microsoft.com/en-us/entra/identity-platform/v2-protocols-oidc

Microsoft. (n.d.-b). *Quickstart: Register an application with the Microsoft identity platform*. Microsoft Learn. Retrieved November 8, 2026, from https://learn.microsoft.com/en-us/entra/identity-platform/quickstart-register-app

Ministry of Artificial Intelligence and Digital Development of the Republic of Kazakhstan. (n.d.). *Official website*. Retrieved November 8, 2026, from https://www.gov.kz/org/maidd

Nielsen, J. (2024). *10 usability heuristics for user interface design*. Nielsen Norman Group. Retrieved November 8, 2026, from https://www.nngroup.com/articles/ten-usability-heuristics/

Nurpeisova, T. B., & Kaidash, I. N. (2017). *Information and communication technologies*. Bastau.

OWASP Foundation. (n.d.-a). *Cross-site request forgery prevention cheat sheet*. Retrieved November 8, 2026, from https://cheatsheetseries.owasp.org/cheatsheets/Cross-Site_Request_Forgery_Prevention_Cheat_Sheet.html

OWASP Foundation. (n.d.-b). *Password storage cheat sheet*. Retrieved November 8, 2026, from https://cheatsheetseries.owasp.org/cheatsheets/Password_Storage_Cheat_Sheet.html

Pallets. (n.d.). *Security considerations* [Flask documentation]. Retrieved November 8, 2026, from https://flask.palletsprojects.com/en/stable/web-security/

Parsons, J. J. (2022). *Computer concepts: Comprehensive* (21st ed.). Cengage. Module 8: The ICT industry; Module 9: Information systems.

Republic of Kazakhstan. (2013, as amended September 14, 2026). *On personal data and their protection* (Law No. 94-V of May 21, 2013). Adilet. Retrieved November 8, 2026, from https://adilet.zan.kz/rus/docs/Z1300000094 (unofficial English translation: https://adilet.zan.kz/eng/docs/Z1300000094)

SE-2623 team. (2026a). *Campus Lost & Found: Project Stage 1 midterm report* [Unpublished project report]. Sources/Briefs/Stage1_Midterm_Portrait.pdf.

SE-2623 team. (2026b). *Campus Lost & Found: Project Stage 2 endterm report* [Unpublished project report]. SE-2623_CampusLostFound_ICT_ProjectStage2.pdf.

SE-2623 team. (2026c). *SE-2623_Endterm* [Source code repository, commit a7e5c74]. GitHub. https://github.com/zondbebox/SE-2623_Endterm

SQLite. (n.d.). *Appropriate uses for SQLite*. Retrieved November 8, 2026, from https://www.sqlite.org/whentouse.html

W3C. (2023). *Web Content Accessibility Guidelines (WCAG) 2.2* (Success criterion 1.4.10 Reflow). Retrieved November 8, 2026, from https://www.w3.org/TR/WCAG22/

Images: all screenshots are original captures of the final build (8 November 2026); charts are original aggregations of synthetic project data; category photographs are credited in `static/media/CREDITS.txt`. Legal sources were read on adilet.zan.kz on 8 Nov 2026; the Russian text is authoritative.