ADC Nexus 安德鲁牙科连锁运营管理系统 · 全景关系数据图

61 张表 · 730 个字段 · 119 条外键

组织、账户与授权

ORGANIZATIONS（组织）

PK	id	TEXT	NN
	code	TEXT	NN · IDX
	name_en	TEXT	NN
	name_zh	TEXT	NN
	timezone	TEXT	NN · DEF
	currency	TEXT	NN · DEF
	status	TEXT	NN · IDX
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

CLINICS（诊所）

PK	id	TEXT	NN
FK	organization_id → organizations	TEXT	NN · IDX
	code	TEXT	NN · IDX
	name_en	TEXT	NN
	name_zh	TEXT	NN
	city_en	TEXT	NN
	city_zh	TEXT	NN
	address_en	TEXT	NULL
	address_zh	INTEGER	NULL
	phone	TEXT	NULL
	email	TEXT	NULL
	chair_capacity	INTEGER	NN · DEF
	status	TEXT	NN · IDX
	opened_on	TEXT	NULL
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

APP_USERS（系统账户）

PK	id	TEXT	NN
	auth_subject	TEXT	NN · IDX
	email	TEXT	NN · IDX
	display_name	TEXT	NN
	phone_e164	TEXT	NN · IDX
	username	TEXT	NULL · IDX
	password_hash	TEXT	NULL
	password_salt	TEXT	NULL
	password_iterations	INTEGER	NN · DEF
	password_at	TEXT	NULL
	last_auth_method	TEXT	NULL
	failed_login_count	INTEGER	NN · DEF
	locked_until	TEXT	NULL
	preferred_language	TEXT	NN · DEF
	status	TEXT	NN · IDX
	last_login_in_at	TEXT	NULL
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

ACCOUNT_INVITATIONS（账户邀请）

PK	id	TEXT	NN
	phone_e164	TEXT	NN · IDX
FK	target_user_id → app_users	TEXT	NULL
	role_id	TEXT	NULL
	clinic_id	TEXT	NULL
	status	TEXT	NN · IDX · DEF
	expires_at	TEXT	NN
	accepted_at	TEXT	NULL
FK	created_by_user_id → app_users	TEXT	NULL
	created_at	TEXT	NN · DEF

ROLES（角色）

PK	id	TEXT	NN
	code	TEXT	NN · IDX
	name_en	TEXT	NN
	name_zh	TEXT	NN
	description_en	TEXT	NN · DEF
	description_zh	TEXT	NN · DEF
	is_system	INTEGER	NN · DEF
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

PERMISSIONS（权限）

PK	id	TEXT	NN
	code	TEXT	NN · IDX
	domain	TEXT	NN · IDX
	description_en	TEXT	NN
	description_zh	TEXT	NN
	created_at	TEXT	NN · DEF

ROLE_PERMISSIONS（角色权限）

PK/FK	role_id → roles	TEXT	NN
PK/FK	permission_id → permissions	TEXT	NN · IDX
	created_at	TEXT	NN · DEF

USER_ROLE_ASSIGNMENTS（用户角色授权）

PK	id	TEXT	NN
FK	user_id → app_users	TEXT	NN
FK	role_id → roles	TEXT	NN
FK	clinic_id → clinics	TEXT	NULL · IDX
	status	TEXT	NN · IDX · DEF
	effective_from	TEXT	NN
	effective_to	TEXT	NULL
FK	granted_by_user_id → app_users	TEXT	NULL
	created_at	TEXT	NN · DEF

AUDIT_EVENTS（审计事件）

PK	id	INTEGER	NN
	request_id	TEXT	NN · IDX
FK	actor_user_id → app_users	TEXT	NULL · IDX
	actor_subject	TEXT	NULL
	action	TEXT	NN · IDX
	entity_type	TEXT	NN · IDX
	entity_id	TEXT	NN · IDX
FK	clinic_id → clinics	TEXT	NULL · IDX
	outcome	TEXT	NN · DEF
	source	TEXT	NN · DEF
	reason	TEXT	NULL
	before_json	TEXT	NULL
	after_json	TEXT	NULL
	metadata_json	TEXT	NULL
	occurred_at	TEXT	NN · IDX · DEF

SYSTEM_SETTINGS（系统配置）

PK/FK	organization_id → organizations	TEXT	NN
PK	setting_key	TEXT	NN
	value_json	TEXT	NN
	updated_by_user_id → app_users	TEXT	NULL
	updated_at	TEXT	NN · DEF

身份认证与通知

AUTH_IDENTITIES（外部身份）

PK	id	TEXT	NN
FK	user_id → app_users	TEXT	NN · IDX
	provider	TEXT	NN · IDX
	provider_subject	TEXT	NN
	profile_json	TEXT	NN · DEF
	last_used_at	TEXT	NULL
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

AUTH_OTP_CHALLENGES（验证码挑战）

PK	id	TEXT	NN
	phone_e164	TEXT	NN · IDX
	purpose	TEXT	NN · IDX
	code_hash	TEXT	NN
	code_salt	TEXT	NN
	expires_at	TEXT	NN
	consumed_at	TEXT	NULL
	attempt_count	INTEGER	NN · DEF
	max_attempts	INTEGER	NN · DEF
	request_ip_hash	TEXT	NULL
	created_at	TEXT	NN · IDX · DEF

AUTH_SESSIONS（认证会话）

PK	id	TEXT	NN
FK	user_id → app_users	TEXT	NN · IDX
	token_hash	TEXT	NN · IDX
	auth_method	TEXT	NN · IDX
	expires_at	TEXT	NN · IDX
	revoked_at	TEXT	NULL
	last_seen_at	TEXT	NULL
	ip_hash	TEXT	NULL
	user_agent_hash	TEXT	NULL
	created_at	TEXT	NN · DEF

AUTH_OAUTH_STATES（OAuth 状态）

PK	id	TEXT	NN
	provider	TEXT	NN · IDX
	state_hash	TEXT	NN · IDX
	return_to	TEXT	NULL
	expires_at	TEXT	NN · IDX
	consumed_at	TEXT	NULL
	created_at	TEXT	NN · DEF

NOTIFICATION_EVENTS（通知事件）

PK	id	TEXT	NN
FK	appointment_id → appointments	TEXT	NULL · IDX
	channel	TEXT	NN
	template_code	TEXT	NN
	recipient_masked	TEXT	NN
	locale	TEXT	NN · DEF
	status	TEXT	NN · IDX · DEF
	idempotency_key	TEXT	NN · IDX
	queued_at	TEXT	NN · IDX
	sent_at	TEXT	NULL
	delivered_at	TEXT	NULL
	failure_code	TEXT	NULL
	created_at	TEXT	NN · DEF

PATIENT_ACCOUNT_LINKS（患者账户绑定）

PK	id	TEXT	NN
FK	user_id → app_users	TEXT	NN · IDX
FK	patient_id → patients	TEXT	NN · IDX
	verification_method	TEXT	NN
	verified_at	TEXT	NN
	created_at	TEXT	NN · DEF

患者主档与风险资料

PATIENTS（患者）

PK	id	TEXT	NN
	patient_code	TEXT	NN · IDX
	name_en	TEXT	NN · IDX
	name_zh	TEXT	NN · IDX
	date_of_birth	TEXT	NN
	gender	TEXT	NN
	phone	TEXT	NN · IDX
	email	TEXT	NULL · IDX
	government_id_last4	TEXT	NULL
	preferred_language	TEXT	NN · DEF
	communication_channel	TEXT	NN · DEF
FK	primary_clinic_id → clinics	TEXT	NULL · IDX
	status	TEXT	NN · IDX
	last_visit_at	TEXT	NULL
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

EMERGENCY_CONTACTS（紧急联系人）

PK	id	TEXT	NN
FK	patient_id → patients	TEXT	NN · IDX
	contact_name	TEXT	NN
	relationship_en	TEXT	NN
	relationship_zh	TEXT	NN
	phone	TEXT	NN · IDX
	priority	INTEGER	NN · IDX · DEF
	is_authorized_contact	INTEGER	NN · DEF
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

PATIENT_ALLERGIES（患者过敏记录）

PK	id	TEXT	NN
FK	patient_id → patients	TEXT	NN · IDX
	substance_en	TEXT	NN
	substance_zh	TEXT	NN
	reaction_en	TEXT	NN
	reaction_zh	TEXT	NN
	severity	TEXT	NN · IDX
	status	TEXT	NN · IDX
	verified_at	TEXT	NULL
	verified_by_dentist_id → dentists	TEXT	NULL
	notes_en	TEXT	NN · DEF
	notes_zh	TEXT	NN · DEF
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

PATIENT_CONSENTS（患者同意记录）

PK	id	TEXT	NN
FK	patient_id → patients	TEXT	NN · IDX
	consent_type	TEXT	NN · IDX
	status	TEXT	NN · IDX
	policy_version	TEXT	NN · IDX
	captured_at	TEXT	NN
	expires_at	TEXT	NULL
	source	TEXT	NN · DEF
	created_at	TEXT	NN · DEF

PATIENT_DUPLICATE_REVIEWS（重复患者复核）

PK	id	TEXT	NN
FK	source_patient_id → patients	TEXT	NN · IDX
FK	candidate_patient_id → patients	TEXT	NN · IDX
	match_score	INTEGER	NN
	match_reasons_json	TEXT	NN
	status	TEXT	NN · IDX · DEF
FK	reviewed_by_user_id → app_users	TEXT	NULL
	reviewed_at	TEXT	NULL
	resolution_notes	TEXT	NULL
	created_at	TEXT	NN · DEF

PATIENT_TIMELINE_EVENTS（患者时间线事件）

PK	id	TEXT	NN
FK	patient_id → patients	TEXT	NN · IDX
FK	clinic_id → clinics	TEXT	NULL · IDX
	event_type	TEXT	NN · IDX
	occurred_at	TEXT	NN · IDX
	title_en	TEXT	NN
	title_zh	TEXT	NN
	description_en	TEXT	NN · DEF
	description_zh	TEXT	NN · DEF
	reference_type	TEXT	NULL · IDX
	reference_id	TEXT	NULL · IDX
	status	TEXT	NN
	amount_fen	INTEGER	NULL
	metadata_json	TEXT	NN · DEF
	created_at	TEXT	NN · DEF

牙医、资质与治疗目录

DENTISTS（牙医）

PK	id	TEXT	NN
	employee_code	TEXT	NN · IDX
	name_en	TEXT	NN
	name_zh	TEXT	NN
	title_en	TEXT	NN
	title_zh	TEXT	NN
	email	TEXT	NN · IDX
	phone	TEXT	NN · IDX
	hire_date	TEXT	NN
	employment_status	TEXT	NN · IDX · DEF
	languages_json	TEXT	NN · DEF
	biography_en	TEXT	NN · DEF
	biography_zh	TEXT	NN · DEF
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

QUALIFICATION_TYPES（资质类型）

PK	id	TEXT	NN
	code	TEXT	NN · IDX
	name_en	TEXT	NN
	name_zh	TEXT	NN
	category	TEXT	NN · IDX
	description_en	TEXT	NN · DEF
	description_zh	TEXT	NN · DEF
	status	TEXT	NN · IDX
	created_at	TEXT	NN · DEF

DENTIST_QUALIFICATIONS（牙医资质证书）

PK	id	TEXT	NN
FK	dentist_id → dentists	TEXT	NN · IDX
FK	qualification_type_id → qualification_typ…	TEXT	NN · IDX
	issuing_body	TEXT	NN
	reference_number	TEXT	NN
	issued_on	TEXT	NULL · IDX
	expires_on	TEXT	NULL · IDX
	verification_status	TEXT	NN · IDX · DEF
	verified_at	TEXT	NULL
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

DENTIST_CLINIC_ASSIGNMENTS（牙医诊所任职）

PK	id	TEXT	NN
FK	dentist_id → dentists	TEXT	NN · IDX
FK	clinic_id → clinics	TEXT	NN · IDX
	is_primary	INTEGER	NN · DEF
	effective_from	TEXT	NN
	effective_to	TEXT	NULL
	weekly_hours	INTEGER	NN · DEF
	status	TEXT	NN · IDX · DEF
	created_at	TEXT	NN · DEF

TREATMENT_CATALOG（治疗项目目录）

PK	id	TEXT	NN
	code	TEXT	NN · IDX
	name_en	TEXT	NN
	name_zh	TEXT	NN
	category	TEXT	NN · IDX
	description_en	TEXT	NN · DEF
	description_zh	TEXT	NN · DEF
	duration_minutes	INTEGER	NN
	standard_price_fen	INTEGER	NN
	estimated_cost_fen	INTEGER	NN
	version	INTEGER	NN · DEF
	effective_from	TEXT	NN
	effective_to	TEXT	NULL
	status	TEXT	NN · IDX · DEF
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

TREATMENT_QUALIFICATION_REQUIREMENTS（治疗资质要求）

PK/FK	treatment_id → treatment_catalog	TEXT	NN
PK/FK	qualification_type_id → qualification_typ…	TEXT	NN · IDX
	requirement_level	TEXT	NN · DEF
	created_at	TEXT	NN · DEF

排班、资源与预约

CLINIC_CHAIRS（诊所牙椅）

PK	id	TEXT	NN
FK	clinic_id → clinics	TEXT	NN · IDX
	code	TEXT	NN · IDX
	name_en	TEXT	NN
	name_zh	TEXT	NN
	room_name_en	TEXT	NN
	room_name_zh	TEXT	NN
	equipment_json	TEXT	NN · DEF
	is_accessible	INTEGER	NN · DEF
	status	TEXT	NN · IDX · DEF
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

CLINIC_OPERATING_HOURS（诊所营业时间）

PK/FK	clinic_id → clinics	TEXT	NN
PK	day_of_week	INTEGER	NN · IDX
	opens_at	TEXT	NN
	closes_at	TEXT	NN
	slot_minutes	INTEGER	NN · DEF
	is_closed	INTEGER	NN · DEF
	updated_at	TEXT	NN · DEF

CLINIC_CLOSURES（诊所停诊安排）

PK	id	TEXT	NN
FK	clinic_id → clinics	TEXT	NN · IDX
	starts_at	TEXT	NN · IDX
	ends_at	TEXT	NN · IDX
	reason_code	TEXT	NN · IDX
	reason_en	TEXT	NN
	reason_zh	TEXT	NN
	created_at	TEXT	NN · DEF

DENTIST_AVAILABILITY_RULES（牙医常规可用规则）

PK	id	TEXT	NN
FK	dentist_id → dentists	TEXT	NN · IDX
FK	clinic_id → clinics	TEXT	NULL · IDX
	day_of_week	INTEGER	NN · IDX
	starts_at	TEXT	NN
	ends_at	TEXT	NN
	effective_from	TEXT	NN · IDX
	effective_to	TEXT	NULL
	recurrence_rule	TEXT	NN · DEF
	status	TEXT	NN · IDX · DEF
	created_at	TEXT	NN · DEF

DENTIST_SCHEDULE_EXCEPTIONS（牙医排班例外）

PK	id	TEXT	NN
FK	dentist_id → dentists	TEXT	NN · IDX
FK	clinic_id → clinics	TEXT	NULL · IDX
	starts_at	TEXT	NN · IDX
	ends_at	TEXT	NN
	exception_type	TEXT	NN · IDX
	reason_en	TEXT	NN
	reason_zh	TEXT	NN
	status	TEXT	NN · IDX · DEF
	created_at	TEXT	NN · DEF

APPOINTMENTS（预约）

PK	id	TEXT	NN
	appointment_code	TEXT	NN · IDX
FK	patient_id → patients	TEXT	NN · IDX
FK	clinic_id → clinics	TEXT	NN · IDX
FK	dentist_id → dentists	TEXT	NN · IDX
FK	chair_id → clinic_chairs	TEXT	NULL · IDX
FK	treatment_id → treatment_catalog	TEXT	NN
	scheduled_start_at	TEXT	NN · IDX
	scheduled_end_at	TEXT	NN · IDX
	duration_minutes	INTEGER	NN
	status	TEXT	NN · IDX · DEF
	booking_channel	TEXT	NN · DEF
	priority	TEXT	NN · DEF
	confirmation_state	TEXT	NN · DEF
	risk_flag	TEXT	NN · DEF
	notes	TEXT	NULL
	cancellation_reason_code	TEXT	NULL
	appointment_version	INTEGER	NN · DEF
FK	created_by_user_id → app_users	TEXT	NULL
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

APPOINTMENT_STATUS_HISTORY（预约状态历史）

PK	id	TEXT	NN
FK	appointment_id → appointments	TEXT	NN
	from_status	TEXT	NULL
	to_status	TEXT	NN
	reason_code	TEXT	NULL
	reason_text	TEXT	NULL
FK	actor_user_id → app_users	TEXT	NULL
	occurred_at	TEXT	NN · DEF
	metadata_json	TEXT	NN · DEF
	created_at	TEXT	NN · DEF

WAITLIST_ENTRIES（候补登记）

PK	id	TEXT	NN
FK	patient_id → patients	TEXT	NN · IDX
FK	treatment_id → treatment_catalog	TEXT	NULL · IDX
FK	preferred_clinic_id → clinics	TEXT	NULL · IDX
	earliest_date	TEXT	NULL
	latest_date	TEXT	NULL
	preferred_periods_json	TEXT	NN · DEF
	acceptable_clinic_ids_json	TEXT	NN · DEF
	notice_hours	INTEGER	NN · DEF
	priority_score	INTEGER	NN · DEF
	status	TEXT	NN · IDX · DEF
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

REQUESTED_TREATMENT_ITEMS（预约治疗许诺）

PK	id	TEXT	NN
FK	plan_id → treatment_plans	TEXT	NN · IDX
FK	visit_id → clinical_visits	TEXT	NN · IDX
FK	treatment_id → treatment_catalog	TEXT	NN
	sequence	INTEGER	NN · IDX
	tooth_code	TEXT	NULL
	surfaces_json	TEXT	NN · DEF
	units	INTEGER	NN · DEF
	priority	TEXT	NN · DEF
	rationale_en	TEXT	NN · DEF
	rationale_zh	TEXT	NN · DEF
	status	TEXT	NN · IDX · DEF
	created_at	TEXT	NN · DEF

WAITLIST_OFFERS（候补邀约）

PK	id	TEXT	NN
FK	waitlist_entry_id → waitlist_entries	TEXT	NN · IDX
FK	released_appointment_id → appointments	TEXT	NN · IDX
FK	clinic_id → clinics	TEXT	NN
FK	dentist_id → dentists	TEXT	NN
FK	chair_id → clinic_chairs	TEXT	NULL
	offered_start_at	TEXT	NN
	offered_end_at	TEXT	NN
	compatibility_score	INTEGER	NN
	reasons_json	TEXT	NN
	status	TEXT	NN · IDX · DEF
	expires_at	TEXT	NN · IDX
	responded_at	TEXT	NULL
	created_at	TEXT	NN · DEF

临床就诊与病历版本

CLINICAL_VISITS（临床就诊）

PK	id	TEXT	NN
	visit_code	TEXT	NN · IDX
FK	appointment_id → appointments	TEXT	NN · IDX
FK	patient_id → patients	TEXT	NN · IDX
FK	clinic_id → clinics	TEXT	NN · IDX
FK	dentist_id → dentists	TEXT	NN · IDX
FK	chair_id → clinic_chairs	TEXT	NULL
	status	TEXT	NN · IDX
	chief_complaint_en	TEXT	NN
	chief_complaint_zh	TEXT	NN
	safety_gate_status	TEXT	NN · DEF
	started_at	TEXT	NULL
	completed_at	TEXT	NULL
	visit_version	INTEGER	NN · DEF
FK	created_by_user_id → app_users	TEXT	NULL
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

VISIT_ALLERGY_ACKNOWLEDGEMENTS（就诊过敏复核）

PK	id	TEXT	NN
FK	visit_id → clinical_visits	TEXT	NN · IDX
FK	allergy_id → patient_allergies	TEXT	NN · IDX
FK	acknowledged_by_user_id → app_users	TEXT	NN
	acknowledged_at	TEXT	NN
	precaution_en	TEXT	NN
	precaution_zh	TEXT	NN
	outcome	TEXT	NN · DEF
	created_at	TEXT	NN · DEF

ODONTOGRAM_OBSERVATIONS（牙位观察）

PK	id	TEXT	NN
FK	visit_id → clinical_visits	TEXT	NN · IDX
FK	patient_id → patients	TEXT	NN · IDX
	tooth_code	TEXT	NN
	dentition	TEXT	NN · DEF
	surface_json	TEXT	NN · DEF
	observation_type	TEXT	NN · DEF
	severity	TEXT	NN · DEF
	finding_en	TEXT	NN
	finding_zh	TEXT	NN
	status	TEXT	NN · IDX
	observed_by_dentist_id → dentists	TEXT	NN
	observed_at	TEXT	NN
	supersedes_observation_id	TEXT	NULL
	created_at	TEXT	NN · DEF

TREATMENT_PLANS（治疗计划）

PK	id	TEXT	NN
FK	visit_id → clinical_visits	TEXT	NN · IDX
	plan_code	TEXT	NN · IDX
	status	TEXT	NN · IDX · DEF
	clinical_priority	TEXT	NN · DEF
	estimated_total_fen	INTEGER	NN · DEF
	acceptance_status	TEXT	NN · DEF
	accepted_at	TEXT	NULL
	accepted_by	TEXT	NULL
	valid_until	TEXT	NULL
	notes_en	TEXT	NN · DEF
	notes_zh	TEXT	NN · DEF
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

CLINICAL_NOTES（临床记录）

PK	id	TEXT	NN
FK	visit_id → clinical_visits	TEXT	NN · IDX
	note_type	TEXT	NN · IDX
	current_version	INTEGER	NN · DEF
	status	TEXT	NN · IDX · DEF
FK	signed_by_dentist_id → dentists	TEXT	NULL
	signed_at	TEXT	NULL
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

CLINICAL_NOTE_VERSIONS（临床记录版本）

PK	id	TEXT	NN
FK	clinical_note_id → clinical_notes	TEXT	NN · IDX
	version_number	INTEGER	NN
	content_en	TEXT	NN
	content_zh	TEXT	NN
	amendment_reason	TEXT	NULL
FK	author_user_id → app_users	TEXT	NN
	content_checksum	TEXT	NN
	created_at	TEXT	NN · DEF

CLINICAL_ATTACHMENTS（临床附件）

PK	id	TEXT	NN
FK	visit_id → clinical_visits	TEXT	NN · IDX
	category	TEXT	NN · IDX
	file_name	TEXT	NN
	mime_type	TEXT	NN
	storage_key	TEXT	NN · IDX
	size_bytes	INTEGER	NN
	description_en	TEXT	NN · DEF
	description_zh	TEXT	NN · DEF
	content_checksum	TEXT	NN
	captured_at	TEXT	NN
	status	TEXT	NN · DEF
	created_at	TEXT	NN · DEF

结算、收款与成本

FINANCIAL_REPORTING_PERIODS（财务报告期间）

PK	id	TEXT	NN
	period_code	TEXT	NN · IDX
	name_en	TEXT	NN
	name_zh	TEXT	NN
	starts_on	TEXT	NN · IDX
	ends_on	TEXT	NN · IDX
	status	TEXT	NN · IDX · DEF
	close_checklist_json	TEXT	NN · DEF
	locked_at	TEXT	NULL
FK	locked_by_user_id → app_users	TEXT	NULL
	reopened_at	TEXT	NULL
FK	reopened_by_user_id → app_users	TEXT	NULL
	reopen_reason	TEXT	NULL
	period_version	INTEGER	NN · DEF
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

INVOICES（诊疗结算单）

PK	id	TEXT	NN
	invoice_code	TEXT	NN · IDX
FK	visit_id → clinical_visits	TEXT	NN · IDX
FK	patient_id → patients	TEXT	NN
FK	clinic_id → clinics	TEXT	NN · IDX
FK	reporting_period_id → financial_reporting…	TEXT	NN · IDX
	currency	TEXT	NN · DEF
	subtotal_fen	INTEGER	NN · DEF
	adjustment_total_fen	INTEGER	NN · DEF
	tax_total_fen	INTEGER	NN · DEF
	total_fen	INTEGER	NN · DEF
	paid_fen	INTEGER	NN · DEF
	refunded_fen	INTEGER	NN · DEF
	balance_fen	INTEGER	NN · IDX · DEF
	issued_at	TEXT	NULL
	due_at	TEXT	NULL · IDX
	voided_at	TEXT	NULL
	void_reason	TEXT	NULL
	invoice_version	INTEGER	NN · DEF
FK	created_by_user_id → app_users	TEXT	NULL
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · DEF

INVOICE_LINES（结算明细）

PK	id	TEXT	NN
FK	invoice_id → invoices	TEXT	NN · IDX
FK	actual_treatment_item_id → actual_treatme…	TEXT	NN
	line_number	INTEGER	NN · IDX
	treatment_code_snapshot	TEXT	NN
	description_en_snapshot	TEXT	NN
	description_zh_snapshot	TEXT	NN
	tooth_code_snapshot	TEXT	NULL
	surface_json_snapshot	TEXT	NN · DEF
	units_snapshot	TEXT	NN · DEF
	unit_price_fen_snapshot	INTEGER	NN
	amount_fen_snapshot	INTEGER	NN
	cost_fen_snapshot	INTEGER	NN · DEF
	performed_at_snapshot	TEXT	NN
	created_at	TEXT	NN · DEF

INVOICE_ADJUSTMENTS（结算调整）

PK	id	TEXT	NN
FK	invoice_id → invoices	TEXT	NN · IDX
	adjustment_type	TEXT	NN · IDX
	amount_fen	INTEGER	NN
	reason_code	TEXT	NN
	reason_text	TEXT	NN
	status	TEXT	NN · IDX · DEF
FK	authorized_by_user_id → app_users	TEXT	NULL
FK	approved_by_user_id → app_users	TEXT	NULL
	created_at	TEXT	NN · DEF

PAYMENTS（收款流水）

PK	id	TEXT	NN
	payment_code	TEXT	NN · IDX
FK	invoice_id → invoices	TEXT	NN · IDX
	amount_fen	INTEGER	NN
	method	TEXT	NN
	status	TEXT	NN · IDX
	emulated_gateway_reference	TEXT	NN · IDX
	received_at	TEXT	NULL
FK	recorded_by_user_id → app_users	TEXT	NULL
	notes	TEXT	NN · DEF
	created_at	TEXT	NN · DEF

PAYMENT_REFUNDS（退款流水）

PK	id	TEXT	NN
	refund_code	TEXT	NN · IDX
FK	payment_id → payments	TEXT	NN · IDX
	amount_fen	INTEGER	NN
	reason_code	TEXT	NN
	reason_text	TEXT	NN
	status	TEXT	NN · IDX · DEF
FK	authorized_by_user_id → app_users	TEXT	NULL
	refunded_at	TEXT	NN
	created_at	TEXT	NN · DEF

TREATMENT_COST_ENTRIES（治疗成本记录）

PK	id	TEXT	NN
FK	actual_treatment_item_id → actual_treatme…	TEXT	NN · IDX
FK	visit_id → clinical_visits	TEXT	NN
FK	clinic_id → clinics	TEXT	NN · IDX
FK	reporting_period_id → financial_reporting…	TEXT	NN · IDX
	catalog_estimated_cost_fen	INTEGER	NN
	materials_cost_fen	INTEGER	NN · DEF
	laboratory_cost_fen	INTEGER	NN · DEF
	provider_cost_fen	INTEGER	NN · DEF
	total_cost_fen	INTEGER	NN
	cost_date	TEXT	NN
	source	TEXT	NN · DEF
	created_at	TEXT	NN · DEF

期间核算与激励

OPERATING_EXPENSES（运营费用）

PK	id	TEXT	NN
FK	clinic_id → clinics	TEXT	NN · IDX
FK	reporting_period_id → financial_reporting…	TEXT	NN · IDX
	category	TEXT	NN · IDX
	vendor_name	TEXT	NN · IDX
	amount_fen	INTEGER	NN
	incurred_on	TEXT	NN · IDX
	description_en	TEXT	NN
	description_zh	TEXT	NN
	status	TEXT	NN · IDX · DEF
FK	entered_by_user_id → app_users	TEXT	NULL
FK	approved_by_user_id → app_users	TEXT	NULL
	created_at	TEXT	NN · DEF

FINANCIAL_CLOSE_EXCEPTIONS（期间关闭异常）

PK	id	TEXT	NN
FK	reporting_period_id → financial_reporting…	TEXT	NN · IDX
FK	clinic_id → clinics	TEXT	NULL · IDX
	exception_type	TEXT	NN
	severity	TEXT	NN · IDX
	entity_type	TEXT	NN · IDX
	entity_id	TEXT	NN · IDX
	description_en	TEXT	NN
	description_zh	TEXT	NN
	status	TEXT	NN · IDX · DEF
	resolved_at	TEXT	NULL
	resolution_note	TEXT	NULL
	created_at	TEXT	NN · DEF

FINANCIAL_PERIOD_RESULTS（期间结算结果）

PK	id	TEXT	NN
FK	reporting_period_id → financial_reporting…	TEXT	NN · IDX
FK	clinic_id → clinics	TEXT	NULL · IDX
	scope_key	TEXT	NN · IDX
	recognized_revenue_fen	INTEGER	NN
	treatment_cost_fen	INTEGER	NN
	operating_expense_fen	INTEGER	NN
	net_profit_fen	INTEGER	NN · IDX
	net_margin_basis_points	INTEGER	NN
	invoice_count	INTEGER	NN · DEF
	open_exception_count	INTEGER	NN · DEF
	calculation_inputs_json	TEXT	NN
	status	TEXT	NN · IDX · DEF
	calculated_at	TEXT	NULL
	approved_at	TEXT	NULL
FK	approved_by_user_id → app_users	TEXT	NULL
	created_at	TEXT	NN · DEF

INCENTIVE_POOLS（激励池）

PK	id	TEXT	NN
FK	reporting_period_id → financial_reporting…	TEXT	NN · IDX
FK	network_result_id → financial_period_resu…	TEXT	NN · IDX
	rate_basis_points	INTEGER	NN · DEF
	eligible_net_profit_fen	INTEGER	NN
	pool_amount_fen	INTEGER	NN
	formula_evidence	TEXT	NN
	status	TEXT	NN · IDX · DEF
	approved_at	TEXT	NULL
FK	approved_by_user_id → app_users	TEXT	NULL
	created_at	TEXT	NN · DEF

扩张情景与候选诊所

EXPANSION_SCENARIOS（扩张情景）

PK	id	TEXT	NN
	scenario_code	TEXT	NN · IDX
	version	INTEGER	NN · IDX · DEF
	name_en	TEXT	NN
	name_zh	TEXT	NN
	description_en	TEXT	NN
	description_zh	TEXT	NN
	forecast_horizon_months	INTEGER	NN · DEF
	status	TEXT	NN · IDX · DEF
	advisory_disclaimer_en	TEXT	NN
	advisory_disclaimer_zh	TEXT	NN
FK	created_by_user_id → app_users	TEXT	NULL
FK	approved_by_user_id → app_users	TEXT	NULL
	approved_at	TEXT	NULL
	created_at	TEXT	NN · DEF
	updated_at	TEXT	NN · IDX · DEF

EXPANSION_CANDIDATE_CLINICS（候选诊所）

PK	id	TEXT	NN
FK	scenario_id → expansion_scenarios	TEXT	NN · IDX
	candidate_code	TEXT	NN · IDX
	name_en	TEXT	NN
	name_zh	TEXT	NN
	city_en	TEXT	NN
	city_zh	TEXT	NN
	district_en	TEXT	NN
	district_zh	TEXT	NN

ADC Nexus 安德鲁牙科连锁运营管理系统 · 组织、账户与授权关系数据图

61 张表 · 730 个字段 · 119 条外键

组织、账户与授权

ORGANIZATIONS（组织）

PK	id	TEXT · NN
	code	TEXT · NN · IDX
	name_en	TEXT · NN
	name_zh	TEXT · NN
	timezone	TEXT · NN · DEF
	currency	TEXT · NN · DEF
	status	TEXT · NN · DEF
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

CLINICS（诊所）

PK	id	TEXT · NN
FK	organization_id → organizations	TEXT · NN · IDX
	code	TEXT · NN · IDX
	name_en	TEXT · NN
	name_zh	TEXT · NN
	city_en	TEXT · NN
	city_zh	TEXT · NN
	address_en	TEXT · NN · DEF
	address_zh	TEXT · NN · DEF
	phone	TEXT · NULL
	email	TEXT · NULL
	chair_capacity	INTEGER · NN · DEF
	status	TEXT · NN · IDX · DEF
	opened_on	TEXT · NULL
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

APP_USERS（系统账户）

PK	id	TEXT · NN
	auth_subject	TEXT · NN · IDX
	email	TEXT · NN · IDX
	display_name	TEXT · NN
	phone_e164	TEXT · NULL · IDX
	username	TEXT · NULL · IDX
	password_hash	TEXT · NULL
	password_salt	TEXT · NULL
	password_iterations	INTEGER · NULL
	password_set_at	TEXT · NULL
	last_auth_method	TEXT · NULL
	failed_login_count	INTEGER · NN · DEF
	locked_until	TEXT · NULL
	preferred_language	TEXT · NN · DEF
	status	TEXT · NN · IDX · DEF
	last_sign_in_at	TEXT · NULL
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

ACCOUNT_INVITATIONS（账户邀请）

PK	id	TEXT · NN
	phone_e164	TEXT · NN · IDX
FK	target_user_id → app_users	TEXT · NULL
	role_id	TEXT · NULL
	clinic_id	TEXT · NULL
	status	TEXT · NN · IDX · DEF
	expires_at	TEXT · NN
	accepted_at	TEXT · NULL
FK	created_by_user_id → app_users	TEXT · NULL
	created_at	TEXT · NN · DEF

ROLES（角色）

PK	id	TEXT · NN
	code	TEXT · NN · IDX
	name_en	TEXT · NN
	name_zh	TEXT · NN
	description_en	TEXT · NN · DEF
	description_zh	TEXT · NN · DEF
	is_system	INTEGER · NN · DEF
	status	TEXT · NN · DEF
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

PERMISSIONS（权限）

PK	id	TEXT · NN
	code	TEXT · NN · IDX
	domain	TEXT · NN · IDX
	description_en	TEXT · NN
	description_zh	TEXT · NN
	created_at	TEXT · NN · DEF

ROLE_PERMISSIONS（角色权限）

PK/FK	role_id → roles	TEXT · NN
PK/FK	permission_id → permissions	TEXT · NN · IDX
	created_at	TEXT · NN · DEF

SYSTEM_SETTINGS（系统配置）

PK/FK	organization_id → organizations	TEXT · NN
PK	setting_key	TEXT · NN
	value_json	TEXT · NN
FK	updated_by_user_id → app_users	TEXT · NULL
	updated_at	TEXT · NN · DEF

USER_ROLE_ASSIGNMENTS（用户角色授权）

PK	id	TEXT · NN
FK	user_id → app_users	TEXT · NN · IDX
FK	role_id → roles	TEXT · NN
FK	clinic_id → clinics	TEXT · NULL · IDX
	status	TEXT · NN · IDX · DEF
	effective_from	TEXT · NN
	effective_to	TEXT · NULL
FK	granted_by_user_id → app_users	TEXT · NULL
	created_at	TEXT · NN · DEF

AUDIT_EVENTS（审计事件）

PK	id	INTEGER · NN
	request_id	TEXT · NN · IDX
FK	actor_user_id → app_users	TEXT · NULL · IDX
	actor_subject	TEXT · NULL
	action	TEXT · NN · IDX
	entity_type	TEXT · NN · IDX
	entity_id	TEXT · NN · IDX
FK	clinic_id → clinics	TEXT · NULL · IDX
	outcome	TEXT · NN · DEF
	source	TEXT · NN · DEF
	reason	TEXT · NULL
	before_json	TEXT · NULL
	after_json	TEXT · NULL
	metadata_json	TEXT · NULL
	occurred_at	TEXT · NN · IDX · DEF

图例：PK 主键 | FK 外键 | NN 不可空 | NULL 可空 | IDX 索引 | DEF 默认值 | 箭头指向被引用父表

图 47　组织、账户与授权关系数据图

ADC Nexus 安德鲁牙科连锁运营管理系统 · 身份认证与通知关系数据图

61 张表 · 730 个字段 · 119 条外键

身份认证与通知

AUTH_IDENTITIES（外部身份）

PK	id	TEXT · NN
FK	user_id → app_users	TEXT · NN · IDX
	provider	TEXT · NN · IDX
	provider_subject	TEXT · NN · IDX
	profile_json	TEXT · NN · DEF
	last_used_at	TEXT · NULL
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

AUTH_OAUTH_STATES（OAuth 状态）

PK	id	TEXT · NN
	provider	TEXT · NN
	state_hash	TEXT · NN · IDX
	return_to	TEXT · NN · DEF
	expires_at	TEXT · NN · IDX
	consumed_at	TEXT · NULL
	created_at	TEXT · NN · DEF

AUTH_OTP_CHALLENGES（验证码挑战）

PK	id	TEXT · NN
	phone_e164	TEXT · NN · IDX
	purpose	TEXT · NN · IDX
	code_hash	TEXT · NN
	code_salt	TEXT · NN
	expires_at	TEXT · NN · IDX
	consumed_at	TEXT · NULL
	attempt_count	INTEGER · NN · DEF
	max_attempts	INTEGER · NN · DEF
	request_ip_hash	TEXT · NULL
	created_at	TEXT · NN · IDX · DEF

NOTIFICATION_EVENTS（通知事件）

PK	id	TEXT · NN
FK	appointment_id → appointments	TEXT · NULL · IDX
	channel	TEXT · NN
	template_code	TEXT · NN
	recipient_masked	TEXT · NN
	locale	TEXT · NN · DEF
	status	TEXT · NN · DEF
	idempotency_key	TEXT · NN · IDX
	queued_at	TEXT · NN · IDX
	sent_at	TEXT · NULL
	delivered_at	TEXT · NULL
	failure_code	TEXT · NULL
	created_at	TEXT · NN · DEF

AUTH_SESSIONS（认证会话）

PK	id	TEXT · NN
FK	user_id → app_users	TEXT · NN · IDX
	token_hash	TEXT · NN · IDX
	auth_method	TEXT · NN
	expires_at	TEXT · NN · IDX
	revoked_at	TEXT · NULL
	last_seen_at	TEXT · NULL
	ip_hash	TEXT · NULL
	user_agent_hash	TEXT · NULL
	created_at	TEXT · NN · DEF

PATIENT_ACCOUNT_LINKS（患者账户绑定）

PK	id	TEXT · NN
FK	user_id → app_users	TEXT · NN · IDX
FK	patient_id → patients	TEXT · NN · IDX
	verification_method	TEXT · NN
	verified_at	TEXT · NN
	created_at	TEXT · NN · DEF

图例：PK 主键 | FK 外键 | NN 不可空 | NULL 可空 | IDX 索引 | DEF 默认值 | 箭头指向被引用父表

图 48　身份认证与通知关系数据图

ADC Nexus 安德鲁牙科连锁运营管理系统 · 患者主档与风险资料关系数据图

61 张表 · 730 个字段 · 119 条外键

患者主档与风险资料

PATIENTS（患者）

PK	id	TEXT · NN
	patient_code	TEXT · NN · IDX
	name_en	TEXT · NN · IDX
	name_zh	TEXT · NN · IDX
	date_of_birth	TEXT · NN
	gender	TEXT · NN
	phone	TEXT · NN · IDX
	email	TEXT · NULL
	government_id_last4	TEXT · NULL
	preferred_language	TEXT · NN · DEF
	communication_channel	TEXT · NN · DEF
FK	primary_clinic_id → clinics	TEXT · NULL · IDX
	status	TEXT · NN · DEF
	last_visit_at	TEXT · NULL
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

EMERGENCY_CONTACTS（紧急联系人）

PK	id	TEXT · NN
FK	patient_id → patients	TEXT · NN · IDX
	contact_name	TEXT · NN
	relationship_en	TEXT · NN
	relationship_zh	TEXT · NN
	phone	TEXT · NN
	priority	INTEGER · NN · IDX · DEF
	is_authorized_contact	INTEGER · NN · DEF
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

PATIENT_ALLERGIES（患者过敏记录）

PK	id	TEXT · NN
FK	patient_id → patients	TEXT · NN · IDX
	substance_en	TEXT · NN
	substance_zh	TEXT · NN
	reaction_en	TEXT · NN
	reaction_zh	TEXT · NN
	severity	TEXT · NN · IDX
	status	TEXT · NN · IDX · DEF
	verified_at	TEXT · NULL
FK	verified_by_dentist_id → dentists	TEXT · NULL
	notes_en	TEXT · NN · DEF
	notes_zh	TEXT · NN · DEF
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

PATIENT_CONSENTS（患者同意记录）

PK	id	TEXT · NN
FK	patient_id → patients	TEXT · NN · IDX
	consent_type	TEXT · NN · IDX
	status	TEXT · NN · IDX
	policy_version	TEXT · NN · IDX
	captured_at	TEXT · NN
	expires_at	TEXT · NULL
	source	TEXT · NN · DEF
	created_at	TEXT · NN · DEF

PATIENT_DUPLICATE_REVIEWS（重复患者复核）

PK	id	TEXT · NN
FK	source_patient_id → patients	TEXT · NN · IDX
FK	candidate_patient_id → patients	TEXT · NN · IDX
	match_score	INTEGER · NN · IDX
	match_reasons_json	TEXT · NN
	status	TEXT · NN · IDX · DEF
FK	reviewed_by_user_id → app_users	TEXT · NULL
	reviewed_at	TEXT · NULL
	resolution_notes	TEXT · NULL
	created_at	TEXT · NN · DEF

PATIENT_TIMELINE_EVENTS（患者时间线事件）

PK	id	TEXT · NN
FK	patient_id → patients	TEXT · NN · IDX
FK	clinic_id → clinics	TEXT · NULL
	event_type	TEXT · NN
	occurred_at	TEXT · NN · IDX
	title_en	TEXT · NN
	title_zh	TEXT · NN
	description_en	TEXT · NN · DEF
	description_zh	TEXT · NN · DEF
	reference_type	TEXT · NULL · IDX
	reference_id	TEXT · NULL · IDX
	status	TEXT · NN
	amount_fen	INTEGER · NULL
	metadata_json	TEXT · NN · DEF
	created_at	TEXT · NN · DEF

图例：PK 主键 | FK 外键 | NN 不可空 | NULL 可空 | IDX 索引 | DEF 默认值 | 箭头指向被引用父表

图 49　患者主档与风险资料关系数据图

ADC Nexus 安德鲁牙科连锁运营管理系统 · 牙医、资质与治疗目录关系数据图

61 张表 · 730 个字段 · 119 条外键

牙医、资质与治疗目录



图例：PK 主键 | FK 外键 | NN 不可空 | NULL 可空 | IDX 索引 | DEF 默认值 | 箭头指向被引用父表

图 50　牙医、资质与治疗目录关系数据图

ADC Nexus 安德鲁牙科连锁运营管理系统 · 排班、资源与预约关系数据图

61 张表 · 730 个字段 · 119 条外键

排班、资源与预约

CLINIC_CHAIRS（诊所牙椅）

PK	id	TEXT · NN
FK	clinic_id → clinics	TEXT · NN · IDX
	code	TEXT · NN · IDX
	name_en	TEXT · NN
	name_zh	TEXT · NN
	room_name_en	TEXT · NN
	room_name_zh	TEXT · NN
	equipment_json	TEXT · NN · DEF
	is_accessible	INTEGER · NN · DEF
	status	TEXT · NN · IDX · DEF
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

CLINIC_OPERATING_HOURS（诊所营业时间）

PK/FK	clinic_id → clinics	TEXT · NN
PK	day_of_week	INTEGER · NN · IDX
	opens_at	TEXT · NN
	closes_at	TEXT · NN
	slot_minutes	INTEGER · NN · DEF
	is_closed	INTEGER · NN · IDX · DEF
	updated_at	TEXT · NN · DEF

CLINIC_CLOSURES（诊所停诊安排）

PK	id	TEXT · NN
FK	clinic_id → clinics	TEXT · NN · IDX
	starts_at	TEXT · NN · IDX
	ends_at	TEXT · NN · IDX
	reason_code	TEXT · NN
	reason_en	TEXT · NN
	reason_zh	TEXT · NN
	status	TEXT · NN · DEF
	created_at	TEXT · NN · DEF

DENTIST_AVAILABILITY_RULES（牙医常规可用规则）

PK	id	TEXT · NN
FK	dentist_id → dentists	TEXT · NN · IDX
FK	clinic_id → clinics	TEXT · NN · IDX
	day_of_week	INTEGER · NN · IDX
	starts_at	TEXT · NN
	ends_at	TEXT · NN
	effective_from	TEXT · NN
	effective_to	TEXT · NULL
	recurrence_rule	TEXT · NN · DEF
	status	TEXT · NN · IDX · DEF
	created_at	TEXT · NN · DEF

DENTIST_SCHEDULE_EXCEPTIONS（牙医排班例外）

PK	id	TEXT · NN
FK	dentist_id → dentists	TEXT · NN · IDX
FK	clinic_id → clinics	TEXT · NULL
	starts_at	TEXT · NN · IDX
	ends_at	TEXT · NN · IDX
	exception_type	TEXT · NN
	reason_en	TEXT · NN · DEF
	reason_zh	TEXT · NN · DEF
	status	TEXT · NN · DEF
	created_at	TEXT · NN · DEF

APPOINTMENTS（预约）

PK	id	TEXT · NN
	appointment_code	TEXT · NN · IDX
FK	patient_id → patients	TEXT · NN · IDX
FK	clinic_id → clinics	TEXT · NN · IDX
FK	dentist_id → dentists	TEXT · NN · IDX
FK	chair_id → clinic_chairs	TEXT · NULL · IDX
FK	treatment_id → treatment_catalog	TEXT · NN
	scheduled_start_at	TEXT · NN · IDX
	scheduled_end_at	TEXT · NN · IDX
	duration_minutes	INTEGER · NN
	status	TEXT · NN · IDX · DEF
	booking_channel	TEXT · NN · DEF
	priority	TEXT · NN · DEF
	confirmation_state	TEXT · NN · DEF
	risk_flag	TEXT · NN · DEF
	notes	TEXT · NN · DEF
	cancellation_reason_code	TEXT · NULL
	appointment_version	INTEGER · NN · DEF
FK	created_by_user_id → app_users	TEXT · NULL
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

APPOINTMENT_STATUS_HISTORY（预约状态历史）

PK	id	TEXT · NN
FK	appointment_id → appointments	TEXT · NN · IDX
	from_status	TEXT · NULL
	to_status	TEXT · NN
	reason_code	TEXT · NULL
	reason_text	TEXT · NULL
FK	actor_user_id → app_users	TEXT · NULL
	occurred_at	TEXT · NN · IDX
	metadata_json	TEXT · NN · DEF
	created_at	TEXT · NN · DEF

WAITLIST_ENTRIES（候补登记）

PK	id	TEXT · NN
FK	patient_id → patients	TEXT · NN
FK	treatment_id → treatment_catalog	TEXT · NN · IDX
FK	preferred_clinic_id → clinics	TEXT · NULL · IDX
	earliest_date	TEXT · NN · IDX
	latest_date	TEXT · NN · IDX
	preferred_periods_json	TEXT · NN · DEF
	acceptable_clinic_ids_json	TEXT · NN · DEF
	notice_hours	INTEGER · NN · DEF
	priority_score	INTEGER · NN · DEF
	status	TEXT · NN · IDX · DEF
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

REQUESTED_TREATMENT_ITEMS（预约治疗诉求）

PK	id	TEXT · NN
FK	plan_id → treatment_plans	TEXT · NN · IDX
FK	visit_id → clinical_visits	TEXT · NN · IDX
FK	treatment_id → treatment_catalog	TEXT · NN
	sequence	INTEGER · NN · IDX
	tooth_code	TEXT · NULL
	surfaces_json	TEXT · NN · DEF
	units	INTEGER · NN · DEF
	priority	TEXT · NN · DEF
	rationale_en	TEXT · NN · DEF
	rationale_zh	TEXT · NN · DEF
	status	TEXT · NN · IDX · DEF
	created_at	TEXT · NN · DEF

WAITLIST_OFFERS（候补邀约）

PK	id	TEXT · NN
FK	waitlist_entry_id → waitlist_entries	TEXT · NN · IDX
FK	released_appointment_id → appointments	TEXT · NN · IDX
FK	clinic_id → clinics	TEXT · NN
FK	dentist_id → dentists	TEXT · NN
FK	chair_id → clinic_chairs	TEXT · NULL
	offered_start_at	TEXT · NN
	offered_end_at	TEXT · NN
	compatibility_score	INTEGER · NN
	reasons_json	TEXT · NN
	status	TEXT · NN · IDX · DEF
	expires_at	TEXT · NN · IDX
	responded_at	TEXT · NULL
	created_at	TEXT · NN · DEF

图例：PK 主键 | FK 外键 | NN 不可空 | NULL 可空 | IDX 索引 | DEF 默认值 | 箭头指向被引用父表

图 51　排班、资源与预约关系数据图

ADC Nexus 安德鲁牙科连锁运营管理系统 · 临床就诊与病历版本关系数据图

61 张表 · 730 个字段 · 119 条外键

临床就诊与病历版本

CLINICAL_VISITS（临床就诊）

PK	id	TEXT · NN
	visit_code	TEXT · NN · IDX
FK	appointment_id → appointments	TEXT · NN · IDX
FK	patient_id → patients	TEXT · NN · IDX
FK	clinic_id → clinics	TEXT · NN · IDX
FK	dentist_id → dentists	TEXT · NN
FK	chair_id → clinic_chairs	TEXT · NULL
	status	TEXT · NN · IDX · DEF
	chief_complaint_en	TEXT · NN · DEF
	chief_complaint_zh	TEXT · NN · DEF
	safety_gate_status	TEXT · NN · DEF
	started_at	TEXT · NN · IDX
	completed_at	TEXT · NULL
	visit_version	INTEGER · NN · DEF
FK	created_by_user_id → app_users	TEXT · NULL
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

CLINICAL_NOTES（临床记录）

PK	id	TEXT · NN
FK	visit_id → clinical_visits	TEXT · NN · IDX
	note_type	TEXT · NN · IDX · DEF
	current_version	INTEGER · NN · DEF
	status	TEXT · NN · DEF
FK	signed_by_dentist_id → dentists	TEXT · NULL
	signed_at	TEXT · NULL
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

CLINICAL_ATTACHMENTS（临床附件）

PK	id	TEXT · NN
FK	visit_id → clinical_visits	TEXT · NN · IDX
	category	TEXT · NN · IDX
	file_name	TEXT · NN
	mime_type	TEXT · NN
	storage_key	TEXT · NN · IDX
	size_bytes	INTEGER · NN
	description_en	TEXT · NN · DEF
	description_zh	TEXT · NN · DEF
	content_checksum	TEXT · NN
	captured_at	TEXT · NN
	status	TEXT · NN · DEF
	created_at	TEXT · NN · DEF

VISIT_ALLERGY_ACKNOWLEDGEMENTS（就诊过敏复核）

PK	id	TEXT · NN
FK	visit_id → clinical_visits	TEXT · NN · IDX
FK	allergy_id → patient_allergies	TEXT · NN · IDX
FK	acknowledged_by_user_id → app_users	TEXT · NULL
	acknowledged_at	TEXT · NN · IDX
	precaution_en	TEXT · NN
	precaution_zh	TEXT · NN
	outcome	TEXT · NN · DEF
	created_at	TEXT · NN · DEF

TREATMENT_PLANS（治疗计划）

PK	id	TEXT · NN
FK	visit_id → clinical_visits	TEXT · NN · IDX
	plan_code	TEXT · NN · IDX
	status	TEXT · NN · IDX · DEF
	clinical_priority	TEXT · NN · DEF
	estimated_total_fen	INTEGER · NN · DEF
	acceptance_status	TEXT · NN · DEF
	accepted_at	TEXT · NULL
	accepted_by	TEXT · NULL
	valid_until	TEXT · NULL
	notes_en	TEXT · NN · DEF
	notes_zh	TEXT · NN · DEF
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

CLINICAL_NOTE_VERSIONS（临床记录版本）

PK	id	TEXT · NN
FK	clinical_note_id → clinical_notes	TEXT · NN · IDX
	version_number	INTEGER · NN · IDX
	content_en	TEXT · NN
	content_zh	TEXT · NN
	amendment_reason	TEXT · NULL
FK	author_user_id → app_users	TEXT · NULL
	content_checksum	TEXT · NN
	created_at	TEXT · NN · DEF

ODONTOGRAM_OBSERVATIONS（牙位观察）

PK	id	TEXT · NN
FK	visit_id → clinical_visits	TEXT · NN · IDX
FK	patient_id → patients	TEXT · NN · IDX
	tooth_code	TEXT · NN · IDX
	dentition	TEXT · NN · DEF
	surfaces_json	TEXT · NN · DEF
	observation_type	TEXT · NN
	severity	TEXT · NN · DEF
	finding_en	TEXT · NN
	finding_zh	TEXT · NN
	status	TEXT · NN · DEF
FK	observed_by_dentist_id → dentists	TEXT · NN
	observed_at	TEXT · NN
	supersedes_observation_id	TEXT · NULL
	created_at	TEXT · NN · DEF

ACTUAL_TREATMENT_ITEMS（实际治疗项目）

PK	id	TEXT · NN
FK	visit_id → clinical_visits	TEXT · NN · IDX
FK	requested_treatment_item_id → requested_treatmen…	TEXT · NULL · IDX
FK	treatment_id → treatment_catalog	TEXT · NN
FK	provider_dentist_id → dentists	TEXT · NN
	tooth_code	TEXT · NULL
	surfaces_json	TEXT · NN · DEF
	units	INTEGER · NN · DEF
	effective_unit_price_fen	INTEGER · NN
	line_amount_fen	INTEGER · NN
	price_source	TEXT · NN · DEF
	price_override_reason	TEXT · NULL
	notes_en	TEXT · NN · DEF
	notes_zh	TEXT · NN · DEF
	performed_at	TEXT · NN · IDX
	status	TEXT · NN · DEF
	created_at	TEXT · NN · DEF

图例：PK 主键 | FK 外键 | NN 不可空 | NULL 可空 | IDX 索引 | DEF 默认值 | 箭头指向被引用父表

图 52　临床就诊与病历版本关系数据图

ADC Nexus 安德鲁牙科连锁运营管理系统 · 结算、收款与成本关系数据图

61 张表 · 730 个字段 · 119 条外键

结算、收款与成本

FINANCIAL_REPORTING_PERIODS（财务报告期间）

PK	id	TEXT · NN
	period_code	TEXT · NN · IDX
	name_en	TEXT · NN
	name_zh	TEXT · NN
	starts_on	TEXT · NN · IDX
	ends_on	TEXT · NN · IDX
	status	TEXT · NN · DEF
	close_checklist_json	TEXT · NN · DEF
	locked_at	TEXT · NULL
FK	locked_by_user_id → app_users	TEXT · NULL
	reopened_at	TEXT · NULL
FK	reopened_by_user_id → app_users	TEXT · NULL
	reopen_reason	TEXT · NULL
	period_version	INTEGER · NN · DEF
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

INVOICES（诊疗结算单）

PK	id	TEXT · NN
	invoice_code	TEXT · NN · IDX
FK	visit_id → clinical_visits	TEXT · NN · IDX
FK	patient_id → patients	TEXT · NN
FK	clinic_id → clinics	TEXT · NN · IDX
FK	reporting_period_id → financial_reporting_periods	TEXT · NN · IDX
	status	TEXT · NN · IDX · DEF
	currency	TEXT · NN · DEF
	subtotal_fen	INTEGER · NN · DEF
	adjustment_total_fen	INTEGER · NN · DEF
	tax_total_fen	INTEGER · NN · DEF
	total_fen	INTEGER · NN · DEF
	paid_fen	INTEGER · NN · DEF
	refunded_fen	INTEGER · NN · DEF
	balance_fen	INTEGER · NN · IDX · DEF
	issued_at	TEXT · NULL
	due_at	TEXT · NULL · IDX
	voided_at	TEXT · NULL
	void_reason	TEXT · NULL
	invoice_version	INTEGER · NN · DEF
FK	created_by_user_id → app_users	TEXT · NULL
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · DEF

INVOICE_LINES（结算明细）

PK	id	TEXT · NN
FK	invoice_id → invoices	TEXT · NN · IDX
FK	actual_treatment_item_id → actual_treatment_items	TEXT · NN · IDX
	line_number	INTEGER · NN · IDX
	treatment_code_snapshot	TEXT · NN
	description_en_snapshot	TEXT · NN
	description_zh_snapshot	TEXT · NN
	tooth_code_snapshot	TEXT · NULL
	surfaces_json_snapshot	TEXT · NN · DEF
	units_snapshot	INTEGER · NN
	unit_price_fen_snapshot	INTEGER · NN
	amount_fen_snapshot	INTEGER · NN
	cost_fen_snapshot	INTEGER · NN · DEF
	performed_at_snapshot	TEXT · NN
	created_at	TEXT · NN · DEF

PAYMENTS（收款流水）

PK	id	TEXT · NN
	payment_code	TEXT · NN · IDX
FK	invoice_id → invoices	TEXT · NN · IDX
	amount_fen	INTEGER · NN
	method	TEXT · NN
	status	TEXT · NN · DEF
	simulated_gateway_reference	TEXT · NN · IDX
	received_at	TEXT · NN · IDX
FK	recorded_by_user_id → app_users	TEXT · NULL
	notes	TEXT · NN · DEF
	created_at	TEXT · NN · DEF

INVOICE_ADJUSTMENTS（结算调整）

PK	id	TEXT · NN
FK	invoice_id → invoices	TEXT · NN · IDX
	adjustment_type	TEXT · NN
	amount_fen	INTEGER · NN
	reason_code	TEXT · NN
	reason_text	TEXT · NN
	status	TEXT · NN · IDX · DEF
FK	authored_by_user_id → app_users	TEXT · NULL
FK	approved_by_user_id → app_users	TEXT · NULL
	created_at	TEXT · NN · DEF

PAYMENT_REFUNDS（退款流水）

PK	id	TEXT · NN
	refund_code	TEXT · NN · IDX
FK	payment_id → payments	TEXT · NN · IDX
	amount_fen	INTEGER · NN
	reason_code	TEXT · NN
	reason_text	TEXT · NN
	status	TEXT · NN · IDX · DEF
FK	authorized_by_user_id → app_users	TEXT · NULL
	refunded_at	TEXT · NN
	created_at	TEXT · NN · DEF

TREATMENT_COST_ENTRIES（治疗成本记录）

PK	id	TEXT · NN
FK	actual_treatment_item_id → actual_treatment_items	TEXT · NN · IDX
FK	visit_id → clinical_visits	TEXT · NN
FK	clinic_id → clinics	TEXT · NN · IDX
FK	reporting_period_id → financial_reporting_periods	TEXT · NN · IDX
	catalog_estimated_cost_fen	INTEGER · NN
	materials_cost_fen	INTEGER · NN · DEF
	laboratory_cost_fen	INTEGER · NN · DEF
	provider_cost_fen	INTEGER · NN · DEF
	total_cost_fen	INTEGER · NN
	cost_date	TEXT · NN
	source	TEXT · NN · DEF
	created_at	TEXT · NN · DEF

图例：PK 主键 | FK 外键 | NN 不可空 | NULL 可空 | IDX 索引 | DEF 默认值 | 箭头指向被引用父表

图 53　结算、收款与成本关系数据图

ADC Nexus 安德鲁牙科连锁运营管理系统 · 期间核算与激励关系数据图

61 张表 · 730 个字段 · 119 条外键

期间核算与激励

OPERATING_EXPENSES（运营费用）

PK	id	TEXT · NN
FK	clinic_id → clinics	TEXT · NN · IDX
FK	reporting_period_id → financial_reporting_periods	TEXT · NN · IDX
	category	TEXT · NN · IDX
	vendor_name	TEXT · NN · DEF
	amount_fen	INTEGER · NN
	incurred_on	TEXT · NN · IDX
	description_en	TEXT · NN
	description_zh	TEXT · NN
	status	TEXT · NN · DEF
FK	entered_by_user_id → app_users	TEXT · NULL
FK	approved_by_user_id → app_users	TEXT · NULL
	created_at	TEXT · NN · DEF

FINANCIAL_CLOSE_EXCEPTIONS（期间关闭异常）

PK	id	TEXT · NN
FK	reporting_period_id → financial_reporting_periods	TEXT · NN · IDX
FK	clinic_id → clinics	TEXT · NULL
	exception_type	TEXT · NN
	severity	TEXT · NN · IDX
	entity_type	TEXT · NN
	entity_id	TEXT · NN
	description_en	TEXT · NN
	description_zh	TEXT · NN
	status	TEXT · NN · IDX · DEF
	resolved_at	TEXT · NULL
	resolution_note	TEXT · NULL
	created_at	TEXT · NN · DEF

FINANCIAL_PERIOD_RESULTS（期间核算结果）

PK	id	TEXT · NN
FK	reporting_period_id → financial_reporting_periods	TEXT · NN · IDX
FK	clinic_id → clinics	TEXT · NULL
	scope_key	TEXT · NN · IDX
	recognized_revenue_fen	INTEGER · NN
	treatment_cost_fen	INTEGER · NN
	operating_expense_fen	INTEGER · NN
	net_profit_fen	INTEGER · NN · IDX
	net_margin_basis_points	INTEGER · NN
	invoice_count	INTEGER · NN · DEF
	open_exception_count	INTEGER · NN · DEF
	calculation_inputs_json	TEXT · NN
	status	TEXT · NN · DEF
	calculated_at	TEXT · NN
	approved_at	TEXT · NULL
FK	approved_by_user_id → app_users	TEXT · NULL
	created_at	TEXT · NN · DEF

INCENTIVE_POOLS（激励池）

PK	id	TEXT · NN
FK	reporting_period_id → financial_reporting_periods	TEXT · NN · IDX
FK	network_result_id → financial_period_results	TEXT · NN
	rate_basis_points	INTEGER · NN · DEF
	eligible_net_profit_fen	INTEGER · NN
	pool_amount_fen	INTEGER · NN
	formula_evidence	TEXT · NN
	status	TEXT · NN · DEF
	approved_at	TEXT · NULL
FK	approved_by_user_id → app_users	TEXT · NULL
	created_at	TEXT · NN · DEF

图例：PK 主键 | FK 外键 | NN 不可空 | NULL 可空 | IDX 索引 | DEF 默认值 | 箭头指向被引用父表

图 54　期间核算与激励关系数据图

ADC Nexus 安德鲁牙科连锁运营管理系统 · 扩张情景与候选诊所关系数据图

61 张表 · 730 个字段 · 119 条外键

扩张情景与候选诊所

EXPANSION_SCENARIOS（扩张情景）

PK	id	TEXT · NN
	scenario_code	TEXT · NN · IDX
	version	INTEGER · NN · IDX · DEF
	name_en	TEXT · NN
	name_zh	TEXT · NN
	description_en	TEXT · NN
	description_zh	TEXT · NN
	forecast_horizon_months	INTEGER · NN · DEF
	status	TEXT · NN · IDX · DEF
	advisory_disclaimer_en	TEXT · NN
	advisory_disclaimer_zh	TEXT · NN
FK	created_by_user_id → app_users	TEXT · NULL
FK	approved_by_user_id → app_users	TEXT · NULL
	approved_at	TEXT · NULL
	created_at	TEXT · NN · DEF
	updated_at	TEXT · NN · IDX · DEF

EXPANSION_CANDIDATE_CLINICS（候选诊所）

PK	id	TEXT · NN
FK	scenario_id → expansion_scenarios	TEXT · NN · IDX
	candidate_code	TEXT · NN · IDX
	name_en	TEXT · NN
	name_zh	TEXT · NN
	city_en	TEXT · NN
	city_zh	TEXT · NN
	district_en	TEXT · NN
	district_zh	TEXT · NN
	planned_chair_count	INTEGER · NN
	planned_dentist_count	INTEGER · NN
	planned_support_staff_count	INTEGER · NN
	forecast_quarterly_appointments	INTEGER · NN
	initial_capital_fen	INTEGER · NN
	quarterly_fixed_cost_fen	INTEGER · NN
	required_qualifications_json	TEXT · NN · DEF
	qualification_coverage_basis_points	INTEGER · NN
	travel_constraint_minutes	INTEGER · NN
	readiness_status	TEXT · NN · IDX · DEF
	created_at	TEXT · NN · DEF

EXPANSION_ASSUMPTIONS（扩张假设）

PK	id	TEXT · NN
FK	scenario_id → expansion_scenarios	TEXT · NN · IDX
	assumption_key	TEXT · NN · IDX
	label_en	TEXT · NN
	label_zh	TEXT · NN
	value_text	TEXT · NN
	unit	TEXT · NN
	source_en	TEXT · NN
	source_zh	TEXT · NN
	created_at	TEXT · NN · DEF

EXPANSION_SCENARIO_RESULTS（扩张情景结果）

PK	id	TEXT · NN
FK	scenario_id → expansion_scenarios	TEXT · NN · IDX
	projected_quarter_revenue_fen	INTEGER · NN
	projected_treatment_cost_fen	INTEGER · NN
	projected_operating_expense_fen	INTEGER · NN
	projected_net_profit_fen	INTEGER · NN
	projected_margin_basis_points	INTEGER · NN
	payback_months	INTEGER · NN
	demand_coverage_basis_points	INTEGER · NN
	qualification_coverage_basis_points	INTEGER · NN
	composite_score	INTEGER · NN · IDX
	risk_level	TEXT · NN · IDX
	formula_evidence_json	TEXT · NN
	calculated_at	TEXT · NN
	created_at	TEXT · NN · DEF

图例：PK 主键 | FK 外键 | NN 不可空 | NULL 可空 | IDX 索引 | DEF 默认值 | 箭头指向被引用父表

图 55　扩张情景与候选诊所关系数据图