0.3. AAA

- 0.3 AAA
- 0.4 BBB
- 0.5 CCC

### 0.6 Find Definition

- section def = macro:->\ttl@straightclass {section}
- ttl@straight@i def = macro:#1[#2]#3->\def \@currentlabelname {#2}\gdef \ttl@savemark {\csname #1mark\endcsname {#3}}\let \ttl@savewrite \@empty \def \ttl@savetitle {#3}\gdef \thetitle {\csname the#1\endcsname }\if@noskipsec \leavevmode \fi \par \ttl@labelling {#1}{#2}\ttl@startargs \ttl@straight@ii {#1}{#3}\gdef \currentSec-Name {#3}\UseHook {cmd/section/after}

# STAR SECTION

Hello world

#### 0.7 success

macro:->success. Thus the section name lies in the 3rd argument of \ttl@straight@i.

Last Sec Info: 0.7|success

BUG

### 0.8 Command to collect sec

#### 0.8.1 page sec

First Sec Info: 0.3|AAALast Sec Info: 0.8|page sec

# 0.8.2 document sec

# Page 1:

 $3|\rm AAA/0.4|BBB/0.5|CCC/0.6|Find\ Definition/0.6|STAR\ SECTION/0.7|success/0.8|Command\ to\ collect\ sec/0.8|page\ sec$