

Rebuttal Tables

Table 1: Evaluation of Merged Mistral Models: Instruction-Tuned vs. Math-Tuned Variants (numbers in parentheses indicate improvement over Task Arithmetic).

Method	λ	IFEval	GSM8K	AVG
Mistral-7b-v0.1	–	31.18	36.85	34.02
Mistral-7b-v0.1-instruct	–	49.88	35.03	42.46
math-sft	–	23.38	70.89	47.14
Ideal Model	–	49.88	70.89	60.39
Task Arithmetic	0.5	39.81	63.99	51.90
TIES-Merging	0.8	41.13	62.40	51.77(-0.13)
DARE	2.0	38.61	61.41	50.01(-1.89)
CABS (Ours)	0.8	41.01	64.37	52.69(+0.79)

Table 2: Performance of different merging methods on DTD and EuroSAT tasks using ViT-B-32 models.

Method	λ	DTD	EuroSAT	AVG
Base	–	43.19	32.93	38.06
Ideal Model	–	78.88	98.85	88.87
Task Arithmetic	0.68	68.51	98.15	83.33
TIES-Merging	1.79	69.31	97.96	83.64(+0.31)
DARE	6.10	68.19	98.04	83.11(-0.22)
CABS (Euro-first)	1.96	72.50	98.56	85.53(+2.20)
CABS (DTD-first)	1.90	72.13	98.56	85.34(+2.01)

Table 3: Expanded version of Table 8 in the full paper, with additional results for the Localize-and-Stitch method. Other results are consistent with Table 8.

Model	RTE	MRPC	AVG
Base Model	47.29	68.38	57.84
Ideal Model	79.42	91.18	85.30
Task Arithmetic	73.29	87.01	80.15
Dataless L&S (Top-5%)	47.29	68.63	57.96(-22.19)
Dataless L&S (Top-10%)	51.62	71.57	61.60(-18.55)
CABS (Ours)	74.01	88.97	81.49(+1.34)

Table 4: Expanded version of Table 1 in the full paper, with additional results for the Localize-and-Stitch method. Other results are consistent with Table 1.

Model	RTE	MRPC	CoLA	SST-2	AVG
Base Model	47.29	68.38	69.13	50.92	58.93
Ideal Model	79.42	91.18	85.04	94.04	87.42
Task Arithmetic	76.32	90.83	69.68	81.37	79.55
Dataless L&S (Top-5%)	47.29	69.36	69.32	63.30	62.32(-17.23)
Dataless L&S (Top-10%)	58.84	74.51	73.06	85.44	72.96(-6.59)
CABS (Ours)	76.89	92.09	74.73	83.09	81.70(+2.25)

Table 5: Expanded version of Table 9 in the full paper, with additional results for the Localize-and-Stitch method. Other results are consistent with Table 9.

Model	RTE	MRPC	CoLA	SST-2	RACE	SQuAD	AVG
Base Model	47.29	68.38	69.13	50.92	27.97	34.53	49.70
Ideal Model	79.42	91.18	85.04	94.04	71.71	79.82	83.54
Task Arithmetic	67.15	79.41	72.00	85.78	56.21	38.82	66.56
Dataless L&S (Top-5%)	47.29	68.87	69.32	56.88	50.52	11.74	50.77(-15.79)
Dataless L&S (Top-10%)	62.82	76.26	71.52	75.34	55.43	26.19	61.26(-5.30)
CABS (mrscsqra)(Ours)	71.12	82.35	74.30	90.14	57.38	41.56	69.47(+2.91)
CABS (csrmasq)(Ours)	68.95	82.11	73.92	90.83	58.97	42.96	69.62(+3.06)

Table 6: Evaluation of 7-task model merging on GPT-2. All results except Base Model, DARE and CABS are from FusionBench[1].

Method	CoLA	MNLI	MRPC	QNLI	QQP	RTE	SST-2	AVG
Base Model	69.1	33.0	68.4	49.2	63.2	52.7	50.1	55.09
Ideal Model	76.8	82.1	80.4	88.3	89.6	65.3	91.2	81.96
Task Arithmetic	68.7	68.6	69.6	70.5	81.8	47.3	83.6	70.01
TIES-Merging	68.4	71.4	68.4	69.6	82.4	47.7	81.8	69.96(-0.05)
DARE	69.2	64.7	69.9	73.0	79.3	47.3	83.3	69.53(-0.48)
CABS (Ours)	68.5	68.5	68.1	70.4	81.9	49.5	85.7	70.37(+0.36)

Table 7: Average parameter magnitude of task vectors across different tasks (original values $\times 10^3$ for readability).

Task Vectors	RTE	MRPC	CoLA	SST-2	QNLI	QQP	MNLI
Magnitude ($\times 10^3$)	0.710	0.851	1.383	3.379	3.872	6.828	7.300

References

- [1] Anke Tang, Li Shen, Yong Luo, Han Hu, Bo Du, and Dacheng Tao. Fusion-bench: A comprehensive benchmark of deep model fusion. *arXiv preprint arXiv:2406.03280*, 2024.