Owanbe — AWS Deploy Guide

Static SPA - S3 - CloudFront - Amplify

Document date: 30 July 2026

Owanbe Planner v6 - internal / developer documentation

Table of Contents

Prerequisites

Environment variables (set before `npm run build`)

Build (local or CI)

Option A - S3 + CloudFront (recommended static SPA)

Option B - AWS Amplify Hosting

Option C - AWS App Runner (container serving static)

Deploy checklist

Troubleshooting

Version: 6.0.0
Date: 2026-07-30
Stack: Vite + React SPA, Supabase backend

Prerequisites

1. **Apply database migrations first** (required before any deploy). See `docs/OWANBE-FIX-REPORT.pdf` or run `npx supabase db push` / `supabase/APPLY_ALL.sql`.
2. Node.js 18+ and npm.
3. AWS account with permissions for S3, CloudFront, or Amplify / App Runner.

Environment variables (set before `npm run build`)

Variable	Required	Notes
VITE_SUPABASE_URL	Yes	Supabase project URL
VITE_SUPABASE_ANON_KEY	Yes	Supabase anon/public key
VITE_*	As needed	AI, payment, or other keys referenced in your .env

Without these, the production build may fall back to mock data or fail API calls.

Example .env (do not commit secrets):

```
VITE_SUPABASE_URL=https://YOUR_PROJECT.supabase.co
VITE_SUPABASE_ANON_KEY=your-anon-key
```

Build (local or CI)

```
cd owanbe-6
npm install
npm run build
```

Output: dist/ (static assets). Verify exit code 0 before upload.

Option A - S3 + CloudFront (recommended static SPA)

1. Create an S3 bucket (block public access; use OAI/OAC with CloudFront).
2. Upload contents of `dist/` (`aws s3 sync dist/ s3://YOUR_BUCKET/ --delete`).
3. Create CloudFront distribution with S3 origin.
4. **SPA routing:** Custom error responses - map **403** and **404** to `/index.html` with response code **200**.
5. Invalidate cache after deploy: `aws cloudfront create-invalidation --distribution-id ID --paths "/*"`.

Option B - AWS Amplify Hosting

1. Connect GitHub repo or upload artifact.
2. Build command: `npm run build`
3. Output directory: `dist`
4. Add environment variables in Amplify console (same `VITE_*` keys).
5. Apply Supabase migrations **before** pointing users at the new URL.

Option C - AWS App Runner (container serving static)

For a small Node static server image:

1. Build `dist/` in CI with env vars injected.
2. Serve with `nginx` or `serve` in Dockerfile; push to ECR.
3. App Runner service from image; set port 80/8080.

Most teams use Option A or B for this Vite SPA.

Deploy checklist

1. Migrations applied (`events`, `brands`, roles - verify in Supabase).
2. `npm run build` succeeds with production env vars.
3. Upload `dist/` to hosting.
4. SPA fallback configured (CloudFront or Amplify).
5. Smoke test: login, `/dashboard` loads events, `/admin` for super admin.

Troubleshooting

- Schema cache / missing table errors: Migrations not applied - run supabase db push or APPLY_ALL.sql.
- Blank API: Wrong or missing VITE_SUPABASE_* at build time - rebuild after fixing env.
- 404 on refresh: Missing SPA rewrite to index.html.