




Citizen Science Platform: Gamified Biodiversity Data Collection

Zoo Labs Foundation Research

research@zoo.ngo

Zoo Labs Foundation Research Paper ZOO-CSP-2026
With contributions from the Zoo Open Science Network

February 2026

Citizen Science Platform: Gamified Biodiversity Data Collection

Zoo Labs Foundation Research Paper ZOO-CSP-2026

Zoo Labs Foundation Research
`research@zoo.ngo`

With contributions from the Zoo Open Science Network

February 2026

Abstract

Citizen science has become indispensable for biodiversity monitoring, generating billions of observations annually through platforms like eBird and iNaturalist. However, citizen science data suffers from systematic biases—spatial clustering near population centers, temporal clustering on weekends and holidays, and taxonomic bias toward charismatic species—that limit its scientific utility. We present **ZooPlatform**, a gamified citizen science platform that combines AI-assisted species identification, adaptive sampling incentives, multi-source data quality estimation, and blockchain-verified contribution records to produce research-grade biodiversity data at scale. ZooPlatform’s gamification engine uses reinforcement learning to personalize challenges that direct observer effort toward data-scarce regions, times, and taxa, reducing spatial sampling bias by 47% and taxonomic bias by 34% compared to unguided observation. A Bayesian data quality model integrates observer expertise, AI confidence, and environmental context to assign per-observation reliability scores, enabling downstream analyses to appropriately weight heterogeneous data. ZooPlatform has enrolled 23,847 contributors across 41 countries over 14 months, generating 4.2 million verified observations covering 12,394 species. Contributors earn ZooRep tokens for verified contributions, which integrate with Zoo DAO governance (ZOO-GOV-2026). All data is released under CC-BY-4.0 through the Zoo Open Science Network.

Keywords: citizen science, gamification, data quality, AI-assisted identification, sampling bias, biodiversity monitoring, contribution incentives

Contents

1	Introduction	5
1.1	The Gamification Opportunity	5
1.2	Contributions	5
2	Related Work	6
2.1	Citizen Science Platforms	6
2.2	Gamification in Citizen Science	6
2.3	Data Quality in Citizen Science	6
2.4	AI-Assisted Identification	6
3	Platform Architecture	6
3.1	System Overview	6
3.2	Observation Protocol	7
4	Adaptive Gamification Engine	7
4.1	Challenge Generation	7
4.2	Reinforcement Learning Formulation	7
4.3	Optimization	7
4.4	Challenge Types	8
4.5	Bias Reduction Results	8
5	AI-Assisted Identification	8
5.1	Integration with TaxoNet	8
5.2	AI Anchoring Mitigation	9
5.3	Identification Accuracy	9
6	Bayesian Data Quality Model	9
6.1	Observation Reliability	9
6.2	Generative Model	9
6.3	Observer Skill Estimation	10
6.4	Quality Scores in Practice	10
7	Token Incentive System	10
7.1	ZooRep Distribution	10
7.2	Challenge Bonus Structure	10
7.3	Governance Integration	11
7.4	Anti-Gaming Measures	11
8	Evaluation	11
8.1	Platform Statistics	11
8.2	Engagement Analysis	12
8.3	Data Quality Validation	12
8.4	Scientific Output	12
9	Discussion	12
9.1	Why Adaptive Gamification Works	12
9.2	The Role of AI Assistance	13
9.3	Token Incentives vs. Intrinsic Motivation	13
9.4	Limitations	13

10 Implementation	13
10.1 Technology Stack	13
10.2 Scalability	14
11 Future Work	14
12 Conclusion	14

1 Introduction

Citizen science—the participation of non-professional scientists in research data collection—has transformed biodiversity monitoring. eBird receives over 200 million bird observations per year [Sullivan et al., 2014]. iNaturalist has documented over 150 million observations across all taxa [iNaturalist, 2024]. These platforms generate data at scales that professional surveys cannot match, and citizen science observations now underpin a substantial fraction of published biodiversity research [Theobald et al., 2015].

Despite these achievements, citizen science data has well-documented quality and bias issues:

- (i) **Spatial bias:** Observations cluster near roads, population centers, and national parks, leaving vast areas unsampled [Boakes et al., 2010].
- (ii) **Temporal bias:** Weekend and holiday peaks produce uneven temporal coverage, confounding phenological analyses [Courter et al., 2013].
- (iii) **Taxonomic bias:** Charismatic megafauna and birds are overrepresented; invertebrates, fungi, and cryptic species are underrepresented [Troudet et al., 2017].
- (iv) **Observer heterogeneity:** Skill levels range from novice to expert, producing variable identification accuracy [Kelling et al., 2015].
- (v) **Motivation decay:** Most contributors submit a few observations then disengage, creating a heavy-tailed contribution distribution [Sauermann & Franzoni, 2015].

1.1 The Gamification Opportunity

Gamification—applying game design elements to non-game contexts—has shown promise in sustaining engagement and directing effort in citizen science [Bowser et al., 2013, Eveleigh et al., 2014]. However, naive gamification (leaderboards, badges) can exacerbate biases: competitive leaderboards incentivize easy observations near home, not scientifically valuable observations in undersampled areas [Crowston et al., 2020].

1.2 Contributions

We present ZooPlatform with the following contributions:

1. An **adaptive gamification engine** powered by reinforcement learning that personalizes challenges to direct observer effort toward scientifically valuable observations, reducing sampling bias by 47%.
2. An **AI-assisted identification pipeline** integrating TaxoNet (ZOO-CLS-2026) for real-time species suggestions with confidence-calibrated outputs.
3. A **Bayesian data quality model** that estimates per-observation reliability by jointly modeling observer expertise, AI confidence, environmental context, and community validation.
4. A **token-based incentive system** where verified contributions earn ZooRep tokens that integrate with Zoo DAO governance, creating a direct link between scientific contribution and decision-making power.
5. **Empirical evaluation** from 14 months of platform operation with 23,847 contributors and 4.2 million observations.

2 Related Work

2.1 Citizen Science Platforms

Major biodiversity citizen science platforms include:

- **eBird** [Sullivan et al., 2014]: Structured bird checklists with 800M+ observations. Strong protocol design but limited to birds.
- **iNaturalist** [iNaturalist, 2024]: Multi-taxon platform with AI identification. Broad taxonomic coverage but unstructured opportunistic data.
- **Zooniverse** [Simpson et al., 2014]: Platform for classification tasks (e.g., galaxy classification, camera trap identification).
- **GBIF** [GBIF, 2024]: Global aggregator of biodiversity data from multiple sources including citizen science.

2.2 Gamification in Citizen Science

Bowser et al. [2013] identify four gamification strategies: competition (leaderboards), cooperation (team goals), exploration (discovery quests), and collection (digital specimen albums). Eveleigh et al. [2014] demonstrate that intrinsic motivation (learning, contribution to science) outperforms extrinsic rewards for sustained engagement. Preece [2016] survey gamification across 70 citizen science projects, finding that narrative elements and progressive skill development are most effective for long-term retention.

2.3 Data Quality in Citizen Science

Kelling et al. [2015] demonstrate that structured protocols (complete checklists, standardized effort) substantially improve data quality. Johnston et al. [2020] develop analytical methods for accounting for observer skill in eBird data. Isaac et al. [2014] formalize occupancy models that jointly estimate species presence and detection probability from citizen science data.

2.4 AI-Assisted Identification

AI identification assistants in citizen science include iNaturalist’s computer vision [Van Horn et al., 2021], Merlin for bird audio [Kahl et al., 2021], and PlantNet for plant identification [Goëau et al., 2022]. These systems improve identification accuracy but introduce new biases: AI suggestions may anchor observer decisions, and AI errors propagate through community validation [Terry et al., 2020].

3 Platform Architecture

3.1 System Overview

ZooPlatform consists of five core subsystems:

1. **Observation Interface:** Mobile and web apps for submitting observations with photos, audio, GPS, and metadata.
2. **AI Identification:** TaxoNet-powered species suggestions with calibrated confidence scores.
3. **Gamification Engine:** RL-based personalized challenge generation and reward allocation.
4. **Quality Model:** Bayesian reliability estimation for each observation.
5. **Incentive Layer:** ZooRep token distribution for verified contributions.

3.2 Observation Protocol

ZooPlatform supports two observation modes:

Opportunistic mode. Any observation, any time. Low barrier to entry. Used for casual observations and rare species alerts.

Survey mode. Structured protocol with defined spatial extent, time duration, and completeness declaration. Produces higher-quality data suitable for occupancy modeling and abundance estimation.

Both modes capture: species identification, photograph(s), GPS coordinates (± 5 m accuracy), timestamp, habitat description, and optional notes.

4 Adaptive Gamification Engine

4.1 Challenge Generation

The gamification engine generates personalized challenges for each observer. A challenge c specifies: target taxon group, geographic area, time window, and observation protocol. Challenges are designed to fill gaps in the existing data coverage.

4.2 Reinforcement Learning Formulation

We model challenge generation as a contextual bandit problem. The **state** s_t for observer i at time t comprises:

- Observer profile: skill level, taxonomic expertise, location, historical observation patterns.
- Data gap map: spatial-temporal-taxonomic cells with low observation density.
- Environmental context: season, weather, habitat accessibility.

The **action** a_t is a challenge parameterized by (taxon, location, time, difficulty).

The **reward** r_t combines:

$$r_t = w_1 \cdot \text{DataValue}(a_t) + w_2 \cdot \text{Engagement}(a_t) + w_3 \cdot \text{Quality}(a_t) \quad (1)$$

where DataValue measures the scientific value of filling the targeted gap, Engagement measures whether the observer attempted and completed the challenge, and Quality measures the reliability of the resulting observation.

4.3 Optimization

We use a contextual Thompson sampling algorithm [Agrawal & Goyal, 2013] with a neural network reward model:

$$\hat{r}(s, a; \theta) = \text{MLP}_\theta([s||a]) \quad (2)$$

The reward model is updated daily on the previous day’s challenge outcomes. Posterior uncertainty is maintained through an ensemble of 5 models with different random initializations.

4.4 Challenge Types

Table 1: Challenge types and their gamification mechanisms.

Challenge	Objective	Gamification
Explorer	Visit undersampled 1 km grid cell	Map reveal, territory badge
Species Quest	Find target species in area	Progressive difficulty, species album
Survey Sprint	Complete structured survey	Streak bonuses, team competitions
Night Watch	Nocturnal survey in target area	Exclusive night badge, bonus multiplier
Seasonal Tracker	Document phenological events	Season completion progress bar
Data Rescue	Verify/correct historical records	Accuracy leaderboard

4.5 Bias Reduction Results

Table 2: Sampling bias metrics: ZooPlatform vs. unguided observation.

Bias metric	Unguided	ZooPlatform
Spatial Gini coefficient	0.83	0.44
Weekend/weekday ratio	3.7:1	1.8:1
Bird/invertebrate obs. ratio	14.2:1	5.1:1
Distance from road (median km)	0.4	1.8
% of 1 km cells with ≥ 1 obs.	8.3%	22.7%

Adaptive gamification reduces spatial Gini coefficient by 47% (0.83 to 0.44), taxonomic bias by 64% (14.2:1 to 5.1:1), and increases spatial coverage by 2.7x.

5 AI-Assisted Identification

5.1 Integration with TaxoNet

ZooPlatform integrates the TaxoNet few-shot species identification system (ZOO-CLS-2026). When a user submits a photograph:

1. TaxoNet extracts visual features and matches against species prototypes restricted by geographic and temporal priors.
2. Top-5 suggestions with calibrated confidence scores are presented to the user.
3. The user selects or overrides the AI suggestion.
4. The observation is submitted with both AI and human identifications recorded.

5.2 AI Anchoring Mitigation

AI suggestions can anchor observer decisions, reducing identification diversity [Terry et al., 2020]. We mitigate this through:

- **Delayed display:** AI suggestions are shown only after the user enters their own initial identification (or explicitly requests help).
- **Confidence calibration:** Low-confidence suggestions (<0.5) are displayed as “uncertain—please verify” rather than as firm identifications.
- **Disagreement incentives:** Users earn bonus ZooRep for providing correct identifications that disagree with AI suggestions, incentivizing independent judgment.

5.3 Identification Accuracy

Table 3: Species identification accuracy by method.

Method	Accuracy	Coverage
Human only (unassisted)	78.4%	100%
AI only (TaxoNet)	84.7%	94.2%
Human + AI (assisted)	91.3%	100%
Human + AI + community	96.1%	100%

The combination of AI assistance and community validation achieves 96.1% identification accuracy, exceeding either humans or AI alone.

6 Bayesian Data Quality Model

6.1 Observation Reliability

Not all observations are equally reliable. We model the reliability q_{obs} of an observation o as:

$$q_{obs} = p(\text{correct ID} \mid \text{observer, AI, evidence, context}) \quad (3)$$

6.2 Generative Model

We define a Bayesian generative model:

1. True species identity $z \sim p(z \mid \text{location, date})$ drawn from the local species pool.
2. Observer identification $y_h \sim p(y_h \mid z, \text{skill}_h)$ dependent on true identity and observer skill.
3. AI identification $y_{ai} \sim p(y_{ai} \mid z, \text{image})$ dependent on true identity and image quality.
4. Community votes $\{v_1, \dots, v_C\}$ where $v_c \sim p(v_c \mid z, \text{skill}_c)$.

The posterior over true identity is:

$$p(z \mid y_h, y_{ai}, \{v_c\}) \propto p(z) \cdot p(y_h \mid z) \cdot p(y_{ai} \mid z) \cdot \prod_c p(v_c \mid z) \quad (4)$$

6.3 Observer Skill Estimation

Observer skill skill_h is modeled as a latent variable updated through the observation history. We use a beta-binomial model:

$$\text{skill}_h \sim \text{Beta}(\alpha_h, \beta_h) \quad (5)$$

where α_h and β_h are updated with each confirmed correct or incorrect identification, respectively. Species-group-specific skill parameters allow for differential expertise (e.g., expert birder, novice botanist).

6.4 Quality Scores in Practice

Table 4: Distribution of observation quality scores across the ZooPlatform dataset.

Quality tier	q_{obs} range	Percentage
Research grade	≥ 0.95	61.3%
Needs review	0.80–0.95	23.7%
Casual	0.60–0.80	11.4%
Low confidence	< 0.60	3.6%

61.3% of observations achieve research-grade quality scores ($q_{obs} \geq 0.95$), comparable to professional survey data. The quality model enables downstream analyses to appropriately weight observations rather than applying binary include/exclude filters.

7 Token Incentive System

7.1 ZooRep Distribution

Contributors earn ZooRep tokens for verified contributions. The reward function incentivizes both quantity and quality:

$$\text{ZooRep}(o) = R_{\text{base}} \cdot q_{obs} \cdot (1 + \gamma \cdot \text{DataValue}(o)) \quad (6)$$

where $R_{\text{base}} = 1$ ZooRep for a standard observation, q_{obs} is the quality score, and DataValue reflects the scientific value of the observation (higher for undersampled regions, taxa, and times). The scaling factor $\gamma = 2.0$ ensures that targeted observations in data-sparse areas earn up to 3x the base reward.

7.2 Challenge Bonus Structure

Table 5: ZooRep bonus multipliers for challenge completion.

Achievement	Multiplier
Challenge completion	1.5x
Survey mode observation	2.0x
First observation in grid cell	3.0x
Streak bonus (7 consecutive days)	1.5x
Community validation (correct ID)	1.2x
Rare species documentation	5.0x
Expert-confirmed identification	2.0x

7.3 Governance Integration

ZooRep tokens integrate directly with Zoo DAO governance (ZOO-GOV-2026): contributors with sufficient ZooRep can vote on research funding proposals, participate in peer review, and join domain working groups. This creates a direct pathway from biodiversity data collection to research governance, ensuring that the most active contributors have voice in how their data is used.

7.4 Anti-Gaming Measures

- **Duplicate detection:** Submissions with identical GPS coordinates, timestamps, and images within 1 hour are flagged.
- **Quality gating:** ZooRep is only distributed after quality scoring; low-confidence observations earn minimal rewards.
- **Photo verification:** AI checks that submitted photos contain plausible biological subjects.
- **GPS validation:** Observation locations are checked against plausible habitat maps.
- **Reviewer oversight:** Random sampling of observations for expert review, with penalty for systematic inaccuracy.

8 Evaluation

8.1 Platform Statistics

ZooPlatform operated for 14 months (December 2024–January 2026).

Table 6: ZooPlatform operational statistics.

Metric	Value
Registered contributors	23,847
Active contributors (monthly)	8,412
Countries	41
Total observations	4,217,394
Species documented	12,394
Research-grade observations	2,585,263 (61.3%)
Survey-mode observations	873,421 (20.7%)
Challenges completed	1,247,832
Challenge completion rate	43.2%
Mean observations per active user/month	35.7
30-day retention rate	67.4%

8.2 Engagement Analysis

Table 7: Contributor engagement comparison with existing platforms.

Metric	ZooPlatform	iNaturalist	eBird
30-day retention	67.4%	41.2%	52.8%
90-day retention	48.3%	23.7%	38.1%
Obs./active user/month	35.7	12.4	28.6
Survey-mode usage	20.7%	N/A	34.2%

ZooPlatform achieves 67.4% 30-day retention, significantly higher than iNaturalist (41.2%) and eBird (52.8%). Gamified challenges are the primary driver: 71% of retained users cite challenges as their main motivation for continued use.

8.3 Data Quality Validation

We validate ZooPlatform data quality against professional biodiversity surveys:

Table 8: Data quality comparison: ZooPlatform vs. professional surveys at 15 co-located sites.

Metric	ZooPlatform	Professional
Species detected (mean)	87.3%	100% (reference)
False positive rate	3.9%	1.2%
Abundance correlation (r)	0.84	—
Phenology timing ($\pm$ days)	3.2	1.8
Cost per observation	\$0.12	\$8.40

ZooPlatform detects 87.3% of species found by professional surveys at 70x lower cost per observation. The false positive rate of 3.9% is acceptable for most research applications when weighted by the Bayesian quality model.

8.4 Scientific Output

ZooPlatform data has contributed to:

- 12 peer-reviewed publications citing ZooPlatform data.
- 3 new species range extensions documented by citizen scientists.
- 7 conservation assessments using ZooPlatform occurrence data.
- Training data for HabitatNet (ZOO-HAB-2026) species distribution models.
- Verification data for ZooMRV (ZOO-MRV-2026) biodiversity co-benefit monitoring.

9 Discussion

9.1 Why Adaptive Gamification Works

The key insight is that gamification should optimize for scientific value, not just engagement. Standard gamification (leaderboards, streaks) increases observation volume but not necessarily

data value. Adaptive gamification using RL-generated challenges aligns individual reward structures with collective scientific needs.

The reinforcement learning formulation is crucial: it balances the exploration-exploitation tradeoff between directing users to known data gaps (exploitation) and discovering new user preferences and capabilities (exploration). Thompson sampling naturally manages this tradeoff through posterior uncertainty.

9.2 The Role of AI Assistance

AI-assisted identification increases accuracy from 78.4% to 91.3%, but the anchoring mitigation strategies are essential. Without delayed display and disagreement incentives, AI assistance reduces identification diversity—users simply accept the AI suggestion without independent judgment. Our design preserves the “human in the loop” while leveraging AI to support novice observers.

9.3 Token Incentives vs. Intrinsic Motivation

A central concern with token incentives is that extrinsic rewards may crowd out intrinsic motivation [Deci et al., 1999]. Our user surveys indicate that token incentives primarily attract new users (42% cite tokens as initial motivation), while retained users are primarily motivated by learning (67%), contribution to science (54%), and community belonging (48%). Tokens serve as an on-ramp to intrinsic engagement rather than a sustained motivator.

9.4 Limitations

1. **Smartphone dependency:** ZooPlatform requires a smartphone with GPS and camera, excluding potential contributors in low-connectivity regions.
2. **Species coverage:** Despite taxonomic bias reduction, invertebrates and fungi remain underrepresented due to identification difficulty.
3. **Night observations:** The platform underperforms for nocturnal species despite Night Watch challenges, as photo quality in low light is poor.
4. **Token speculation:** If ZooRep became tradeable (it is currently non-transferable), gaming incentives would increase substantially.
5. **Privacy:** GPS-tagged observations may reveal observer location patterns. We implement location fuzzing for human activity but not for biodiversity observations.

10 Implementation

10.1 Technology Stack

- **Mobile apps:** React Native (iOS/Android) with offline observation caching.
- **Backend:** FastAPI (Python) with PostgreSQL (PostGIS) for spatial data.
- **AI inference:** TaxoNet served via ONNX Runtime on NVIDIA T4 GPUs; 45 ms per image.
- **Gamification engine:** PyTorch-based contextual bandit model; daily retraining.
- **Quality model:** Bayesian inference using NumPyro; batch updates every 6 hours.
- **Blockchain:** ZooRep token distribution via Zoo Network smart contracts.

- **Data storage:** Observations in PostgreSQL; images in S3-compatible object storage; IPFS for immutable research-grade data snapshots.

10.2 Scalability

The platform processes approximately 10,000 observations per hour at peak usage. AI inference is the bottleneck, requiring 3 T4 GPUs at peak. The quality model runs asynchronously and does not affect submission latency. Challenge generation is precomputed in nightly batch runs and cached for real-time delivery.

11 Future Work

1. **Audio observations:** Integrating BirdNET-style acoustic identification for birds, bats, and insects, enabling passive monitoring through placed smartphones.
2. **AR field guides:** Augmented reality overlays showing species information, diagnostic features, and similar species when the camera is pointed at an organism.
3. **Federated learning:** Training improved AI models on distributed user data without centralizing images, preserving privacy while improving identification accuracy.
4. **Ecological network inference:** Using co-occurrence patterns in citizen science data to infer species interaction networks (pollination, predation, parasitism).
5. **Real-time alerts:** Pushing alerts to nearby users when rare or range-expanding species are detected, enabling rapid confirmation and documentation.
6. **School integration:** Curriculum-aligned challenges for K-12 science education, connecting biodiversity monitoring to formal learning outcomes.

12 Conclusion

ZooPlatform demonstrates that adaptive gamification, AI-assisted identification, Bayesian quality modeling, and token-based incentives can produce citizen science data that approaches professional survey quality at a fraction of the cost. By directing observer effort toward scientifically valuable observations through RL-powered challenges, the platform reduces the spatial, temporal, and taxonomic biases that limit the utility of traditional citizen science data. The integration with Zoo DAO governance ensures that active contributors have voice in how their data is used, creating a self-governing scientific community.

After 14 months, ZooPlatform has enrolled 23,847 contributors across 41 countries, generating 4.2 million observations covering 12,394 species. These data are freely available under CC-BY-4.0 through the Zoo Open Science Network, contributing to the Foundation’s mission of open, decentralized biodiversity science.

References

- Agrawal, S. and Goyal, N. Thompson sampling for contextual bandits with linear payoffs. *ICML*, pp. 127–135, 2013.
- Boakes, E.H., McGowan, P.J.K., Fuller, R.A., et al. Distorted views of biodiversity: Spatial and temporal bias in species occurrence data. *PLOS Biology*, 8(6):e1000385, 2010.
- Bowser, A., Hansen, D., He, Y., et al. Using gamification to inspire new citizen science volunteers. *Gamification*, pp. 18–25, 2013.

- Courter, J.R., Johnson, R.J., Stuyck, C.M., Lang, B.A., and Kaiser, E.W. Weekend bias in citizen science data reporting. *International Journal of Biometeorology*, 57(5):715–720, 2013.
- Crowston, K. and Prestopnik, N.R. Motivation and data quality in a citizen science game. *HICSS*, pp. 450–459, 2020.
- Deci, E.L., Koestner, R., and Ryan, R.M. A meta-analytic review of experiments examining the effects of extrinsic rewards on intrinsic motivation. *Psychological Bulletin*, 125(6):627–668, 1999.
- Eveleigh, A., Jennett, C., Blandford, A., Brohan, P., and Cox, A.L. Designing for dabblers and deterring drop-outs in citizen science. *CHI*, pp. 2985–2994, 2014.
- GBIF. Global Biodiversity Information Facility. <https://www.gbif.org>, 2024.
- Goëau, H., Bonnet, P., and Joly, A. Overview of PlantCLEF 2022. *CLEF*, 2022.
- iNaturalist. iNaturalist. <https://www.inaturalist.org>, 2024.
- Isaac, N.J., van Strien, A.J., de Zeeuw, M.P., et al. Statistics for citizen science: Extracting signals of change from noisy ecological data. *Methods in Ecology and Evolution*, 5(10):1052–1060, 2014.
- Johnston, A., Hochachka, W.M., Strimas-Mackey, M.E., et al. Analytical guidelines to increase the value of community science data. *Biological Conservation*, 244:108410, 2020.
- Kahl, S., Wood, C.M., Eibl, M., and Klinck, H. BirdNET: Deep learning for avian diversity monitoring. *Ecological Informatics*, 61:101236, 2021.
- Kelling, S., Johnston, A., Hochachka, W.M., et al. Can observation skills of citizen scientists be estimated using species accumulation curves? *PLOS ONE*, 10(10):e0139600, 2015.
- Preece, J. Citizen science: New research challenges for human-computer interaction. *International Journal of Human-Computer Interaction*, 32(8):585–612, 2016.
- Sauermann, H. and Franzoni, C. Crowd science user contribution patterns and their implications. *PNAS*, 112(3):679–684, 2015.
- Simpson, R., Page, K.R., and De Roure, D. Zooniverse: Observing the world’s largest citizen science platform. *WWW*, pp. 1049–1054, 2014.
- Sullivan, B.L., Aycrigg, J.L., Barry, J.H., et al. The eBird enterprise: An integrated approach to development and application of citizen science. *Biological Conservation*, 169:31–40, 2014.
- Terry, J.C.D., Roy, H.E., and August, T.A. Thinking like a naturalist: Enhancing computer vision of citizen science images. *Methods in Ecology and Evolution*, 11(2):303–315, 2020.
- Theobald, E.J., Ettinger, A.K., Burgess, H.K., et al. Global change and local solutions: Tapping the unrealized potential of citizen science for biodiversity research. *Biological Conservation*, 181:236–244, 2015.
- Troudet, J., Grandcolas, P., Blin, A., Vignes-Lebbe, R., and Legendre, F. Taxonomic bias in biodiversity data and societal preferences. *Scientific Reports*, 7:9132, 2017.
- Van Horn, G., Cole, E., Beery, S., et al. Benchmarking representation learning for natural world images. *CVPR*, pp. 12884–12893, 2021.
- Bonney, R., Cooper, C.B., Dickinson, J., et al. Citizen science: A developing tool for expanding science knowledge and scientific literacy. *BioScience*, 59(11):977–984, 2009.

- Dickinson, J.L., Shirk, J., Bonter, D., et al. The current state of citizen science as a tool for ecological research and public engagement. *Frontiers in Ecology and the Environment*, 10(6):291–297, 2012.
- Kosmala, M., Wiggins, A., Swanson, A., and Simmons, B. Assessing data quality in citizen science. *Frontiers in Ecology and the Environment*, 14(10):551–560, 2016.
- Pocock, M.J., Chapman, D.S., Sheppard, L.J., and Roy, H.E. Choosing and using citizen science. Centre for Ecology & Hydrology, 2015.
- Silvertown, J., Harvey, M., Greenwood, R., et al. Crowdsourcing the identification of organisms. *Trends in Ecology & Evolution*, 30(3):149–150, 2015.
- Wiggins, A. and Crowston, K. From conservation to crowdsourcing: A typology of citizen science. *HICSS*, pp. 1–10, 2011.
- Haklay, M. Citizen science and volunteered geographic information. In *Crowdsourcing Geographic Knowledge*, pp. 105–122. Springer, 2013.
- Chandler, M., See, L., Copas, K., et al. Contribution of citizen science towards international biodiversity monitoring. *Biological Conservation*, 213:280–294, 2017.