OBSCURE — The Builder's Browser

ZORQUELZ TECHNOLOGIES

Stage 1 Evidence Inspection & Verification Report (S1-1 through S1-8 Final)

Date:	October 12, 2026	**Control Branch:**	`feature/pr-1-qa-corrections`
Author:	Antigravity (Implementation Lead)	**Chromium Commit:**	`3ff7ac5a9...` (Tag 155.0.8059.39)
Review & QA Lead:	Claude	**Stage 1 Status:**	**BLOCKED — PENDING QA SIGN-OFF**
Chief Architect:	ChatGPT	**Stage 2 Status:**	**BLOCKED — ADR 0002 PROPOSED**

---

1. Executive Summary & Gate Invariants

This document presents the complete empirical evidence required by Review & QA Lead (Claude) under the controlling Stage 1 acceptance protocol. In strict observance of executive governance:

- **Stage 1 (New Tab Tracer Bullet):** REMAINS 100% BLOCKED. Zero feature code has been written in Chromium.
- **Stage 2 (Project Spaces Persistence):** REMAINS 100% BLOCKED. ADR 0002 remains in Proposed status.
- **Preservation of Artifacts:** The historical Chromium 157 build (`out/Obscure`) and the compiled Stable 155 build (`out/Stable155`) remain intact. All compilation and tests were executed strictly inside the WSL2 Ubuntu container without host Windows modifications.

2. S1-1 — Dependency Provenance (Actual vs Pinned DEPS)

Every major third-party submodule in `~/Obscure/chromium/src` was inspected using `git rev-parse HEAD` and verified against the exact pinned revision in `DEPS` at tag `155.0.8059.39`.

Supporting Raw Log: `docs/evidence/logs/submodule_revisions_s1_1.log`

Submodule	Local Directory	Actual Git HEAD in Checkout	Pinned Revision in DEPS	Status
V8	`v8/`	`56832c166a78bd1eb61068ac69876d6880eaabdf`	`56832c166a78bd1eb61068ac69876d6880eaabdf`	**MATCH (100%)**
Skia	`third_party/skia/`	`29ed1e87a0a50f3d8347e988842d9d59e7573efa`	`29ed1e87a0a50f3d8347e988842d9d59e7573efa`	**MATCH (100%)**
ANGLE	`third_party/angle/`	`170484eea03a4255a388072add4232e1fadfbee4`	`170484eea03a4255a388072add4232e1fadfbee4`	**MATCH (100%)**
WebRTC	`third_party/webrtc/`	`5bd86a2f17a35dfc986b87d058f511e45805bd1d`	`5bd86a2f17a35dfc986b87d058f511e45805bd1d`	**MATCH (100%)**
BoringSSL	`third_party/boringssl/src/`	`b780f192ce515ed8ed358f6c0947bd7acce438b9`	`b780f192ce515ed8ed358f6c0947bd7acce438b9`	**MATCH (100%)**
DevTools Frontend	`third_party/devtools-frontend/src/`	`cd7bfad9bba968ac23ba67e538f9e1d499991d25`	`cd7bfad9bba968ac23ba67e538f9e1d499991d25`	**MATCH (100%)**

Rust Toolchain Provenance: `tools/rust/update_rust.py --print-revision installed` confirms revision `1edd55dcfcd573872c727fa3e086369a71661ee0-1`, perfectly matching DEPS requirements.

> **Classification & Preservation of Untracked Paths:**
>
> - `build/util/MINIBRANCH` : Upstream build tooling metadata file generated during Chromium versioning/branching script execution. Preserved intact without modification.
> - `third_party/google-java-format/cipd/` : CIPD binary distribution directory containing Java formatting tools downloaded by `gclient runhooks` . Preserved intact without modification.
>
> Both paths are confirmed preserved in `docs/evidence/logs/submodule_revisions_s1_1.log` with zero destructive cleanup commands executed.

3. S1-2 — Build Configuration & GN Value Origins

Supporting Raw Logs: `docs/evidence/logs/build_args_and_ninja.log` & `docs/evidence/logs/gn_value_origins_s1_2.log`

Unedited contents of `out/Stable155/args.gn` :

```
is_debug = false
```

GN value origins evaluated via `gn args out/Stable155 --list=<var>` :

```
=== is_component_build ===
Current value (from the default) = false
  From //build/config/BUILDCONFIG.gn:171

=== dcheck_always_on ===
Current value (from the default) = true
  From //build/config/dcheck_always_on.gni:26

=== symbol_level ===
Current value (from the default) = 0
  From //build/config/compiler/compiler.gni:161
```

Build Classification: `out/Stable155` is explicitly classified as a **DCHECK-enabled development/verification build** (not release evidence) because `dcheck_always_on = true`. The production non-component release target is `out/Release155` (`is_debug = false` , `is_component_build = false` , `symbol_level = 0` , `dcheck_always_on = false`), verified via smoke compilation of `components/version_info` . Both build directories remain intact.

4. S1-3 — Raw Evidence Verification

4.1 Live Kernel Sandbox Evidence (All Renderer PIDs)

Supporting Raw Log: `docs/evidence/logs/sandbox_proc_status.log`

Captured via `scripts/check_sandbox.py` executing `./out/Stable155/chrome --headless=new` without `--no-sandbox`:

- **Browser Process (PID 809):** User Namespace: `user:[4026531837]`, PID Namespace: `pid:[4026532220]`.
- **Renderer Processes (PIDs 909, 924, 925, 950):**
  - `NoNewPrivs: 1` (Verified setuid/setgid privilege escalation disabled)
  - `Seccomp: 2`, `Seccomp_filters: 1` (Verified BPF seccomp syscall filter active)
  - `User Namespace: user:[4026532319]` (Unprivileged user namespace separation)
  - `PID Namespace: pid:[4026532225..232]` (Isolated PID namespaces)

4.2 Historical Baseline `out/Obscure` Timestamps

Supporting Raw Log: `docs/evidence/logs/out_obscure_history.log`

Complete `ls -l --time-style=full-iso out/Obscure/` proves all 1,496 build artifacts retain their original **October 10, 2026 11:46 / 13:23 UTC** timestamps. The directory was never modified or overwritten during Stable 155 configuration.

4.3 Git Reflog & Clean Working Tree

Supporting Raw Log: `docs/evidence/logs/chromium_reflog_and_stash.log`

```
3ff7ac5a9224b HEAD@{0}: checkout: moving from test-throwaway to obscure-stable-155
3ff7ac5a9224b HEAD@{1}: checkout: moving from obscure-stable-155 to test-throwaway
3ff7ac5a9224b HEAD@{2}: checkout: moving from e3a47f1afe3c87307d7b98638a576a5993fb95d7 to obscure-stable-155
e3a47f1afe3c8 HEAD@{3}: checkout: moving from main to refs/remotes/origin/main
fc24ae008e4fb HEAD@{4}: clone: from https://chromium.googlesource.com/chromium/src.git
git stash list: (empty)
```

4.4 TP-06 Headless Screenshot & WSLg Launch Classification

Supporting Raw Log: `docs/evidence/logs/tp06_gui_launch.log`
Screenshot Artifact: `docs/evidence/screenshots/tp06_gui_launch.png` (272 KB PNG)

> **Classification Correction (Headless vs GUI):** In strict compliance with Claude's evidence protocol, the committed image artifact `docs/evidence/screenshots/tp06_gui_launch.png` is explicitly designated as **Headless Layout/Render Screenshot Evidence**, captured programmatically via:
> `./out/Stable155/chrome --headless=new --screenshot=... --window-size=1280,800 https://zorquelz.com` (Exit code 0).
> It empirically proves DOM layout, typography, and pixel rasterization under the Stable 155 Blink/Skia pipeline.
>
> **Actual Headed Launch Output:**
> `$ export DISPLAY=:0 WAYLAND_DISPLAY=wayland-0 XDG_RUNTIME_DIR=/mnt/wslg/runtime-dir; timeout 3s ./out/Stable155/chrome https://zorquelz.com`
>
> ```
> [509:509:1012/133003.733019:ERROR:dbus/object_proxy.cc:572] Failed to call method: org.freedesktop.DBus.Properties.GetAll: ...
> ```
>
> **Empirical Finding:** Because this automated environment lacks an attached interactive desktop window manager and interactive display handle, **interactive headed GUI verification remains UNPROVEN** and is formally deferred to interactive desktop validation sessions.

5. S1-4 — Git Workflow Compliance & Safeguards

Workflow Document: `docs/chromium-git-workflow.md` | **Patches Guide:** `patches/README.md` | **Attributes:** `.gitattributes`

5.1 Exact Step A Command (Safe Branch Creation)

The workflow eliminates dangerous force-branch flags and enforces safe branch creation against the immutable baseline tag:

```
cd ~/Obscure/chromium/src

# 1. Verify working tree cleanliness
git status --short

# 2. Verify on pinned commit
git checkout 3ff7ac5a9224be9156d7f8703a06e22890aafd34

# 3. Establish local immutable baseline tag if not present
git tag -a obscure-baseline-155.0.8059.39 3ff7ac5a9224be9156d7f8703a06e22890aafd34 -m "Obscure Stable 155 Immutable Baseline"

# 4. Create or checkout dedicated development branch safely
# SAFEGUARD: 'git checkout -B' is STRICTLY PROHIBITED (prevents clobbering existing branch)
if git show-ref --verify --quiet refs/heads/obscure-stable-155; then
  git checkout obscure-stable-155
else
  git checkout -b obscure-stable-155 obscure-baseline-155.0.8059.39
fi
```

5.2 Workflow Diff & Controlling Safeguards Checklist

```
--- a/docs/chromium-git-workflow.md
+++ b/docs/chromium-git-workflow.md
@@ -34,1 +34,1 @@
-*.patch text eol=lf
+*.patch -text
@@ -58,1 +58,7 @@
-# 3. Create or checkout dedicated development branch
-git checkout -B obscure-stable-155 obscure-baseline-155.0.8059.39
+# 4. Create or checkout dedicated development branch safely
+# SAFEGUARD INVARIANT: NEVER use 'git checkout -B'. The uppercase '-B' switch forcibly
+# resets/clobbers an existing branch to the start point, silently destroying existing work.
+if git show-ref --verify --quiet refs/heads/obscure-stable-155; then
+  git checkout obscure-stable-155
+else
+  git checkout -b obscure-stable-155 obscure-baseline-155.0.8059.39
@@ -105,7 +105,7 @@
-# 1. Create a temporary throwaway verification branch from the immutable baseline
-git checkout -b throwaway-verify obscure-baseline-155.0.8059.39
+# 1. Create a safe, disposable worktree isolated in a temporary path (detached from baseline tag)
+# SAFEGUARD INVARIANT: Uses a disposable worktree instead of branch creation/force-deletion ('git branch -D' is prohibited)
+git worktree add --detach /tmp/obscure-throwaway-verify obscure-baseline-155.0.8059.39
@@ -169,1 +169,2 @@
-git add -A
+# SAFEGUARD: NEVER blindly stage with 'git add -A'. Stage specific paths explicitly:
+git add chrome/browser/obscure/
```

Safeguard Requirement	Implementation in Workflow	Verification Status
Prohibit `git checkout -B`	Uppercase `-B` strictly removed. Replaced by `git show-ref` check and safe `git checkout -b`.	VERIFIED
Line-Ending Invariant	`.gitattributes` enforces `*.patch -text` (binary verbatim, preventing CRLF diff header corruption).	VERIFIED
Clean-Tree Invariant	Step A, Step C, and Step D require `git status --short` before any branch creation or patch export.	VERIFIED
Stale-Patch Purge	Step C mandates `rm -f /mnt/f/Zorquelz/Obscure/patches/*.patch` prior to `git format-patch`.	VERIFIED
Disposable Worktree Validation	Step D mandates non-destructive disposable worktree: `git worktree add --detach /tmp/obscure-throwaway-verify ... && git apply --check ... && git am ... && git worktree remove /tmp/obscure-throwaway-verify`. `git branch -D` is prohibited.	VERIFIED
Rollback Safeguards	Section 4 specifies `git revert` for published commits, explicit backup branches before resets, selective staging (bans `git add -A`), and strictly bans `git clean -ffd` and `gclient sync -D`.	VERIFIED

6. S1-5 — HK-04 WebUI API & Strict CSP Compliance

Supporting Raw Log: `docs/evidence/logs/hooks_grep_evidence.log`

Verbatim signatures from `content/public/browser/web_ui_data_source.h`:

```
// Reserved for localized i18n template placeholders:
virtual void AddString(std::string_view name, std::u16string_view value) = 0;

// Used to serve bundled assets:
virtual void AddResourcePath(std::string_view path, int resource_id) = 0;
virtual void SetDefaultResource(int resource_id) = 0;

// Content Security Policy overrides:
virtual void OverrideContentSecurityPolicy(
    network::mojom::CSPDirectiveName directive,
    const std::string& custom_value) = 0;
```

CSP Invariants: Adheres strictly to standard WebUI CSP (`script-src chrome://resources 'self';`). No `unsafe-eval`, zero inline `<script>` tags (separate `launchpad.js` module), zero remote CDNs, and exclusive use of `textContent` for string bindings.

7. S1-6 — Tested Rollback Procedures & Work Recovery

Supporting Raw Log: `docs/evidence/logs/rollback_recovery_demonstration.log`

7.1 Demonstration of Obscure Work Backup, Rollback & Exact Restoration

To demonstrate recovery of actual Obscure work (not merely baseline verification), a full lifecycle test was executed in WSL2 with explicit selective staging (prohibiting `git add -A`):

- **1. Work Created & Staged Selectively:** Created `chrome/browser/obscure/recovery_demo.h`, staged explicitly via `git add chrome/browser/obscure/recovery_demo.h` (never `git add -A`).
- **2. Work Committed:** Commit ID recorded: `BEFORE_COMMIT_ID = 1d3194c36855095f5784904f05fb0e23f5c111d5`.
- **3. Backup Created:** Self-contained Git bundle (`obscure_recovery_demo.bundle`) and backup branch (`backup-obscure-recovery-demo`) established and verified.
- **4. Rollback Executed:** `git reset --hard obscure-baseline-155.0.8059.39` executed. Restored to stock baseline commit: `ROLLBACK_COMMIT_ID = 3ff7ac5a9224be9156d7f8703a06e22890aafd34`.
- **5. Work Restored:** Restored from backup ref via `git reset --hard backup-obscure-recovery-demo`. Restored commit ID: `AFTER_COMMIT_ID = 1d3194c36855095f5784904f05fb0e23f5c111d5`.
- **6. Verification Result:** `BEFORE_COMMIT == AFTER_COMMIT` (100% exact bitwise and history restoration). Zero code lost.

Control Repo Rollback (Recommended): Safe procedure verifies clean tree, creates backup branch (`backup-control-$(date +%s)`), and uses `git revert` for published commits. Explicitly documents that `git reset --hard` is a destructive local operation requiring Founder & CEO authorization before any force-push (`--force-with-lease`).

Chromium Tree Rollback: Names explicit backup branch (`backup-chromium-$(date +%s)`), commits uncommitted work selectively (prohibiting `git add -A`), and resets to `obscure-baseline-155.0.8059.39`.

8. S1-7 — Security-Fix Count & Repository Search

Supporting Raw Log: `docs/evidence/logs/security_fix_count_search.log`

- **Official Upstream Permalink:** Chrome Releases Blog — Stable Channel Update for Desktop (October 6, 2026)
- **Source-Audit Excerpt (`docs/evidence/chromium-stable-155-source-audit.md`, Lines 18–19):**

```
- The official announcement states: "This update includes 247 security fixes. Below, we highlight fixes that were contributed by exte
rnal researchers. Please see the Chromium security page for more information."
- Labeling Clarification: The count of 247 security fixes represents the total security-relevant bug fixes and hardening commits merg
ed into the Stable 155 milestone (including internal audits, ClusterFuzz findings, and static analysis), while specific CVE identifie
rs are assigned to bugs reported by external researchers. This count is sourced directly from Google's official release blog, not thi
rd-party aggregators.
```

- **Raw Repository Search Evidence:** Complete ripgrep search output in `docs/evidence/logs/security_fix_count_search.log` establishes that `247` occurs as a documentation statement strictly in lines 18–19 of `chromium-stable-155-source-audit.md`. All other hits in the repository are timestamps and file offsets in build logs. The upstream blog statement is maintained as distinct from what Obscure's independent audit establishes.

9. S1-8 — Test Plan 0003 & Acceptance Tests

Document: `docs/test-plans/0003-stage1-tracer-bullet.md` | **TB-10 Log:** `docs/evidence/logs/tb10_revert_test.log`

- **Scope Strictness:** Limited to HK-01/HK-02, static Launchpad page, zero native persistence, zero Mojo IPC, zero Project Spaces DB/models. External patch size strictly constrained to ≤ 10 lines outside `//chrome/browser/obscure/`.
- **Acceptance Criteria:** Explicitly covers NTP-01 through NTP-06, incognito isolation (standard incognito splash, zero custom UI), guest isolation, default WebUI CSP (zero console errors, no inline scripts), active sandbox invariant (Layer 1 + Layer 2), and clean patch reversibility.
- **Execution Status:** Acceptance tests TB-01..09 remain strictly gated/blocked until Claude issues Stage 1 clearance. TB-10 is empirically executed and verified in WSL2.

Test ID	Acceptance Test Scope	Execution Status	Pass / Gate Criteria
TB-01	Tab Strip "+" button opens Launchpad	**NOT RUN / BLOCKED**	Stage 1 implementation gated
TB-02	Keyboard shortcut `Ctrl+T`	**NOT RUN / BLOCKED**	Stage 1 implementation gated
TB-03	New Window `Ctrl+N` opens Launchpad	**NOT RUN / BLOCKED**	Stage 1 implementation gated
TB-04	Direct Omnibox rewrite (`chrome://newtab`)	**NOT RUN / BLOCKED**	Stage 1 implementation gated
TB-05	Incognito Isolation (default incognito splash)	**NOT RUN / BLOCKED**	Zero Obscure UI rendered in incognito
TB-06	Guest Profile Isolation (default guest splash)	**NOT RUN / BLOCKED**	Zero Obscure UI rendered in guest
TB-07	Content Security Policy (0 console errors)	**NOT RUN / BLOCKED**	Zero CSP violations; no unsafe-eval
TB-08	Active Sandbox Verification	**NOT RUN / BLOCKED**	To be verified on live WebUI renderer PID post-clearance
TB-09	Alternative Search Engine Default	**NOT RUN / BLOCKED**	Launchpad retains control
TB-10	Clean Patch Reversibility Test	**PASS (EXECUTED & VERIFIED)**	Executed in WSL2; 100% exact baseline return (`tb10_revert_test.log`)

10. Final Closure Matrix (Claude's S1-1 to S1-8 Definitions)

Condition	Claude Acceptance Requirement	Antigravity Status	Supporting Committed Artifact / Log
S1-1	Dependency Provenance (6 submodules + Rust + Untracked Paths)	**PASS (EXECUTED & VERIFIED)**	`docs/evidence/logs/submodule_revisions_s1_1.log`
S1-2	Build Configuration & DCHECK Classification	**PASS (EXECUTED & VERIFIED)**	`docs/evidence/logs/gn_value_origins_s1_2.log`
S1-3	Raw Evidence (PIDs, out/Obscure, reflog, Headless Screenshot; Headed GUI unproven)	**PASS (EXECUTED & VERIFIED)**	`docs/evidence/logs/sandbox_proc_status.log` `docs/evidence/screenshots/tp06_gui_launch.png` (Headed GUI: Unproven)
S1-4	Git Workflow Compliance (Safe Step A [no -B], `*.patch -text` , disposable worktree)	**PASS (VERIFIED)**	`.gitattributes` & `docs/chromium-git-workflow.md`
S1-5	HK-04 WebUI API & Strict CSP Header Evidence	**PASS (VERIFIED)**	`docs/evidence/logs/hooks_grep_evidence.log`
S1-6	Rollback & Work Recovery (Revert, Reset, Bundles, Work Recovery Demo)	**PASS (EXECUTED & VERIFIED)**	`docs/evidence/logs/rollback_recovery_demonstration.log`
S1-7	Security-Fix Count Permalink, Source Excerpt & Search Log	**PASS (VERIFIED)**	`docs/evidence/logs/security_fix_count_search.log`
S1-8	Test Plan 0003 Specification & TB-10 Revert Test	**PASS (TB-10 EXECUTED; TB-01..09 GATED)**	`docs/test-plans/0003-stage1-tracer-bullet.md` `docs/evidence/logs/tb10_revert_test.log`