60-Ball Very, Very Thin Fine Pitch Ball Grid Array (5W) - 5x5x0.8 mm Body [WFBGA]

Note:	For the most current package drawings, please see the Microchip Packaging Specification located at http://www.microchip.com/packaging



60-Ball Very, Very Thin Fine Pitch Ball Grid Array (5W) - 5x5x0.8 mm Body [WFBGA]

Note:	For the most current package drawings, please see the Microchip Packaging Specification located at http://www.microchip.com/packaging



SECTION A-A



Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N		60	
Pitch	e		0.50 BSC	
Overall Height	A	-	0.70	0.80
Standoff	A1	0.12	0.17	0.22
Package Body Thickness	A2		0.53 REF	
Overall Length	D		5.00 BSC	
Overall Pitch	eD		4.00 BSC	
Overall Width	E		5.00 BSC	
Overall Pitch	eE		4.00 BSC	
Ball diameter	b	0.20	0.25	0.30
Solder Mask Opening	b1	0.22	0.25	0.28
Ball Pad	b2	0.30	0.35	0.40

Notes:

1. Dimension "B" is measured at the maximum ball diameter, parallel to primary Datum "C".
2. Ball A1 visual index feature may vary, but must be located within the hatched area.
3. Primary datum "C" and seating plane are defined by the spherical crowns of the contact solder balls.
4. Dimension "A" does not include attached external features, such as heat sink or chip capacitors.
5. The package ball solderable surface is solder-mask-defined (SMD) type.
6. Dimensioning and tolerancing per ASME Y14.5M

   BSC: Basic Dimension. Theoretically exact value shown without tolerances.

   REF: Reference Dimension, usually without tolerance, for information purposes only.

60-Ball Very, Very Thin Fine Pitch Ball Grid Array (5W) - 5x5x0.8 mm Body [WFBGA]

Note:	For the most current package drawings, please see the Microchip Packaging Specification located at http://www.microchip.com/packaging



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	0.50 BSC		
Contact Pad Spacing	C1		4.00	
Contact Pad Spacing	C2		4.00	
Contact Pad Width (X60)	X			0.30

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

   BSC: Basic Dimension. Theoretically exact value shown without tolerances.