**8-Lead Small Outline Integrated Circuit (4CX) - 3.90 mm (.150 In.) Body [SOIC]
Supertex Legacy Package TG**

Note:	For the most current package drawings, please see the Microchip Packaging Specification located at http://www.microchip.com/packaging



Microchip Technology Drawing C04-267 Rev A Sheet 1 of 2

8-Lead Small Outline Integrated Circuit (4CX) - 3.90 mm Body [SOIC]
Supertex Legacy Package TG

Note:	For the most current package drawings, please see the Microchip Packaging Specification located at http://www.microchip.com/packaging



VIEW C



Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	8		
Pitch	e	1.27 BSC		
Overall Height	A	1.35	-	1.75
Standoff	A1	0.10	-	0.25
Molded Package Height	A2	1.25	-	1.65
Overall Length	D	4.90 BSC		
Overall Width	E	6.00 BSC		
Molded Package Width	E1	3.90 BSC		
Index Chamfer	h	0.25	-	0.50
Terminal Width	b	0.31	0.41	0.51
Terminal Thickness	c	0.17	-	0.25
Terminal Length	L	0.40	-	1.00
Footprint	L1	1.04 REF		
Terminal Bend Radius	R	0.07	-	-
Terminal Bend Radius	R1	0.07	-	-
Lead Angle	Θ	0°	-	8°
Mold Draft Angle	Θ1	5°	-	15°
Lead Angle	Θ2	0°	-	-

Notes:

1. Pin 1 visual index feature may vary, but must be located within the hatched area.
2. Dimensioning and tolerancing per ASME Y14.5M
   BSC: Basic Dimension. Theoretically exact value shown without tolerances.
   REF: Reference Dimension, usually without tolerance, for information purposes only.

Microchip Technology Drawing C04-267 Rev A Sheet 2 of 2

8-Lead Small Outline Integrated Circuit (4CX) - 3.90 mm (.150 In.) Body [SOIC] Supertex Legacy Package TG

Note:	For the most current package drawings, please see the Microchip Packaging Specification located at http://www.microchip.com/packaging



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	1.27 BSC		
Contact Pad Spacing	C		5.40	
Contact Pad Width (Xnn)	X			0.60
Contact Pad Length (Xnn)	Y			1.60
Contact Pad to Contact Pad (Xnn)	G	0.67		

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M
   BSC: Basic Dimension. Theoretically exact value shown without tolerances.

Microchip Technology Drawing C04-2267 Rev A