



61-Ball Very Thin Fine Pitch Ball Grid Array (5HX) - 5x5x0.9 mm Body [VFBGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



61-Ball Very Thin Fine Pitch Ball Grid Array (5HX) - 5x5x0.9 mm Body [VFBGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	61		
Pitch	e	0.50 BSC		
Overall Height	A	-	-	0.90
Standoff	A1	0.11	-	0.21
Standoff	A2	0.125 REF		
Terminal Thickness	A3	0.54 REF		
Overall Length	D	5.00 BSC		
Overall Pitch	eD	4.00 BSC		
Overall Width	E	5.00 BSC		
Overall Pitch	eE	4.00 BSC		
Terminal Diameter	b	0.20	0.25	0.30

Notes:


1. Terminal A1 visual index feature may vary, but must be located within the hatched area.
2. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.

REF: Reference Dimension, usually without tolerance, for information purposes only.

61-Ball Very Thin Fine Pitch Ball Grid Array (5HX) - 5x5x0.9 mm Body [VFBGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	0.50 BSC		
Contact Pad Spacing	C1		4.00	
Contact Pad Spacing	C2		4.00	
Contact Pad Diameter (X61)	X1			0.20

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.