



86-Lead Low Profile Fine Pitch Land Grid Array Package (PFX) - 7x11 mm Body [LFLGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



86-Lead Low Profile Fine Pitch Land Grid Array Package (PFX) - 7x11 mm Body [LFLGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




		Units	MILLIMETERS		
Dimension Limits			MIN	NOM	MAX
Number of Terminals	N		16		
Pitch	e		0.40 BSC		
Pitch	e1		1.20 BSC		
Overall Height	A		-	-	1.40
Mold Compound	A2		1.00	1.05	1.10
Substrate Thickness	A3		0.23	0.26	0.29
Overall Length	D		7.00 BSC		
Overall Terminal Pitch	D1		4.40 BSC		
Overall Width	E		11.00 BSC		
Overall Terminal Pitch	E1		7.60 BSC		
Terminal Width	b		-	0.20	-
Terminal Length	L		-	0.60	-
Terminal Length	L1		-	0.60	-
Pullback Length	L2		0.30 REF		

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Dimensioning and tolerancing per ASME Y14.5M
 - BSC: Basic Dimension. Theoretically exact value shown without tolerances.
 - REF: Reference Dimension, usually without tolerance, for information purposes only.

86-Lead Low Profile Fine Pitch Land Grid Array Package (PFX) - 7x11 mm Body [LFLGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E1	0.50 BSC		
Optional Center Pad Width	E2	1.20 BSC		
Contact Pad Spacing	C1		6.20	
Contact Pad Spacing	C2		10.20	
Contact Pad Spacing	C3		6.50	
Contact Pad Spacing	C4		10.50	
Contact Pad Width (X20)	X1			0.20
Contact Pad Length (X20)	Y1			1.00
Contact Pad Width (X20)	X2			0.60
Contact Pad Length (X20)	Y2			0.60
Contact Pad to Center Pad (X20)	X3			0.70
Thermal Via Diameter	Y3			0.70
Contact Pad to Center Pad (X20)	G	0.20	1.00	

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.

Microchip Technology Drawing C04-02467 Rev. A