



68-Ball Very, Very Thin Fine Pitch Ball Grid Array (2GW) - 8x8x0.8 mm Body [WFBGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



68-Ball Very, Very Thin Fine Pitch Ball Grid Array (2GW) - 8x8x0.8 mm Body [WFBGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	68		
Pitch	e	0.50 BSC		
Overall Height	A	—	—	0.80
Ball Height	A1	0.13	0.18	0.23
Mold Thickness	M	0.35	0.40	0.45
Overall Length	D	6.00 BSC		
Overall Width	E	6.00 BSC		
Ball Diameter	b	0.20	0.25	0.30
Edge to Ball Center	L1	1.00 REF		
Edge to Ball Center	L2	0.50 REF		

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
REF: Reference Dimension, usually without tolerance, for information purposes only.

68-Ball Very, Very Thin Fine Pitch Ball Grid Array (2GW) - 8x8x0.8 mm Body [WFBGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	0.50 BSC		
Contact Pad Spacing	C1	5.00 BSC		
Contact Pad Spacing	C2	5.00 BSC		
Contact Pad Diameter (X68)	X			0.20
Contact Pad to Contact Pad	G	0.30		

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.