



**20-Lead Very, Very Thin Quad Flatpack, No Leads (QAA) - 3x3x0.6 mm Body [WQFN]
Micrel Legacy Package CTQFN-20L**

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



**20-Lead Very, Very Thin Quad Flatpack, No Leads (QAA) - 3x3x0.6 mm Body [WQFN]
Micrel Legacy Package CTQFN-20L**

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




		Units	MILLIMETERS		
Dimension Limits			MIN	NOM	MAX
Number of Terminals	N		20		
Pitch	e		0.50 BSC		
Overall Height	A		0.50	0.55	0.60
Standoff	A1		0.00	0.02	0.05
Terminal Thickness	A3		0.152 REF		
Overall Length	D		3.00 BSC		
Overall Width	E		3.00 BSC		
Terminal Width	b		0.20	0.25	0.30
Terminal Length	L		0.30	0.35	0.40
Terminal Length	L1		0.40	0.45	0.50
Terminal Length	L2		0.75	0.80	0.85

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Package is saw singulated
- Dimensioning and tolerancing per ASME Y14.5M
 - BSC: Basic Dimension. Theoretically exact value shown without tolerances.
 - REF: Reference Dimension, usually without tolerance, for information purposes only.

**20-Lead Very, Very Thin Quad Flatpack, No Leads (QAA) - 3x3x0.6 mm Body [WQFN]
[Micrel Legacy Package CTQFN-20L]**

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E		0.50 BSC	
Contact Pad Spacing	C1		2.80	
Contact Pad Spacing	C2		2.80	
Contact Pad Spacing	C3		2.35	
Contact Pad Width (X20)	X1			0.23
Contact Pad Length (X14)	Y1			0.40
Contact Pad Length (X6)	Y2			0.85
Contact Pad To Contact Pad (X16)	G1	0.26		
Contact Pad To Contact Pad (X4)	G2	0.30		

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.