



52-Lead Extra Thick Quad Flat, No Lead Package (M6A) - 10x10 mm Body [B2QFN] [Micrel Legacy Package H4QFN]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



52-Lead Extra Thick Quad Flat, No Lead Package (M6A) - 10x10 mm Body [B2QFN] [Micrel Legacy Package H4QFN]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	52		
Pitch	e	0.65 BSC		
Overall Height	A	3.95	4.00	4.05
Standoff	A1	0.00	0.02	0.05
Terminal Thickness	A3	0.20 REF		
Overall Length	D	10.00 BSC		
Overall Width	E	10.00 BSC		
Terminal Width	b	0.25	0.30	0.35

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Package is saw singulated
- Dimensioning and tolerancing per ASME Y14.5M
 - BSC: Basic Dimension. Theoretically exact value shown without tolerances.
 - REF: Reference Dimension, usually without tolerance, for information purposes only.

52-Lead Extra Thick Quad Flat, No Lead Package (M6A) - 10x10 mm Body [B2QFN] [Micrel Legacy Package H4QFN]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Microchip Technology Drawing C04-3057A