



100-Ball Low Profile Fine Pitch Ball Grid Array (AAA) - 10x10x1.42 mm Body [LFBGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/package3>



100-Ball Low Profile Fine Pitch Ball Grid Array (AAA) - 10x10x1.42 mm Body [LFBGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	100		
Pitch	e	1.00 BSC		
Overall Height	A	1.20	1.31	1.42
Standoff	A1	0.34	0.39	0.44
Body Thickness	A2	0.86	0.92	0.98
Overall Length	D	10.00 BSC		
Exposed Pad Length	D1	9.00 BSC		
Overall Width	E	10.00 BSC		
Exposed Pad Width	E1	9.00 BSC		
Terminal Width	b	0.45	0.50	0.55

Notes:

1. Ball A1 visual index feature may vary, but must be located within the hatched area.
2. Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.

100-Ball Low Profile Fine Pitch Ball Grid Array (AAA) - 10x10x1.42 mm Body [LFBGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	1.00 BSC		
Contact Pad Spacing	C1	9.00 BSC		
Contact Pad Spacing	C2	9.00 BSC		
Contact Pad Width (X100)	X			0.45
Contact Pad to Contact Pad	G	0.55		

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.

Microchip Technology Drawing C04-3066 Rev A