




48-Lead Plastic Shrink Small Outline Package (E6A) - 15.8x7.6 mm Body [SSOP]
Micrel Legacy SSOP-48LD-PL-1

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



48-Lead Plastic Shrink Small Outline Package (E6A) - 15.8x7.6 mm Body [SSOP] Micrel Legacy SSOP-48LD-PL-1

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	48		
Pitch	e	0.635 BSC		
Overall Height	A	2.413	2.591	2.794
Standoff	A1	0.203	0.305	0.406
Molded Package Height	A2	2.21	-	2.39
Overall Length	D	15.87 BSC		
Overall Width	E	10.312 BSC		
Molded Package Width	E1	7.493 BSC		
Terminal Width	b	0.203	0.273	0.343
Terminal Thickness	c	0.127	-	0.254
Edge Chamfer (Optional)	h	0.381	-	0.635
Terminal Length	L	0.508	-	1.016
Footprint	L1	1.41 REF		
Terminal Angle	θ	0°	-	5°
Mold Draft Angle	θ1	5°	-	15°
Lead Angle	θ2	0°	-	-
Lead Bend Radius	R	0.076	-	-
Lead Bend Radius	R1	0.076	-	-

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
REF: Reference Dimension, usually without tolerance, for information purposes only.

48-Lead Plastic Shrink Small Outline Package (E6A) - 15.8x7.6 mm Body [SSOP] Micrel Legacy SSOP-48LD-PL-1

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	0.635 BSC		
Contact Pad Spacing	C		9.32	
Contact Pad Width (Xnn)	X			0.36
Contact Pad Length (Xnn)	Y			2.20

Notes:

- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.