



8-Bump Extremely Thin Fine Pitch Wafer Level Chip Scale Package (CS)

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



8-Bump Extremely Thin Fine Pitch Wafer Level Chip Scale Package (CS)

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Bumps	N	8		
Pitch	e	0.50 BSC		
Overall Height	A	0.442	0.472	0.512
Die Thickness	A2	0.30 REF		
Bump Height	A3	0.145	0.160	0.175
Overall Width	D	NOTE 4		
Overall Length	E	NOTE 4		
Bump Diameter	b	0.26	0.30	0.34

Notes:

1. Pin 1 visual index feature may vary, but must be located within the hatched area.
2. Package is saw singulated.
3. Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
REF: Reference Dimension, usually without tolerance, for information purposes only.
4. Package size varies with specific devices. Please see the specific Product Data Sheet.

8-Bump Extremely Thin Fine Pitch Wafer Level Chip Scale Package (CS)

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	0.50 BSC		
Contact Diameter	Y		0.30	
Distance Between Pads	G	0.20		


Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.


8-Bump Extremely Thin Fine Pitch Wafer Level Chip Scale Package (CS) - 26WF016B

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



8-Bump Extremely Thin Fine Pitch Wafer Level Chip Scale Package (CS) - 26WF016B

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Bumps	N	8		
Pitch	e	0.50 BSC		
Overall Height	A	0.442	0.472	0.512
Die Thickness	A2	0.30 REF		
Bump Height	A3	0.145	0.160	0.175
Overall Width	D	2.28 BSC		
Overall Length	E	1.96 BSC		
Bump Diameter	b	0.26	0.30	0.34

Notes:

1. Pin 1 visual index feature may vary, but must be located within the hatched area.
2. Package is saw singulated.
3. Dimensioning and tolerancing per ASME Y14.5M
 - BSC: Basic Dimension. Theoretically exact value shown without tolerances.
 - REF: Reference Dimension, usually without tolerance, for information purposes only.

8-Bump Extremely Thin Fine Pitch Wafer Level Chip Scale Package (CS) - 26WF016B

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	0.50 BSC		
Contact Diameter	Y		0.30	
Distance Between Pads	G	0.20		


Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.


8-Bump Extremely Thin Fine Pitch Wafer Level Chip Scale Package (CS)
1.74 x 1.99 MM Body [WLCSP] 26WF040B & 26WF080B

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



8-Bump Extremely Thin Fine Pitch Wafer Level Chip Scale Package (CS)
1.74 x 1.99 MM Body [WLCSP] 26WF040B & 26WF080B

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




		Units	MILLIMETERS		
Dimension Limits			MIN	NOM	MAX
Number of Terminals	N		8		
Pitch	e		0.50 BSC		
Overall Height	A		0.425	0.465	0.505
Die Height	A2		0.305 REF		
Bump Height	A3		0.145	0.160	0.175
Overall Length	D		1.98 BSC		
Overall Width	E		1.74 BSC		
Ball Diameter	b		0.26	0.30	0.34

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Package is saw singulated.
- Dimensioning and tolerancing per ASME Y14.5M
 - BSC: Basic Dimension. Theoretically exact value shown without tolerances.
 - REF: Reference Dimension, usually without tolerance, for information purposes only.

8-Bump Extremely Thin Fine Pitch Wafer Level Chip Scale Package (CS) 26WF040B & 26WF080B

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	0.50 BSC		
Contact Diameter	Y		0.30	
Distance Between Pads	G	0.20		

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.