


Packaging Diagrams and Parameters

39-Lead PCB Module (4SW) - 15.5x26.8x2.9mm [MODULE] for WBZ451H With Metal Shield and Coaxial Connector


Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Packaging Diagrams and Parameters

39-Lead PCB Module (4SW) - 15.5x26.8x2.9mm [MODULE] for WBZ451H With Metal Shield and Coaxial Connector

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	39		
Terminal Pitch	e	1.00 BSC		
Overall Height	A	2.75	2.90	3.05
PCB Thickness	A2	0.70	0.80	0.90
Shield Height	A3	1.95	2.00	2.05
UFL Connector Height	A4	1.25 REF		
Overall Length	D	15.40	15.50	15.60
Overall Width	E	26.70	26.80	26.90
Shield Length	D1	14.30	14.35	14.40
Shield Width	E1	20.08	20.13	20.18
Terminal Width	b	0.50	0.60	0.70
Terminal Length	L	0.70	0.80	0.90

Notes:

- All Dimensions are in Millimeters
BSC: Basic Dimension. The theoretically exact value is shown without tolerances.
REF: Reference Dimension, usually without tolerance, is for information purposes only.

