



8-Lead Extremely Thin Dual Flat, No Lead Package (D5B) - 1.8x2.2x0.4 mm Body [XDFN] Atmel Legacy GPC DTP

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



8-Lead Extremely Thin Dual Flat, No Lead Package (D5B) - 1.8x2.2x0.4 mm Body [XDFN] Atmel Legacy GPC DTP

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




		Units	MILLIMETERS		
Dimension Limits			MIN	NOM	MAX
Number of Terminals	N		8		
Pitch	e		0.40 BSC		
Overall Pitch	e1		1.20 REF		
Overall Height	A		-	-	0.40
Standoff	A1		0.00	-	0.05
Terminal Thickness	A3		0.05 REF		
Overall Length	D		1.8 BSC		
Overall Width	E		2.2 BSC		
Terminal Width	b		0.15	0.20	0.25
Terminal Length	L		0.25	0.30	0.35

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Package is saw singulated
- Dimensioning and tolerancing per ASME Y14.5M
 - BSC: Basic Dimension. Theoretically exact value shown without tolerances.
 - REF: Reference Dimension, usually without tolerance, for information purposes only.

8-Lead Extremely Thin Dual Flat, No Lead Package (D5B) - 1.8x2.2x0.4 mm Body [XDFN] Atmel Legacy GPC DTP

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	0.40 BSC		
Contact Pad Spacing	C		2.20	
Contact Pad Width (X7)	X1			0.20
Pin 1 Contact Pad Width (X2)	X2			0.30
Contact Pad to Contact Pad (X6)	G	0.20		
Contact Pad Length (X8)	Y1			0.75

Notes:

- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
- For best soldering results, thermal vias, if used, should be filled or tented to avoid solder loss during reflow process

Microchip Technology Drawing C04-23186 Rev A