



343-Ball Plastic Thin Fine Pitch Ball Grid Array (4HB) - 14x14x1.2 mm Body [TFBGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



343-Ball Plastic Thin Fine Pitch Ball Grid Array (4HB) - 14x14x1.2 mm Body [TFBGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




		Units	MILLIMETERS		
Dimension Limits			MIN	NOM	MAX
Number of Terminals	N		343		
Pitch	e		0.65 BSC		
Overall Height	A	–	–		1.20
Standoff	A1		0.22	0.27	0.32
Substrate Thickness	S		0.26 REF		
Mold Cap Height	M		0.53 REF		
Overall Length	D		14.00 BSC		
Overall Width	E		14.00 BSC		
Ball Diameter	b		0.32	0.35	0.42

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
REF: Reference Dimension, usually without tolerance, for information purposes only.

343-Ball Plastic Thin Fine Pitch Ball Grid Array (4HB) - 14x14x1.2 mm Body [TFBGA]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	0.65 BSC		
Contact Pad Spacing	C1		13.00	
Contact Pad Spacing	C2		13.00	
Contact Pad Width (Xnn)	X			0.40
Contact Pad to Contact Pad (Xnn)	G	0.25		

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.

Microchip Technology Drawing C04-23516 Rev A