



64-Ball Wafer Level Chip Scale Package (GJB) - 3.593x3.513x0.494 mm Body [WLCSP] **Atmel Legacy Global Package Code GBS**

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



64-Ball Wafer Level Chip Scale Package (GJB) - 3.593x3.513x0.494 mm Body [WLCSP] Atmel Legacy Global Package Code GBS

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




		Units	MILLIMETERS		
Dimension Limits			MIN	NOM	MAX
Number of Terminals	N		64		
Pitch	e		0.40 BSC		
Overall Height	A		0.455	0.494	0.533
Ball Height	A1		0.17	—	0.23
Die Thickness	A2		0.229	0.254	0.279
Backside Coating Thickness	A4		0.04 REF		
Overall Length	D		3.593 BSC		
Ball Array Length	D2		2.80 BSC		
Overall Width	E		3.513 BSC		
Ball Array Width	E2		2.80 BSC		
Ball Diameter	b		0.25 REF		
Ball Width	b1		0.23	0.26	0.29

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
REF: Reference Dimension, usually without tolerance, for information purposes only.

64-Ball Wafer Level Chip Scale Package (GJB) - 3.593x3.513x0.494 mm Body [WLCSP] Atmel Legacy Global Package Code GBS

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	0.40 BSC		
Contact Pad Spacing	C1	2.80 BSC		
Contact Pad Spacing	C2	2.80 BSC		
Contact Pad Width (Xnn)	X			0.20
Contact Pad to Contact Pad (Xnn)	G	0.20		

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.

Microchip Technology Drawing C04-23531 Rev A