



100-Ball Low Profile Fine-Pitch Ball Grid Array (6BC) - 11x11x1.7 mm Body [LFBGA] Microsemi Legacy Package 100_CABGA

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



**100-Ball Low Profile Fine-Pitch Ball Grid Array (6BC) - 11x11x1.7 mm Body [LFBGA]
Microsemi Legacy Package 100_CABGA**

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	100		
Pitch	e	1.00 BSC		
Overall Height	A	1.50	1.60	1.70
Ball Height	A1	0.34	0.39	0.41
Mold Thickness	M	0.58	0.65	0.71
Substrate Thickness	S	0.52	0.56	0.60
Overall Length	D	11.00 BSC		
Ball Array Length	D2	9.00 BSC		
Overall Width	E	11.00 BSC		
Ball Array Width	E2	9.00 BSC		
Ball Diameter	b	0.45	0.50	0.55

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
REF: Reference Dimension, usually without tolerance, for information purposes only.

100-Ball Low Profile Fine-Pitch Ball Grid Array (6BC) - 11x11x1.7 mm Body [LFBGA] Microsemi Legacy Package 100_CABGA

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	1.00 BSC		
Contact Pad Spacing	C1	9.00 BSC		
Contact Pad Spacing	C2	9.00 BSC		
Contact Pad Diameter (X100)	X			0.45
Contact Pad to Contact Pad (Xnn)	G	0.55		

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.

Microchip Technology Drawing C04-27059 Rev A