



1071-Ball Fine Pitch Ball Grid Array (6HC) - 27x27x2.17 mm Body [FBGA] Microsemi Legacy Package 1071_FCBGA

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



1071-Ball Fine Pitch Ball Grid Array (6HC) - 27x27x2.17 mm Body [FBGA] Microsemi Legacy Package 1071_FCBGA

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	1071		
Pitch	e	0.80 BSC		
Overall Height	A	1.61	1.89	2.17
Ball Height	A1	0.25	0.35	0.45
Substrate Thickness	A2	0.68 REF		
Package Thickness	A3	1.36	1.54	1.72
Overall Length	D	27.00 BSC		
Chip Length	D1	11.43 REF		
Ball Array Length	D2	25.60 BSC		
Overall Width	E	27.00 BSC		
Chip Width	E1	11.03 REF		
Ball Array Width	E2	25.60 BSC		
Ball Diameter	b	0.40	0.45	0.50

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
REF: Reference Dimension, usually without tolerance, for information purposes only.

1071-Ball Fine Pitch Ball Grid Array (6HC) - 27x27x2.17 mm Body [FBGA] Microsemi Legacy Package 1071_FCBGA

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	0.80 BSC		
Contact Pad Spacing	C1	25.60 BSC		
Contact Pad Spacing	C2	25.60 BSC		
Contact Pad Diameter (X1071)	X			0.40
Contact Pad to Contact Pad	G	0.40		

Notes:


1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.

Microchip Technology Drawing C04-27065-6HC Rev A

1071-Ball Fine Pitch Ball Grid Array (BGC) - 27x27x2.17 mm Body [FBGA] Microsemi Legacy Package 1071_FCBGA

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	0.80 BSC		
Contact Pad Spacing	C1	25.60 BSC		
Contact Pad Spacing	C2	25.60 BSC		
Contact Pad Diameter (X1071)	X			0.40
Contact Pad to Contact Pad	G	0.40		

Notes:


1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.

Microchip Technology Drawing C04-27065-BGC Rev A


1071-Ball Fine Pitch Ball Grid Array (BGC) - 27x27x2.17 mm Body [FBGA] Microsemi Legacy Package 1071_FCBGA

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



1071-Ball Fine Pitch Ball Grid Array (BGC) - 27x27x2.17 mm Body [FBGA] Microsemi Legacy Package 1071_FCBGA

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	1071		
Pitch	e	0.80 BSC		
Overall Height	A	1.61	1.89	2.17
Ball Height	A1	0.25	0.35	0.45
Substrate Thickness	A2	0.68 REF		
Package Thickness	A3	1.36	1.54	1.72
Overall Length	D	27.00 BSC		
Chip Length	D1	11.43 REF		
Ball Array Length	D2	25.60 BSC		
Overall Width	E	27.00 BSC		
Chip Width	E1	11.03 REF		
Ball Array Width	E2	25.60 BSC		
Ball Diameter	b	0.40	0.45	0.50

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
REF: Reference Dimension, usually without tolerance, for information purposes only.