



753-Ball Thick Ball Grid Array (C5C) - 29x29x2.94 mm Body [BBGA] Microsemi Legacy Package

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



753-Ball Thick Ball Grid Array (C5C) - 29x29x2.94 mm Body [BBGA] Microsemi Legacy Package

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	753 (28 Rows x 28 Columns)		
Pitch	e	1.00 BSC		
Overall Height	A	2.44	2.69	2.94
Standoff	A1	0.40	0.50	0.60
Substrate Thickness	A2	1.33 REF		
Package Height	A3	2.04	2.19	2.34
Overall Length	D	29.00 BSC		
Overall Terminal Pitch	D1	27.00 BSC		
Die Length	D2	11.09 REF		
Overall Width	E	29.00 BSC		
Overall Terminal Pitch	E1	27.00 BSC		
Die Width	E2	10.61 REF		
Terminal Width	b	0.50	0.60	0.70

Notes:

- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
REF: Reference Dimension, usually without tolerance, for information purposes only.

753-Ball Thick Ball Grid Array (C5C) - 29x29x2.94 mm Body [BBGA] Microsemi Legacy Package

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	1.00 BSC		
Optional Center Pad Length				
Contact Pad Spacing	C1	27.00 BSC		
Contact Pad Spacing	C2	27.00 BSC		
Contact Pad Diameter (X753)	X			0.50
Contact Pad to Contact Pad	G	0.50		

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.

Microchip Technology Drawing C04-27174 Rev A