



1517-Ball Thick Ball Grid Array Package (BNC) - 40x40x3.22 mm Body [BBGA] Microsemi Legacy Package

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



1517-Ball Thick Ball Grid Array Package (BNC) - 40x40x3.22 mm Body [BBGA] Microsemi Legacy Package

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Number of Terminals	N	1517		
Pitch	e	1.00 BSC		
Overall Height	A	2.66	2.94	3.22
Ball Height	A1	0.40	0.50	0.60
Package Thickness	A2	2.26	2.44	2.62
Substrate Thickness	A3	1.10 REF		
Overall Length	D	40.00 BSC		
Cap Length	D1	30.00 REF		
Ball Array Length	D2	38.00 BSC		
Overall Width	E	40.00 BSC		
Cap Width	E1	30.00 REF		
Ball Array Width	E2	38.00 BSC		
Ball Width	b	0.50	0.60	0.70

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
REF: Reference Dimension, usually without tolerance, for information purposes only.

1517-Ball Thick Ball Grid Array Package (BNC) - 40x40x3.22 mm Body [BBGA] Microsemi Legacy Package

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	1.00 BSC		
Contact Pad Spacing	C1	38.00 BSC		
Contact Pad Spacing	C2	38.00 BSC		
Contact Pad Diameter	X			0.50
Contact Pad to Contact Pad	G	0.50		

Notes:


1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.

Microchip Technology Drawing C04-27190-BNC Rev A


1517-Ball Thick Ball Grid Array Package (BPC) - 40x40x3.22 mm Body [BBGA] Microsemi Legacy Package

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



1517-Ball Thick Ball Grid Array Package (BPC) - 40x40x3.22 mm Body [BBGA] Microsemi Legacy Package

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>




		Units	MILLIMETERS		
Dimension Limits			MIN	NOM	MAX
Number of Terminals	N		1517		
Pitch	e		1.00 BSC		
Overall Height	A		2.66	2.94	3.22
Ball Height	A1		0.40	0.50	0.60
Package Thickness	A2		2.26	2.44	2.62
Substrate Thickness	A3		1.10 REF		
Overall Length	D		40.00 BSC		
Cap Length	D1		30.00 REF		
Ball Array Length	D2		38.00 BSC		
Overall Width	E		40.00 BSC		
Cap Width	E1		30.00 REF		
Ball Array Width	E2		38.00 BSC		
Ball Width	b		0.50	0.60	0.70

Notes:

- Pin 1 visual index feature may vary, but must be located within the hatched area.
- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
REF: Reference Dimension, usually without tolerance, for information purposes only.

1517-Ball Thick Ball Grid Array Package (BPC) - 40x40x3.22 mm Body [BBGA] Microsemi Legacy Package

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	1.00 BSC		
Contact Pad Spacing	C1	38.00 BSC		
Contact Pad Spacing	C2	38.00 BSC		
Contact Pad Diameter	X			0.50
Contact Pad to Contact Pad	G	0.50		

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.

Microchip Technology Drawing C04-27190-BPC Rev A