



Packaging Diagrams and Parameters

100-Lead Low Profile Qual Flat Pack (K8C) 14x14x1.4mm Body [LQFP]



Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



Packaging Diagrams and Parameters

100-Lead Low Profile Quad Flat Pack (K8C) 14x14x1.4mm Body [LQFP]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



		Units	MILLIMETERS		
Dimension Limits			MIN	NOM	MAX
Number of Terminals	N		100		
Pitch	e		0.50 BSC		
Overall Height	A		-	-	1.60
Standoff	A1		0.05	-	0.15
Molded Package Thickness	A2		1.35	1.40	1.45
Overall Length	D		16.00 BSC		
Molded Package Length	D1		14.00 BSC		
Overall Width	E		16.00 BSC		
Molded Package Width	E1		14.00 BSC		
Terminal Width	b		0.17	0.20	0.27
Terminal Thickness	c		0.09	-	0.20
Terminal Length	L		0.45	0.60	0.75
Footprint	L1		1.00 REF		
Lead Bend Radius	R1		0.08	-	-
Lead Bend Radius	R2		0.08	-	0.20
Foot Angle	θ		0°	3.5°	7°
Lead Angle	θ1		0°	-	-
Mold Draft Angle	θ2		11°	12°	13°
Mold Draft Angle	θ3		11°	12°	13°


Notes:

- The Pin 1 visual index feature may vary, but it must be located within the hatched area.
- Dimensioning and tolerancing per ASME Y14.5M
BSC: Basic Dimension. Theoretically exact value shown without tolerances.
REF: Reference Dimension, usually without tolerances, for information purposes only.

Land Pattern

100-Lead Low Profile Qual Flat Pack (K8C) 14x14x1.4mm Body [LQFP]

Note: For the most current package drawings, please see the Microchip Packaging Specification located at <http://www.microchip.com/packaging>



RECOMMENDED LAND PATTERN

Units		MILLIMETERS		
Dimension Limits		MIN	NOM	MAX
Contact Pitch	E	0.50 BSC		
Contact Pad Spacing	C1		15.40	
Contact Pad Spacing	C2		15.40	
Contact Pad Width (X100)	X			0.30
Contact Pad Length (X100)	Y			1.50
Space Between Pads	G	0.20		

Notes:

1. Dimensioning and tolerancing per ASME Y14.5M

BSC: Basic Dimension. Theoretically exact value shown without tolerances.