



art of quality



2022



A80R

دولاب متحرك ايطالي

Medium duty

Rubber wheel,
Steel Flanges



50 ÷ 400

-20 ÷ +80



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
A80R80	80x25	100x85	80x60	8.5x12	37	108	106	20x50	12	50	70
A80R100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	70	90
A80R125	125SEx37,5	100x85	80x60	8.5x12	37	154	152	20x50	12	100	130
A80R150	150SEx40	100x85	80x60	8.5x12	37	179	177	20x50	12	120	150
A80R160	160x40	140x110	105x80	11x16	55	197	194	22x50	16	150	190
A80R200	200x50	140x110	105x80	11x16	55	235	232	22x50	16	205	260
A80R250	250x60	200x160	150x115	14x16	85	302	298	25x55	**	300	380



A103R

دولاب متحرك فرام ايطالي

Medium duty

Rubber wheel,
Steel Flanges



50 ÷ 205

-20 ÷ +80



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
A103R80	80x25	100x85	80x60	8.5x12	37	108	106	20x50	12	50	70
A103R100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	70	90
A103R125	125SEx37,5	100x85	80x60	8.5x12	37	154	152	20x50	12	100	130
A103R150	150SEx40	100x85	80x60	8.5x12	37	179	177	20x50	12	120	150
A103R160	160x40	140x110	105x80	11x16	55	197	194	22x50	16	150	190
A103R200	200x50	140x110	105x80	11x16	55	235	232	22x50	16	205	260
A103R250	250x60	200x160	150x115	14x16	85	302	298	25x55	**	300	380



A80AR

دولاب ثابت ايطالي

Medium duty

Rubber wheel,
Steel Flanges



50 ÷ 400

-20 ÷ +80



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
A80AR80	80x25	100x85	80x60	8.5x12	37	108	106	20x50	12	50	70
A80AR100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	70	90
A80AR125	125SEx37,5	100x85	80x60	8.5x12	37	154	152	20x50	12	100	130
A80AR150	150SEx40	100x85	80x60	8.5x12	37	179	177	20x50	12	120	150
A80AR160	160x40	140x110	105x80	11x16	55	197	194	22x50	16	150	190
A80AR200	200x50	140x110	105x80	11x16	55	235	232	22x50	16	205	260
A80AR250	250x60	200x160	150x115	14x16	85	302	298	25x55	**	300	380



A103BR

دولاب رمادي اكس فرايم ايطالي

Medium duty

Rubber wheel,
Steel Flanges



50 ÷ 205

-20 ÷ +80



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
A103BR200	200x50	140x110	105x80	11x16	55	235	232	22x50	16	205	260
A103BI200	200x50	140x110	105x80	11x16	55	235	232	22x50	16	205	260



A80AMR

دولاب متحرك رمادي

صناعي ايطالي

Medium duty

Rubber wheel,
Steel Flanges



50 ÷ 205

-20 ÷ +80



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
A80AMR80	80x25	100x85	80x60	8.5x12	37	108	106	20x50	12	50	70
A80AMR100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	70	90
A80AMR125	125SEx37,5	100x85	80x60	8.5x12	37	154	152	20x50	12	100	130



A103AMR

دولاب متحرك فرام رمادي
صناعي ايطالي

Medium duty

Rubber wheel,
Steel Flanges



50 ÷ 205



-20 ÷ +80



Medium duty castors
in zinc-chromium
plated pressed steel,
turning on double rim
of balls.
Assembled with self
locking nut.
Dust cover ring on
the balls.

Code											
A103AMR80	80x25	100x85	80x60	8.5x12	37	108	106	20x50	12	50	70
A103AMR100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	70	90
A103AMR125	125SEx37,5	100x85	80x60	8.5x12	37	154	152	20x50	12	100	130



A80FAM

دولاب متحرك مبخوش
رمادي صناعي ايطالي

Medium duty

Rubber wheel,
Steel Flanges



50 ÷ 205



-20 ÷ +80



Medium duty castors
in zinc-chromium
plated pressed steel,
turning on double rim
of balls.
Assembled with self
locking nut.
Dust cover ring on
the balls.

Code											
A80FAM80	80x25	100x85	80x60	8.5x12	37	108	106	20x50	12	50	70
A80FAM100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	70	90
A80FAM125	125SEx37,5	100x85	80x60	8.5x12	37	154	152	20x50	12	100	130



A103FAM

دولاب مبخوش فرام
رمادي صناعي ايطالي

Medium duty

Rubber wheel,
Steel Flanges



50 ÷ 205



-20 ÷ +80



Medium duty castors
in zinc-chromium
plated pressed steel,
turning on double rim
of balls.
Assembled with self
locking nut.
Dust cover ring on
the balls.

Code											
A103FAM80	80x25	100x85	80x60	8.5x12	37	108	106	20x50	12	50	70
A103FAM100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	70	90
A103FAM125	125SEx37,5	100x85	80x60	8.5x12	37	154	152	20x50	12	100	130



A39

دولاب متحرك ثقيل ايطالي

Heavy duty

Elastic rubber wheel,
aluminium centre



160 ÷ 525



-20 ÷ +70



Heavy duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code										
A39.100	100x40	100x85	80x60	9x12	36	135	131	22x50	160	200
A39.125	125x40	135x110	105x80	13x16	45	166	161	22x50	200	250
A39.160	160x50	135x110	105x80	13x16	57	216	209	25x65	300	380
A39.200	200x50	135x110	105x80	13x16	57	251	244	25x65	400	500



A39BIS

دولاب متحرك ثقيل

مع فرام ايطالي

Heavy duty

Elastic rubber wheel,
aluminium centre



160 ÷ 525



-20 ÷ +70



Heavy duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code										
A39BIS100	100x40	100x85	80x60	9x12	36	135	131	22x50	160	200
A39BIS125	125x40	135x110	105x80	13x16	45	166	161	22x50	200	250
A39BIS160	160x50	135x110	105x80	13x16	57	216	209	25x65	300	380
A39BIS200	200x50	135x110	105x80	13x16	57	251	244	25x65	400	500



A39A

دولاب ثابت ثقيل ايطالي

Heavy duty

Elastic rubber wheel,
aluminium centre



160 ÷ 525



-20 ÷ +70



Heavy duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code										
A39A.100	100x40	100x85	80x60	9x12	36	135	131	22x50	160	200
A39A.125	125x40	135x110	105x80	13x16	45	166	161	22x50	200	250



A224

دولاب صناعي طبش
رمادي ايطالي

Code

A224.50

A224.60



A224BIS

دولاب صناعي طبش
رمادي فرام ايطالي

Code

A224BIS50

A224BIS60



A224F

دولاب صناعي مبخوش
رمادي ايطالي

Code

A224F.40

A224F.50

A224F.60



A117SANT

دولاب حراري متحرك 10 سم
مع فرام ايطالي

Medium duty

Monolithic phenolic
resin wheel



100 ÷ 300



-40 ÷ +280



Medium duty castors
in zinc-chromium
plated pressed steel,
turning on double rim
of balls.

Code											
A117SANT100	100x35	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150



A16AI

دولاب فدار ثقيل ايطالي

Elastic rubber wheel,
aluminium centre



160 ÷ 525



-20 ÷ +70



Wheel with elastic rubber tyre 68 Shore A. Aluminium centre. Hub on shielded ball bearings assembled with central spacer.

Code					
A16AI125	125x50	60	20	47x14	225
A16AI160	160x50	60	20	47x14	300
A16AI180	180x50	60	20	47x14	350
A16AI200	200x50	60	20	47x14	400



A112R

دولاب فدار ايطالي

A112B

BUSH دولاب فدار

A112

بوش دولاب فدار ايطالي

Rubber wheel,
Steel Flanges



160 ÷ 525



-20 ÷ +70



Wheel with rubber tyre 80 Shore A and zinc-chromium plated **Pressed steel flanges**. Hub on roller bearings, shielded ball bearings or self oiling bush.

Code						
A112R80	80x25	40	37	12	8	50
A112R100	100x30	40	37	12	8	70
A112R125	125x37.5	50	46	15	10	100
A112R150	150x40	50	43	15	10	135
A112R160	160x40	58	55	20	17	150
A112R200x20	200x50	58	55	20	17	205
A112R200x25	200x25	**	***	**	**	**
A112R250	250x60	75	63	25	25	300
A112B80	80x25	40	37	12	8	50
A112B100	100x30	40	37	12	8	70
A112B125	125x37.5	50	46	15	10	100
A112B160	160x40	50	55	20	10	150
A112B200	200x50	58	55	20	17	205
S112.80	80x25	40	37	12	8	50



A22

دولاب حديد ملبس اصفر

متحرك عادي ايطالي

Medium duty

Polyurethane wheel tread,
mechanical cast iron centre



120 ÷ 450



-20 ÷ +80



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
A22.80.20	80x20	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
A22.100.30	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
A22.125.30	125x30	100x85	80x60	8.5x14	42	155	150	22x50	12	170	220
A22.150.30	150x30	100x85	80x60	8.5x14	45	181	179	22x50	12	200	250



A24ANT

دولاب حديد ملبس اصفر

فرام عادي ايطالي

Medium duty

Polyurethane wheel tread,
mechanical cast iron centre



120 ÷ 450



-20 ÷ +80



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
A24ANT.80.20	80x20	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
A24ANT.100.30	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
A24ANT.125.30	125x30	100x85	80x60	8.5x14	42	155	150	22x50	12	170	220
A24ANT.150.30	150x30	100x85	80x60	8.5x14	45	181	179	22x50	12	200	250



A22A

دولاب حديد ملبس اصفر

ثابت عادي ايطالي

Medium duty

Polyurethane wheel tread,
mechanical cast iron centre



120 ÷ 450



-20 ÷ +80



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
A22A.80.20	80x20	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
A22A.100.30	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
A22A.125.30	125x30	100x85	80x60	8.5x14	42	155	150	22x50	12	170	220
A22A.150.30	150x30	100x85	80x60	8.5x14	45	181	179	22x50	12	200	250



A27

دولاب حديد ملبس اصفر
متحرك ايطالي

Heavy duty

Polyurethane wheel tread,
mechanical cast iron centre



150 ÷ 800



-20 ÷ +80



Heavy duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code										
A27.80.20	80x20	100x85	80x60	9x12	36	118	114	22x50	150	190
A27.100.30	100x30	100x85	80x60	9x12	36	135	131	22x50	250	320
A27.125.30	125x30	135x110	105x80	13x16	45	166	161	22x50	300	380
A27.150.30	150x30	135x110	105x80	13x16	50	189	184	22x50	400	500
A27.150.50	150x50	135x110	105x80	13x16	-	-	-	-	-	-
A27.200.40	200x40	135x110	105x80	13x16	57	251	244	25x65	800	1000
A27.125.40	125x40									



A29

دولاب حديد ملبس اصفر
فرام ايطالي

Heavy duty

Polyurethane wheel tread,
mechanical cast iron centre



150 ÷ 800



-20 ÷ +80



Heavy duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code										
A29.80.20	80x20	100x85	80x60	9x12	36	118	114	22x50	150	190
A29.100.30	100x30	100x85	80x60	9x12	36	135	131	22x50	250	320
A29.125.30	125x30	135x110	105x80	13x16	45	166	161	22x50	300	380
A29.150.30	150x30	135x110	105x80	13x16	50	189	184	22x50	400	500
A29.200.40	200x40	135x110	105x80	13x16	57	251	244	25x65	800	1000
A29.125.40										



A30Y

دولاب حديد اصفر
متحرك ثقيل ايطالي

Extra heavy duty

Polyurethane wheel tread,
mechanical cast iron centre



200 ÷ 1800



-20 ÷ +80



Extra heavy duty castors in pressed and welded high thickness steel, turning on thrust and tapered roller bearings. Black epoxy paint.

Code										
A30Y150.50	150x50	135x110	105x80	Ø 13	50	205	205	22x50	650	820



A27A

دولاب حديد ملبس اصفر

ثابت ايطالي

Heavy duty

Polyurethane wheel tread,
mechanical cast iron centre



150 ÷ 800



-20 ÷ +80



Heavy duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code											Price \$
A27A.100.30	100x30	100x85	80x60	9x12	36	135	131	22x50	250	320	14.000
A27A.125.30	125x30	135x110	105x80	13x16	45	166	161	22x50	300	380	18.500
A27A.150.30	150x30	135x110	105x80	13x16	50	189	184	22x50	400	500	22.500
A27A.200.40	200x40	135x110	105x80	13x16	57	251	244	25x65	800	1000	40.000



A14

دولاب حديد اصفر

فدار ايطالي

Polyurethane wheel,
mechanical cast iron centre



130 ÷ 4600



-20 ÷ +80



Wheel coated with AVOLAN polyurethane thread 91 Sh A. Black painted, mechanical cast iron centre. Hub on shielded ball bearings assembled with central spacer.

Code					
A14.80.20.12	80x20	10	12	32x10	150
A14.100.30.15	100x30	30	15	35x11	250
A14.100.30.20	100x30	30	20	**	**
A14.125.30.15	125x30	30	15	35x11	300
A14.125.30.20	125x30	30	20	47x14	300
A14.125.50	125x50	60	20	47x14	500
A14.150.30.17	150x30	30	17	40x12	400
A14.200.40.20	200x40	40	20	47x14	800
A14.80.36					



S20

باغ دولاب اصفر ايطالي

Code

S20-25.200



A60

دولاب بلاستيك اصفر
متحرك ايطالي

Heavy duty

Injection polyurethane
DESMOPAN wheel tread,
polyamide 6 centre



300 ÷ 800



-20 ÷ +80



Heavy duty castors
in zinc-chromium
plated pressed steel,
high thickness, turning
on double rim of balls
fitted in hardening
steel thrust-bearings.
Assembled with self
locking nut.

Code											
A60.100.40	100x40	100x85	80x60	9x12	36	135	131	22x50	300	380	
A60.160.50	160x50	135x110	105x80	13x16	57	238	231	25x65	500	630	
A60.200.57	200x57	135x110	105x80	13x16	57	251	244	25x65	800	1000	



A118BIS

دولاب متحرك نيلون ايطالي

Medium duty

Polyamide 6 wheel



120 ÷ 400



-25 ÷ +85



Medium duty castors
in zinc-chromium
plated pressed steel,
high thickness, turning
on double rim of balls
fitted in hardening
steel thrust-bearings.
Assembled with self
locking nut.

Code											
A118BIS60	60x35	100x85	80x60	8.5x12	37	89	87	20x50	12	120	150
A118BIS80	80x30	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
A118BIS100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
A118BIS125	125x40	100x85	80x60	8.5x14	42	155	150	22x50	12	170	220
A118BIS150	150x40	100x85	80x60	8.5x14	45	181	178	22x50	12	200	250



A118SANT

دولاب متحرك نيلون
مع فرام ايطالي

Medium duty

Polyamide 6 wheel



120 ÷ 400



-25 ÷ +85



Medium duty castors
in zinc-chromium
plated pressed steel,
high thickness, turning
on double rim of balls
fitted in hardening
steel thrust-bearings.
Assembled with self
locking nut.

Code											
A118SANT80	80x30	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
A118SANT100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
A118SANT125	125x40	100x85	80x60	8.5x14	42	155	150	22x50	12	170	220



A118BISA

دولاب ثابت نيلون ايطالي

Medium duty

Polyamide 6 wheel



120 ÷ 400



-25 ÷ +85



Medium duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code											
A118BISA80	80x30	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
A118BISA100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
A118BISA125	125x40	100x85	80x60	8.5x14	42	155	150	22x50	12	170	220



A118BISC

دولاب متحرك نيلون
مبخوش ايطالي

Medium duty

Polyamide 6 wheel



120 ÷ 400



-25 ÷ +85



Medium duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code											
A118BISC80	80x30	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
A118BISC100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150



A118SANTF

دولاب متحرك نيلون
مع فرام مبخوش ايطالي

Medium duty

Polyamide 6 wheel



120 ÷ 400



-25 ÷ +85



Medium duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code											
A118SANT80	80x30	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
A118SANTF100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
A118SANT125	125x40	100x85	80x60	8.5x14	42	155	150	22x50	12	170	220



A116

دولاب نیلون فدار ایتالی

Polyamide 6 wheel



150 ÷ 550



-25 ÷ +85



Polyamide 6 wheel.
Hub on roller bearings,
shielded ball bearings
assembled with central
spacer, or plain bore.

Code				
A116.80.30	80x30	40	15	150
A116.100.30	100x30	40	15	175



A119BIS

دولاب متحرك نیلون ایتالی

Medium duty

INOX
Polyamide 6 wheel



150 ÷ 300



-25 ÷ +85



Medium duty castors
in pressed stainless steel
AISI 304, turning on
double rim of balls
INOX AISI 420
Dust cover ring on
the balls.

Code											
A119BIS80	80x30	100x85	80x60	8.5x12	37	107	105	20x50	12	150	190
A119BIS100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	150	190
A119BIS125	125x40	100x85	80x60	8.5x12	42	155	150	22x50	12	150	190



A119SANT

دولاب متحرك نیلون

مع فرام ایتالی

Medium duty

INOX
Polyamide 6 wheel



150 ÷ 300



-25 ÷ +85



Medium duty castors
in pressed stainless steel
AISI 304, turning on
double rim of balls
INOX AISI 420
Dust cover ring on
the balls.

Code											
A119SANT80	80x30	100x85	80x60	8.5x12	37	107	105	20x50	12	150	190
A119SANT100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	150	190
A119SANT125	125x40	100x85	80x60	8.5x12	42	155	150	22x50	12	150	190



A31X

دولاب متحرك نيلون

احمر ايطالي

Medium duty

INOX

Injection polyurethane
DESMOPAN® wheel tread,
polyamide 6 centre



120 ÷ 300



-20 ÷ +80



Medium duty castors
in pressed stainless steel
AISI 304, turning on
double rim of balls
INOX AISI 420
Dust cover ring on
the balls.

Code											
A31X.80.30	80x30	100x85	80x60	8.5x12	37	107	105	20x50	12	120	150
A31X.100.30	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	170	190
A31X.125.35	125x35	100x85	80x60	8.5x14	42	155	150	22x50	12	150	190



A31XANT

دولاب متحرك نيلون

مع فرام احمر ايطالي

Medium duty

INOX

Injection polyurethane
DESMOPAN® wheel tread,
polyamide 6 centre



120 ÷ 300



-20 ÷ +80



Medium duty castors
in pressed stainless steel
AISI 304, turning on
double rim of balls
INOX AISI 420
Dust cover ring on
the balls.

Code											
A31XANT.80.30	80x30	100x85	80x60	8.5x12	37	107	105	20x50	12	120	150
A31XANT.100.30	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	170	190
A31XANT.125.35	125x35	100x85	80x60	8.5x14	42	155	150	22x50	12	150	190



A115F

دولاب حراري فدار ايطالي

Monolithic phenolic
resin wheel



100 ÷ 300



-40 ÷ +280



Wheel with elastic rubber
tyre 68 Shore A.
Aluminium centre.
Hub on shielded ball
bearings assembled
with central spacer.

Code				
A115F80	80x35	40	12	100
A115F100	100x35	40	12	150



A117BIS

دولاب متحرك حراري ايطالي

Medium duty

Monolithic phenolic
resin wheel



100 ÷ 300



-40 ÷ +280



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls.

Code											
A117BIS80	80x35	100x85	80x60	8.5x12	37	108	106	20x50	12	100	130
A117BIS100	100x35	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
A117SANT100	100x35	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150



A105

دولاب متحرك حديد ايطالي

Medium duty

Mechanical cast iron wheel



150 ÷ 300



-40 ÷ +500



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut.

Code											
A105.80	80x30	100x85	80x60	8.5x12	37	108	106	20x50	12	100	130
A105.100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
A105.125											
A105.150											
A105.160											
A105.200											



A114

دولاب فدار حديد ايطالي

Mechanical cast iron wheel



200 ÷ 600



-40 ÷ +500



Cast iron wheel, high temperatures resistant with low rolling resistance. Hub on plain bore. Grey cast iron with pearlitic or laminar structure in accordance with ISO 185.

Code				
A114.80	80x30	40	12	200
A114.100	100x30	40	12	250
A114.125	125x30	40	12	



A11

دولاب ترانس بالیت فدار

Polyurethane pallet roller,
steel centre



100 ÷ 1000



-20 ÷ +80



Pallet roller coated
with polyurethane,
with steel centre.
Hub on shielded ball
bearings.

Code				
A11.70.70	70x70	15	35x11	500
A11.75.40	75x40	15	35x11	300
A11.82.70	82x70	20	47x14	300
A11.82.80	82x80	20	47x14	800



A13

دولاب ترانس بالیت ایض فدار

Polyamide 6 roller



300 ÷ 1000



-25 ÷ +85



Polyamide 6 pallet
roller.
Hub on shielded ball
bearings.

Code				
A13.82.70	82x70	20	47x14	650
A13.82.80	82x80	20	47x14	750
A13.82.100	82x100	20	47x14	950



A50

دولاب متحرك صناعي ايطالي

Extra heavy duty

Polyurethane pallet roller,
steel centre











500 ÷ 800



-20 ÷ +80



Extra heavy duty
castors in pressed
and welded steel, high
thickness, turning on
thrust and tapered
roller bearings.
Black epoxy painted.

Code								
A50.80.70	80x70	135x110	105x80	Ø 13	68	12	700	880



AVO

*wheels and castors
general catalogue*



Jamal Bldg, Main Road, Dahr Al Ain, Lebanon