



LT1-SET Concealed hinge 30kg soft طقم مفصلات مخفية 30كلغ اسود















LZ6 Color: Black-Grey-Matt Gold مفصلات 180° 40کلغ انتر اسید
















## LT6-ANT Push To Open 30N


خشتك دفش ملقط انتراسيد







# Easy to install

Only two screws are needed



## Visible base type installation hole position













GE614 Safe Drawer With Code 60cm درج مجوهرات ارقام



LT409-1 Kit 1 Door LT409-3 Kit 3 Doors LT409-3000 up&down Profile 3M

配件名称 Accessories	数量 Qty 二门 2 Doors	∃∏ 3 Doors	配件图 Drawing
上滑轮 Upper runner	4	6	4
下滑轮 Down runner	4	6	
六角匙 Allen key	1	1	
上轨道 Upper rail	1	1	
下轨道 Down rail	1		



L802-1750(1150-1750) L802-2350(1750-2350)

Accessories	Oty -	E Drawing
Upper Rail	1	The same of the sa
L802A Connecting rod component	2	
Door panel side direction rail	4	
Right door middle regulator	1	
Right door side regulator	1	
Left door middle regulator	1	
Left door side regulator	1	

#### Product specification

item code	Cabinet inner width	Cuttable rail range	Door Width(门板盖侧板25mm) door pannel 25mm	Doorheight 1000mm
L802A-1750	1750fT*m	1150mm—1750mm	600mm—900inm	
L802A-2350	2350m m	1750mm—2 350 <wn< td=""><td>900mm—1 200mm</td><td>&lt;1500mm</td></wn<>	900mm—1 200mm	<1500mm



Material: engineering plastic/steel

### 1001036(Heavy-weigt spring casters)

دولاب مخفى رسور مجوز 20كلغ







Material: Steel/ Plastic Finish:Gray

Items: 1601059 Panel size: 1200\*500





Item: 10601043SFW
Panel size:
Lenght 1200-1600
Width 650-800
Thickness 15-25






عال خزانة اسود Digital Lock Item: 103-3-CK








غال خزانة بصمة Digital Fingerprint Lock Item: 103-6-FU WARDROBE FITTINGS AUTOMATIC WARDROBE LIFT




### **AUTOMATIC WARDROBE LIFT**









علاقة ثياب 964-1164ملم Item: L10D04E-3 **Automatic wardrobe lift** 964-1164 \*823\*143mm

- Two electric motors for lifting up and down. Maximum loading capacity 15kg.
  With synchronous control techinque and segmentation speed technique, the up and down performances are ensured to be stable and smooth.
  Avoiding large angle hinges by two swing arms.
  Hanging design, easy installation and elegant apperance.
  With width adjustment 200mm, flexible for cabinet width.
  Swing arms and hanging rod are made of Aerospace level Al–Mg alloy materials.
  Surface with durable powder baking finish.
  Suitable for 2400mm high cabinet. Make full use of cabinet space.

- Voice control function
   Standard external wire slots, easy installation, no slotting, no exposed holes;
   Pick—up button design on side swing arm, more convenient in use.

Pa	ra	m	et	er

1000-1200