



DOMUS Line®


JAMAL  
HARDWARE  
COMPANY

**DOMUS LINE  
LED  
COLLECTION**




1

## KAYAK



**Kayak Slave** Without switch

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1024419N/1	1.60W @ 12Vdc	Natural White	Steel



**Set Kayak TDLM 3x** With master touch led switch

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D2201919N/2	4.80W @ 230Vac	Natural White	Steel


2

## SKATE



Skate Slave Without switch

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1090119N/1	1.6W @ 12Vdc	Natural White	Steel




Set Skate TDLM 3x With master touch led switch

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D2198319N/2	4.80W @ 230Vac	Natural White	Steel

3

TITAN




**Set Titan 3x without switch**

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D2241016B	18W @ 230VAC	Warm White	Steel


4

## K-PAD IR



**K-PAD IR** With master IR dimmable switch

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1274810N	3W @ 24Vdc	Natural White	Aluminium



**Set K-PAD SDM 3x** led converter included

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D2242219B	3x5W @ 230Vac	Warm White	Steel


5

K-PAD




#### Set K-PAD SDM 4x

CODE	WATT & VOLT	LIGHT COLOR
D2268155B/2/1308	4x5W @ 240Vac	Warm White
D2268155N/2/1308	4x5W @ 240Vac	Natural White



**Polar** Without switch

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1227505B	5W @ 24Vdc	Warm White	Aluminium




**Set Polar 3x** With switch

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D2233305B	3x5W @ 230Vac	Warm White	Aluminium

7

## POLAR XL2




**Polar XL2 Without switch**

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D1245205B	450 mm	10W @ 24Vdc	Warm White	Aluminium

8

## POLAR XL3




**Polar XL3 Without switch**

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D1245305B	600 mm	15W @ 24Vdc	Warm White	Aluminium

9

## BYBLOS




BYBLOS for installation on mirrors

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1030709B	3W @ 12VDC	Warm White	Chrome

10

## LOOP MAGNET




LOOP MAGNET for installation on mirrors

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1253809B	3W @ 12VDC	Warm White	Chrome




**Metris** for recessed installation on wood shelf

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1088017N	1.6W @ 12Vdc	Natural White	Steel
D1088017B	1.6W @ 12Vdc	Warm White	Steel



**Set Metris TW 5x** for recessed installation on wood shelf

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D2205717	5x1.7W @ 24VDC	Natural White	Steel



**SMALLY XS** led spotlight with wide projection

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1233109B	3W @ 12VDC	Warm	Chrome
D1231019B/1308	3W @ 12VDC	Warm White	Steel
D1233127B	3W @ 12VDC	Warm White	Black
D1231046B/1308	3W @ 12VDC	Warm White	Antrasid




Spacer **SMALLY XS SP**

CODE	FINISH
D2012509/1308	Aluminium
D2012519/1308	Chrome
D2012527/1308	White

13

## HYPNOSE




**HYPNOSE** recessed led spotlight with wide projection

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1229408N	3.4W @ 12VDC	Warm White	Brass
D1229409N	3.4W @ 12VDC	Warm White	Chrome
D1229429N	3.4W @ 12VDC	Warm White	Ant Silver

14

## APSLY TW




**APSLY TW** led spotlight with tunable white lighting system

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1229318/TW	3.4W @24VDC	Tunable White	Bronze

15

## QUADRUM PLUS





**QUADRUM PLUS** recessed LED spotlight

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D1281319B/1308	900 mm	3W @ 12VDC	Warm White	Chrome
D1281353B/1308	1060 mm	3W @ 12VDC	Warm White	Black

16

## CUBIT PLUS




**CUBIT PLUS** for recessed installation

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1249617B	3W @ 12VDC	Warm White	Satin Nickel

17

K-1




**K-1** for installation on mirrors

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1030909	3.5W @ 350mA	Cool White	Chrome

18

K- 2




**K-2** for installation on mirrors

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1031009	7W @ 350MA	Cool White	Chrome

19

## NITE





**NITE** for installation above a shelf overhang

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1031209B	7W @ 230mA	Warm White	Chrome

20

## PULSE





**PULSE** for installation on mirrors

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1253709B	4.8W @ 12VDC	Warm White	Chrome

21

## X-SIGN


**X-SIGN** LED luminaire for under kitchen cabinet

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1283809B/1/1308	10W @ 24VDC	Warm White	Aluminium
D1283809N/1/1308	10W @ 24VDC	Natural White	Aluminium
D1283909N/1/1308	4.08W @ 12VDC	Natural White	Aluminium

SET **X-SIGN** LED luminaire for under kitchen cabinet

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D2256409B/2/1308	3x10W @ 24VDC	Warm White	Aluminium
D2256409N/2/1308	10W @ 24VDC	Natural White	Aluminium


22

**FLOW**

**FLOW** LED profile for under cabinet lighting


CODE	LENGTH	WATT & VOLT	FINISHES
D1293405B/1308	60 cm	10W @ 220 volt	Aluminium
D1293505B/1308	90 cm	15W @ 220 volt	Aluminium
D1293605B/1308	120 cm	18W @ 220 volt	Aluminium

23

**APEX**

**APEX** LED profile in polycarbonate for recessed installation


CODE	LENGTH	WATT & VOLT	LIGHT COLOR
D1308601M/1/HE/1308	2.5 m	9.6W @ 12 VDC	Natural White



**FLEXYLED** flexible strip

CODE	LENGTH	WATT & VOLT	LIGHT COLOR
D1073901B/25	25 cm	1.2W @ 12VDC	Warm White
D1073901B/50	50 cm	2.4W @ 12VDC	Warm White
D1073901B/100	100 cm	4.8W @ 12VDC	Warm White
D1073901B/200	200 cm	9.6W @ 12VDC	Warm White

D1073901N/25	25 cm	1.2W @ 12VDC	Natural White
D1073901N/50	50 cm	2.4W @ 12VDC	Natural White
D1073901N/100	100 cm	4.8W @ 12VDC	Natural White
D1073901N/200	200 cm	9.6W @ 12VDC	Natural White



**FLEXYLED CORNER** flexible strip

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH	MODEL
D1084701B	50x50 mm	0.48W @ 12VDC	Warm White	White	Right
D1097801B	50x50 mm	0.48W @ 12VDC	Warm White	White	Left




Pvc cable for **FLEXYLED**

CODE	LENGTH	MODEL
D1140701	200 cm	Power supply cable



**FLEXYLED CH** flexible strip

CODE	LENGTH	WATT & VOLT	LIGHT COLOR
D1036001B/500/1308	5000mm	24W @ 12VDC	Warm White
D1036001N/500/1308	5000mm	24W @ 12VDC	Natural White
D1261801B/200/1308	2000mm	9.6W @ 12VDC	Warm White
D1261801N/200/1308	2000mm	9.6W @ 12VDC	Natural White



Pvc cable for **FLEXYLED CH**

CODE	LENGTH	MODEL
D1171501/200/S/130	200 cm	Power supply cable



Interconnect connector **FLEXYLED CH**



CODE	MODEL
D1737301/S/1308	connector

27

## FLEXYLED RGB



Set of **FLEXYLED RGB**

CODE	LENGTH	WATT & VOLT	LIGHT COLOR
D2226700	180 cm	17.28W @ 2x12VDC	RGB

28

## FLEXYLED SE




**FLEXYLED SE** silicone led profile for recessed installation

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D1281501N/100/1308	100 cm	14.4W @ 12VDC	Natural White	White
D1281501N/250/1308	250 cm	36W @ 12VDC	Natural White	White

29

## FLEXYLED SE H4



**FLEXYLED SE H4** Silicone LED profile for recessed installation

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D1323801B/200/1308	2M	22W @ 12VDC	Warm White	White

30

## FLEXYLED SHE6B





**FLEXYLED SHE6B** Flexible pre-wired LED modules to be integrated

CODE	LENGTH	WATT & VOLT
D1313901N/SHE/1308	5m	72W @ 24VDC

31

## FLEXYLED CR TW



**FLEXYLED CR TW** flexible strip led with adhesive

CODE	LENGTH	WATT & VOLT	LIGHT COLOR
D1209001/120	120 cm	6.5WW @ 24VDC	Tunable White




32

## ALA





**ALA LED** with dimmable touchled switch

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D1036305B	600 mm	5W @ 230VAC	Warm White	Aluminium
D1036305N	600 mm	5W @ 230VAC	Natural White	Aluminium



### WING LED With touch led switch

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D1024616AN	600mm	5W @ 230Vac	Natural White	Steel
D1024716AN	900mm	8W @ 230Vac	Natural White	Steel



### DIVA Without switch

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D1065705N	526 mm	3.6W @ 12Vdc	Natural White	Aluminium
D1065805N	826 mm	3.6W @ 12Vdc	Natural White	Aluminium
D1084/200	2 m	4.56W @ 12Vdc	Natural White	Aluminium
D1253505B/HE	52.6 cm	4.3W @ 12Vdc	Warm White	Aluminium
D1253605B/HE	82.6 cm	7W @ 12Vdc	Warm White	Aluminium

35

## LEDYE TW



SET **LEDYE TW** without touch dimmer switch

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D2236005/TW	90 cm	3x9.2W @ 24DVC	Tunable White	Aluminium
D2236105/TW	60 cm	3x5.9W @ 24DVC	Tunable White	Aluminium

36

## LEAF



**LEAF LED** with touchled switch

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D1087105B	60 cm	2.40W @12VDC	Natural White	Aluminium
D1087205B	90 cm	3.84W @12VDC	Tunable White	Aluminium




**RUNNER HE TDM** With touch dimmer switch switch

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D1252101B/2/HE	45 cm	4.1W @ 12Vdc	Tunable White	White
D1248001B/2/HE	60 cm	5.5W @ 12Vdc	Tunable White	White
D1252201B/2/HE	80 cm	7.4W @ 12Vdc	Tunable White	White
D1238501B/2/HE	90 cm	8.4W @ 12Vdc	Tunable White	White
D1238601B/2/HE	120 cm	11.3W @ 12Vdc	Tunable White	White

38

## TOUCAN




**TOUCAN** LED profile with radial projection

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D1078021B/1308	410 mm	1.92W @ 12VDC	Natural White	Aluminium
D1078121B/1308	560 mm	2.64W @ 12VDC	Natural White	Aluminium
D1078221B/1308	860 mm	4.08W @ 12VDC	Natural White	Aluminium

39

## COCCIA



**SET LEDYE TW** without touch dimmer switch

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D1088205N	900 mm	3.84W @ 12VDC	Natural White	Aluminium
D1088305N	1060 mm	4.56W @ 12VDC	Natural White	Aluminium

40



LAB HE



**LAB HE** Aluminium LED profile with anti-glare eyelid for recessed installation

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D1299905N/1/HE/1308	56 cm	4.8W @ 24VDC	Natural White	Aluminium
D1299932N/1/HE/1308	56 cm	4.8W @ 24VDC	Natural White	Black
D1300105N/1/HE/1308	86 cm	7.7W @ 24VDC	Natural White	Aluminium
D1300132N/1/HE/1308	86 cm	7.7W @ 24VDC	Natural White	Black

41

**NARCISCO****NARCISCO** with mirror TouchLed switch

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D2901905B/1/HE	75x75 cm	42W	Cool White	Aluminium


42

**STRING****STRING** installation on blind hole

CODE	LENGTH	WATT & VOLT	LIGHT COLOR	FINISH
D1091301N	860 mm	3.84W @ 12VDC	Natural White	OPLA

43

ATOM




**ATOM** led spotlight with assymetrical beam

CODE	WATT & VOLT	LIGHT COLOR	FINISH
D1261903B/1308	3W @ 24VDC	Warm White	Black
D1261917B/1308	3W @ 24VDC	Warm White	Satin Nickel


44

## UNIKA



**UNIKA-Without Switch** led luminaire for under-cabinet lighting

CODE	WATT & VOLT	LIGHT COLOR	FINISH
DF0260000007/1308	4.5W @ 24VDC	Warm White	Steel
DF0260000011/1308	4.5W @ 24VDC	Warm White	Black



**UNIKA-USB** led luminaire for under-cabinet lighting

CODE	WATT & VOLT	LIGHT COLOR	FINISH
DF0260000037/1308	4.5W @ 24VDC	Warm White	Steel
DF0260000038/1308	4.5W @ 24VDC	Warm White	Black

44

UNIKA




**UNIKA-SET OF 3** led luminaire for under-cabinet lighting

CODE	WATT & VOLT	LIGHT COLOR	FINISH
DF0260000027/1308	4.5W @ 24VDC	Warm White	Steel
DF0260000028/1308	4.5W @ 24VDC	Warm White	Black







SL6/12 UL



CODE	WATT & VOLT
D0843501	6w





SL12/350 MA LED



CODE	WATT & VOLT
D0841601	7.2w
D0841701	12w




**SL15/12 LED**



<b>CODE</b>	<b>WATT &amp; VOLT</b>
D0852501/1308	15w




**SL15/24 LED**



<b>CODE</b>	<b>WATT &amp; VOLT</b>
D0846701	15w




**SL30/12 LED**



<b>CODE</b>	<b>WATT &amp; VOLT</b>
D0880201/1308	30w




**SL30/24D LED**




<b>CODE</b>	<b>WATT &amp; VOLT</b>
DF0264000002/1308	30w



**SLT75/24**



CODE	WATT & VOLT
D0863601/1308	75w




**X-DRIVER**

CODE	WATT & VOLT
D0871201/1308	30w @12vdc
D0871101/1308	30w @24vdc



**X-DRIVER WIFI**

CODE	WATT & VOLT	
D1781501/S/1308	30w	




**CABLE**


CODE	MODEL
D1144001/S/1308	2m micro12




**TD4**




CODE	Description
D1778810/1308	SWICHT 12-24VDC 36-72W




**Sensor IFR**



CODE	WATT & VOLT
D0838001	250W @ 130V




**Sensor IR**



CODE	WATT & VOLT
D1759801/1308	24/48W@12/24VDC



**Touch me**



CODE	WATT & VOLT	FINISH
D1735610	30w@12VDC	White





**Call me**



CODE	WATT & VOLT	FINISH
D1742110	36-72w@12-24VDC	Silver




**Capsens FW**



CODE	WATT & VOLT	FINISH
D1750603/1308	30-60w@12-24VDC	Black





**Dot FW**



CODE	WATT & VOLT	FINISH
D1743305	36-72w@12-24VDC	Aluminium



**Kit Magic Tune**



CODE	WATT & VOLT
D2206201	15w@230/24VDC
D2226601	30w@230/24VDC



DOMUS Line®

JAMAL  
HARDWARE  
COMPANY

**DOMUS LINE  
LED  
COLLECTION**



Jamal Bldg, Main Road, Dahr Al Ain, Lebanon