

PRACTICE TASK

HTML5 Audio Implementation

Based on the scope covered in "Learn HTML audio in 5 minutes!"


INSTRUCTIONS

Create an HTML document that embeds an audio element with playback controls, multiple audio source formats for broad browser compatibility, automatic playback setup, and a fallback notification for unsupported browsers.

EXPECTED CHECKLIST

- ☐ **Audio Element:** Instantiate the standard HTML `<audio>` element.
- ☐ **Native Controls:** Enable user controls (play, pause, volume, scrubbing) using the `controls` attribute.
- ☐ **Multiple Format Sources:** Use nested `<source>` elements to provide audio in `.mp3`, `.wav`, and/or `.ogg` format.
- ☐ **Source Attributes:** Specify both the file path (`src`) and MIME type (`type`) on each nested `<source>` tag (e.g., `audio/mpeg`, `audio/wav`, `audio/ogg`).
- ☐ **Playback Attributes:** Configure automated behavior using `autoplay`, `muted`, and `loop` attributes.
- ☐ **Fallback Content:** Include plain text inside the audio tag to display if a browser does not support HTML5 audio.

EXPECTED OUTPUT



Expected Browser Behavior:

- The browser displays native audio media controls (Play/Pause button, timeline slider, current time counter, volume control).
- Audio muted on load to satisfy autoplay requirements, loops automatically upon reaching the end, and falls back to text if unsupported.