

Evaluate testing data (regression) - Lasso

EVE W.

2019-11-16

Contents


0. Load Data	1
1. Scores	2
correlation	2
2. Important Features	3

```
## user input
project_home <- "~/EVE/examples"
project_name <- "lasso_regression2"
```

0. Load Data

```
## 300 of samples were used
## 101 of full features
## 4 runs, each run contains 5 CVs.
## os_time :
##      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
##       0.0   182.8   480.0   889.4  1221.2   7125.0
run with lasso.r.
```

1. Scores




‘Pred’ compares the actual CV prediction with observed value. ‘Rand’ compares permuted CV prediction with observed to mimic random prediction.

correlation


```
##
##
## Table: Averaged pearson correlation across seeds
##
##   cor.avg   cor.sdt
## -----
## 0.2387742 0.0455151
```

Correlation at seed = 1001 using 101 feature set input




2. Important Features

distribution across 4 seed x 5 CV



Number of times a feature is used




```
## (currently only Lasso has this graph)[1] "there are 43 unique features used from the 101 feature set"
```

```
## [1] "summary of number of features used in each run under 4 seeds and 5 CVs"
```

##	Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
##	2.0	5.0	7.0	8.2	9.0	23.0

Top Features



Heatmap of top 20 important features




Table 1: parameter selection

seed	alpha	lambda	cv
1001	1.0	93.44830	1
1001	1.0	112.59688	2
1001	1.0	46.83710	3
1001	1.0	145.67965	4
1001	1.0	98.66623	5
1002	1.0	68.57789	1
1002	1.0	126.96355	2
1002	1.0	102.44912	3
1002	1.0	74.04304	4
1002	1.0	98.71226	5
1003	1.0	122.10369	1
1003	1.0	105.23697	2
1003	1.0	69.98744	3
1003	1.0	122.72948	4
1003	0.5	202.81368	5
1004	1.0	59.77844	1
1004	1.0	129.05504	2
1004	1.0	129.44260	3
1004	1.0	136.08532	4
1004	1.0	91.23534	5