

- and arabic numerals, 38
 - chains and rings, 7, 118–122
 - choice of central atoms, 112
 - coordination compounds, 147–148, 150
 - general naming procedure, 149, 168
 - general characteristics, 111–112
 - heteronuclear chains, 95
 - heteropolyatomic anions, 74–75
 - heteropolyatomic cations, 71–72
 - inorganic acids, 7, 124, 126–134
 - functional replacement derivatives, 139–140
 - ions and radicals, 112
 - radical anions, 10–11
 - ligand representation, 112, 151
 - mononuclear entities, 113–114, 150
 - non-symmetrical dinuclear entities, 116–117, 166–167
 - oligonuclear compounds, 117–118, 167–174
 - order of prefixes, 16–17
 - organometallics, 7
 - of group 1 and 2 elements, 228–230, 232
 - of group 3–12 elements, 201–228, 232–233
 - polynuclear entities, 11, 114–118, 161–174
 - order of central atoms, 42, 162
 - comparison with substitutive names, 83–84, 113–118
 - for parent hydride derivatives, 102–103
 - symmetrical dinuclear entities, 114–116, 166
 - table of names, 280–336
- Affixes, 16
- geometrical, 259
 - structural, 259
- Agostic interactions, 224
- Aims of nomenclature, 3–4
- Alkali metals, 51
- Alkaline earth metals, 51
- Allotropes, 48–51
- Bravais lattices, 50
 - crystalline modifications, 49–51
 - Pearson notation, 49–51
 - with definite molecular formula, 49
 - with indefinite structure, 51
 - solid amorphous modifications, 51
- Alphabetical order
- atomic symbols in formulae, 58
 - central atoms in oxoacids, 125
 - ligand names in coordination compounds, 150, 168
 - ligands
 - bridging *vs.* terminal, 163, 211
 - derivatives of parent hydrides, 60
 - in formulae, 11, 40–41, 43–44, 153, 168
 - in polynuclear compounds, 161–166
 - nuclide symbols, 64
 - in salts, 40
- Aluminium *vs.* aluminum, 249
- Amide, 74, 106, 314
- Amido, 138, 314
- Amino, 109, 314
- Aminyl, 109, 314
- Ammine, 151, 314
- Ammonia and derived ions and radicals, 314
- Ammonio, 314
- Ammonium, 71, 105, 314
- Anion names
- additive names of heteropolyatomic anions, 74–75
 - ‘ate’ forms of element names, 337–339,
 - changed recommendations, 8, 10
 - compositional names, 8, 72–75
 - homopolyatomic anions, 73–74
 - coordination compounds, 162
 - of elements, 72–74
 - homoatomic anions, 336 (see footnote b)
 - endings, 72
 - of ligands, 10–11, 112, 151–152
 - oxoacids
 - hydrogen names, 137
 - simplified names, 137
 - from parent hydrides, 72, 106–108
 - homopolyatomic, 74
 - radicals, 10–11, 73–75

stoichiometric names, 72–75
substitutive names of heteropolyatomic
 anions, 74
 table, 280–336
Antimonic acid, 129
Antimonous acid, 129
Antimony compounds
 names of hydrides, 331
 oxoacids, 129
Antiphase boundary, 244
Aqua, 151, 306
Aquo, obsolete ligand name (see aqua)
Arabic numerals
 in formulae, 31–32
 as locants, 32, 38–40
 in names, 32–34
 and number of hydrogen atoms in
 boranes, 90, 99
arachno-boranes, 90–93, 99, 259
Arsenic acid, 129
Arsenic compounds
 oxoacids, 129
 table of names, 282–284
Arsenous acid, 129
Arsine, obsolete name for arsane, 85 (see
 footnote e)
Arsinic acid, 129
Arsinous acid, 129
Arsonic acid, 129
 derivatives, 125–126, 138
Arsonous acid, 129
Arsoric acid, 129
Arsorous acid, 129
Assemblies, in chains and rings
 nomenclature, 118–119
Asterisks, in formulae, 36
Atom names, 46–47
 of new elements, 47, 250
 tables, 248–250
Atomic number, 47–48
 nuclides, 32
 tables, 248–250
Atomic symbols, 46–47, 248–250
 and isotopic modification, 44, 48
 for new elements, 47, 250
 order in formulae, 58–63

 alphanumeric, 54, 58
 B vs. C, 60
 based on electronegativity, 58–59
 Hill order, 54, 60
 tables, 248–250
Auride, 285
Azide, 73, 318
Azinic acid, 128
Azonic acid, 128

B

Bidentate coordination, 146–147
 vs. didentate, 258
 and skew-lines convention, 191–193
Binary compounds and species
 charge numbers, 70, 73
 element ordering, 42
 formulae, 58–59
 multiplicative prefixes, 69–70
 name construction, 5
 oxidation number, 70
 separation of components, 30
 stoichiometric names, 69–70
 table of names, 280–336
Binuclear (see dinuclear)
Bipyramidal complexes
 absolute configuration, 190–191
 trigonal species, 187
 configuration index, 184–185
 specifying configuration, 184–185
 pentagonal species, 185
 trigonal species, 184
‘bis’ vs. ‘di’ as multiplicative prefixes, 37,
 76, 101, 113, 150–151, 258
Bis(bidentate) complexes, skew-lines
 convention, 191–193
Bis(tridentate) complexes, stereoisomers
 and priming convention, 195–196
Bond indicators, in line formulae,
 26–27
Bonds between central atoms, italicized
 symbols, 115
Boranes (see boron hydrides)
Borate, 127, 285
Boric acid, 127
Borinic acid, 12

- Boron compounds
 order of components of addition
 compounds, 12, 81
 oxoacids, 127, 137
 table of names, 285
- Boron hydrides
 bridging hydrogen atom distribution, 28, 35, 93–94
 heteroboranes, 99–100
catena prefix for chains, 91–92
 common structure types, 90
arachno, 90–93, 99, 259
closo, 90–92, 99–100, 259
hypho, 90, 259
klado, 90, 99–100
nido, 90–94, 99–100, 259
 relationships, 90–92
 cyclic compounds, 92
 cyclo prefix, 92
 Hantzsch–Widman system, 92
 electron counting in clusters, 90
 hydrogen substitution, 104–105
 indicated hydrogen, 35, 93–94
 number of boron atoms, 89
 number of hydrogen atoms, 34, 90
 in heteroboranes, 99
 numbering polyhedral clusters, 92–93
closo vs. *nido*, 92
 order of symbols in carbaboranes, 60
 positions of supplanting heteroatoms, 99–100
 replacement nomenclature, 99
 skeletal replacement, 98–100
 stoichiometric names, 89–90
 structural descriptor names, 90–92
 substituent groups, 104–105
- Boronic acid, 127
- Braces, in formulae and names, 24
- Bravais lattice, and allotrope names, 50
- Bridging index, 43–44
 organometallic compounds, 208–209
 polynuclear coordination compounds, 148, 163–165
- Bridging ligands
 citation vs. terminal ligands, 43–44, 163–164
 coordination compounds, 148
 polynuclear species, 163–165
 hydrogen in boranes, 28, 35, 93–94
 heteroboranes, 99–100
 substitution, 104–105
 in organometallic compounds, 203, 211–212
 bridge index, 43–44, 208–209
 vs. chelation, 203, 208–209
 position in names, 25
 in symmetrical dinuclear entities, 115–116
 use of μ symbol, 36, 163, 259
 multiplicity, 32–33
- Bromic acid, 131, 287
- Bromide, 287
- Bromido, 138, 287
- Bromine compounds and species, names, 287, 298, 319–321
- Bromo
 obsolete ligand name (see bromido)
 prefix in substitutive nomenclature, 101, 138, 287
- Bromous acid, 131, 287
- C**
- C/A convention and absolute configuration, 185, 187–191
 bipyramidal complexes, 190–191
 pentagonal species, 191
 trigonal species, 187
 general considerations, 187
 octahedral complexes, 189–190
 polydentate ligands, 190
 priming convention, 190
 see-saw centres, 188
 square pyramidal complexes, 188
 trigonal prismatic complexes, 190
- Caesium vs. cesium, 249
- Cahn, Ingold, Prelog (CIP) rules for
 coordination compounds, 44, 180, 194–195
 octahedral species, 189
 trigonal prismatic species, 190
- Carbaboranes, 99–100
 order of B and C in formulae, 60

- Carbene, 109, 291
Carbide, 287
Carbon compounds
 oxoacids, 127, 137
 table of names, 287–293
Carbonate, 127, 293
Carbonic acid, 127
Carbonyl, 112, 151, 154, 292
Casey, Evans, Powell (CEP) system for
 polynuclear compounds, 33,
 172–174
 descriptors, 172–173
Catena compounds, 118–119, 121–122,
 128, 133
catena prefix, 259
 and borane chains, 91–92
 and oxoacids, 127–129
Catenacycles, 118–119, 121–122
Catenate compounds, 121, 128–129
Catenium compounds, 121
Cation names
 additive names of heteropolyatomic
 cations, 71–72
 changed recommendations, 8
 compositional names, 70–72
 coordination compounds, 149
 heteropolyatomic species, 71–72
 homopolyatomic species, 71
 monoatomic species, 70–71
 of elements, 70–71
 and parent hydride names, 105–106
 radicals, 70–74
 stoichiometric names, 70–72
 substitutive names of heteropolyatomic
 cations, 71–72
 table, 280–336
Central atoms
 choice in additive names, 112
 in coordination entities, 145, 162
 in polynuclear organometallic
 compounds, 232–233
Central structural unit
 polynuclear clusters, 172–174
CEP (Casey, Evans, Powell) system for
 polynuclear compounds, 33, 172–174
 descriptors, 172–173
Cesium *vs.* caesium, 249
Chain compounds, formulae, 61
Chains and rings nomenclature, 7, 118–122
 assemblies, 118–119
 catena compounds, 118, 121–122, 128,
 133
 catenacycles, 118–119, 121–122
 catenate compounds, 121, 128–129
 catenium compounds, 121
 charge number, 121–122
 connectivity, 118
 construction of names, 121–122
 cyclate compounds, 121–122
 cycles, 118–119, 121–122, 129, 134
 cyclium compounds, 121
 heteronuclear acyclic parent hydrides,
 95
 locants, 119
 modules, 118
 nodal descriptors, 20, 29, 119–120
 oligonuclear compounds, 117
 oxoacids, 128–130, 133–134
 and polynuclear cluster, 174
 radicals, 121
 skeletal atoms, 121
 numbering, 42, 119
 order of citation, 41–42
 symmetrical dinuclear entities, 116
 ‘y’ terms, 121
 table, 337–339
Chalcogens, 51–52
Charge
 in formulae, 57–58
 indication for ions, 25–26, 70–75
 of nuclides, 47–48
 in solids, 27, 240–241
Charge number, 17
 in binary compounds, 70, 73
 chain and ring compounds, 121–122
 and coordination compounds, 152–153
 enclosing marks, 23
 and generalized stoichiometric names,
 77–78
 in hydrogen nomenclature, 12
 ions and radicals, 70–75
 and parent hydride names, 72

- Chelate rings
 - conformation and skew-lines
 - convention, 193
 - symbols for absolute configuration, 35–36, 259
- Chelating ligands
 - vs. bridging, 203, 208–209
 - in organometallics, 202–203, 209–210
 - κ convention, 210–211
- Chelation
 - in coordination compounds, 146
 - and κ convention, 156–160
 - vs. monodentate bonding, 147
 - in organometallic compounds, 202
- Chemical composition of solids, 237–238
- Chemical twinning, 244–245
- Chiral centres, 36
- Chloric acid, 295
- Chloride, 294
- Chlorido, 138, 294
- Chlorine compounds and species, names, 294–295, 299, 319, 312–322
- Chloro
 - obsolete ligand name (see chlorido)
 - prefix in substitutive nomenclature, 138, 294
- Chlorous acid, 131, 294
- Choice
 - between geometries for coordination compounds, 179
 - of central atom in additive names, 112
 - of nomenclature system, 7–9
 - of parent hydride names, 101
 - principal chain, 103–104
- Chromium oxides, names, 295–296
- Chromocene, 225
- CIP (Cahn, Ingold, Prelog) rules for
 - coordination compounds, 44, 180, 194–195
 - octahedral species, 189
 - trigonal prismatic species, 190
- cis* prefix, 67, 179, 259
 - and octahedral geometry, 182
 - and square planar geometry, 180
- cis*-bis(bidentate) complexes, absolute configuration and skew-lines
 - convention, 191–193
- closo*-boranes, 90–92, 99–100, 259
- Clusters
 - boranes, 90
 - numbering, 92–93
 - structural descriptors, 170, 172–174
 - central structural units, 172–174
- Cobaltocene, 225
- Colons
 - and central atom locants, 164
 - in names, 28
- Commas in formulae and names, 29
- Commensurate structures, 242–243
- Composition of non-stoichiometric compounds, 21
- Compositional nomenclature, 5–6, 68–82
 - addition compounds, 80–81
 - generalized stoichiometric names, 75–80
 - vs. hydrogen nomenclature for inorganic acids, 136
 - of ions, 70–75
 - heteropolyatomic anions, 74–75
 - heteropolyatomic cations, 71–72
 - homopolyatomic anions, 8, 73–74
 - homopolyatomic cations, 71
 - monoatomic anions, 72–73
 - monoatomic cations, 70–71
 - order of constituents, 41
 - of radicals, 70–75
 - anions, 73–75
 - cations, 70–72
 - stoichiometric names, 68–70
 - binary compounds, 69–70
 - elements, 69
- Configuration of coordination entities, 149, 174–193
 - absolute configuration, 185–198
 - coordination geometry, 175–179
 - ligand priority, 193–198
 - relative configuration, 179–185
- Configuration index, 33–34, 144, 179–180
 - bipyramidal systems, 184–185
 - CIP rules, 180

- and diastereoisomers, 179–180
- octahedral systems, 182–183
 - reference axis, 182
- priming convention, 195–198
- priority numbers, 180–181, 193–195
- see-saw systems, 185
- square planar systems, 180–181
- square pyramidal systems, 183–184
- T-shaped systems, 185
- trigonal prismatic systems, 190
- Connectivity
 - in chain and ring compounds, 118
 - in organometallic compounds, 201–203, 216
- Constitution of coordination compounds, 149–174
 - formulae, 153–154
 - names, 150–153
 - polynuclear species, 161–174
 - specifying donor atoms, 154–161
- Coordination compounds and entities, 142–199
 - absolute configuration, 185–198
 - C/A* convention, 185, 187–191
 - distinguishing enantiomers, 185–193
 - general considerations, 185
 - octahedral species, 189–190
 - R/S* convention, 185–186
 - see-saw species, 188
 - skew-lines convention, 185, 191–193
 - square pyramidal species, 188
 - tetrahedral species, 186
 - trigonal bipyramidal species, 187
 - trigonal pyramidal species, 186
 - CIP rules, 44, 180, 194–195
 - configuration, 149, 174–193
 - general considerations, 174–175
 - polyhedral symbols, 175–178
 - configuration index, 33–34, 144, 179–180
 - priming convention, 195–198
 - constitution, 149–174
 - definitions, 144–148
 - dinuclear species, 166–167
 - symmetrical, 166
 - unsymmetrical, 166–167
 - formulae, 59–61, 153–154
 - construction, 59
 - enclosing marks, 18–19, 153
 - and ionic charge, 153–154
 - ligand abbreviations, 154
 - oxidation number, 153–154
 - sequence of symbols, 153
 - square brackets, 113–117
 - κ convention, 155–160
 - and η convention, 161
 - use of superscripts, 156
 - ligand priority, 193–198
 - priority numbers, 180–181, 193–195
 - names, 144, 150–153
 - numbering of ligands, 150–151
 - order of ligands and central atoms, 150
 - representing ligands, 151–152
 - naming procedure, 149–150, 168
 - flowchart, 149–150
 - polyhedral symbols, 33–34, 144, 175–179
 - polynuclear clusters, 172–174
 - central structural unit, 172–174
 - CEP descriptors, 172–174
 - polynuclear compounds, 161–174
 - bridging ligands, 148, 163–165
 - metal–metal bonding, 165–166
 - specifying configuration, 179–185
 - bipyramidal species, 184–185
 - configuration index, 179–180
 - distinguishing diastereoisomers, 179–185
 - general methods, 179–180
 - octahedral species, 182–183
 - square planar species, 180–181
 - square pyramidal species, 183–184
 - T-shaped species, 185
 - specifying donor atoms, 154–161
 - italicized element symbols, 155–156
 - trinuclear species, 167–172
- Coordination nomenclature, 7, 147–148
- Coordination number
 - in organometallics, 201–202
 - polyhedral symbols, 176
- Coordination polyhedra, 145–146, 176–178

- Crystal systems and polymorphism, 245–246
- Crystalline modification of allotropes, 49–51
- Crystallographic shear structures, 244
- Crystallographic sites, 239–240
- Cyanate, 127, 291
- Cyanato, 291
- Cyanic acid, 127, 288
- Cyanide, 291
- Cyanido, 138, 291
- Cyano
 - obsolete ligand name (see cyanido)
 - prefix in substitutive nomenclature, 138, 291
- Cyanyl, 291
- Cyclate compounds, 121–122
- Cycles, in chains and rings nomenclature, 118–119, 121–122, 129, 134
- Cyclium compounds, 121
- cyclo* prefix for monocyclic coordination compounds, 129, 133, 171–172, 259
- cyclo* prefix, 259
 - for cyclic boron hydrides, 92
 - for homonuclear monocyclic parent hydrides, 87–88
 - for saturated rings with alternating skeletal atoms, 96–98
- Cyclooctatetraene compounds, 227–228
- D**
 - δ (delta), and absolute configuration of chelate ring conformation, 35, 259
 - Δ (Delta), and absolute configuration, 35, 259
 - Defect clusters, 22, 241
 - Denticity of ligands, 146
 - Deuterium, atomic symbol, 48, 249
 - Deuteron, 48, 298
 - ‘di’ vs. ‘bis’ as multiplicative prefixes, 37, 76, 101, 113, 150–151, 258
 - Diastereoisomers of coordination complexes, 175
 - and configuration index, 179–180
 - Didentate vs. bidentate, 258
 - Dihydrogenborate, 127, 137
 - Dihydrogenphosphate, 128, 137, 307
 - Dihydrogenphosphite, 128, 137, 307
 - Dinuclear compounds
 - non-symmetrical compounds, 114–116, 166–167
 - symmetrical compounds, 114–116, 166
 - Diphosphonate, 129, 307
 - Diphosphonic acid, 129
 - Diphosphoric acid, 129, 133
 - Disilicate, 128, 333
 - Disilicic acid, 128
 - Disordered twin planes, 244
 - Disulfate, 130, 329
 - Disulfite, 130
 - Disulfuric acid, 130
 - Disulfurous acid, 130
 - Dithionate, 130, 329
 - Dithionic acid, 126, 130
 - Dithionite, 130, 329
 - Dithionous acid, 130
 - Donor atoms
 - position in formulae, 153
 - specification in coordination compounds, 154–161
 - symbols in names, 155, 161
 - symbol placement in formulae, 41
 - use of primes, 36–37
 - Dots
 - in formulae, 21, 23, 27–28, 70–75
 - of radicals, 66
 - to indicate effective charge in solids, 27, 240
 - in names, 28, 70–75
 - of radicals, 28, 112
- E**
 - Effective charge, in solids, 27, 240–241
 - Electron counting, in boron hydride structures, 90
 - Electronegativity, and order of atomic symbols, 58–59
 - Elements, 46–52
 - allotropes, 48–51
 - atomic numbers, 248–250
 - with indefinite molecular formula, 48

- isotopes, 48
- names, 46–47, 248–250, 280–336, 337–339
- naming procedure, 46
- nuclides, 47–48
 - atomic number, 47–48
 - charge, 47–48
 - mass number, 47–48
- periodic table, 51–52
 - groups, 51–52
- stoichiometric names, 69–74
 - anions, 72–74
 - cations, 70–71
- symbols, 46–47, 248–250
 - new elements, 47
- tables
 - atomic numbers, 248–249
 - names, 248–250, 280–336, 337–339
 - symbols, 248–250
- temporary names and symbols, 47, 250
- Element order
 - and ‘a’ terms, 42–43
 - on basis of periodic table, 10, 42–43, 260
 - binary compounds, 42
 - central atoms of polynuclear compounds, 10, 42
 - in chains and rings, 42
 - changed recommendations, 10
 - in Hantzsch–Widman names, 42
 - in intermetallic compounds, 10
 - oxygen vs. halogens, 10, 336 (see footnote f)
 - symbols in formulae, 58–63
- Element sequence table, 260
- Elisions, 31, 69
- ‘Em’ dashes
 - in formulae of addition compounds, 80–81
 - in formulae and names, 26
 - and metal–metal bonds, 148, 165–166, 212
- Empirical formulae, 54
- Enantiomers, of coordination compounds, 175
 - absolute configuration, 185–193
- Enclosing marks
 - for abbreviations, 21
 - changed recommendations, 12
 - and η convention, 216–217
 - in formulae, 18–22, 24, 55–56
 - of coordination entities, 153
 - structural, 55–56
 - in hydrogen names, 24
 - to indicate site symmetry in solids, 240
 - for ligand names, 113, 150–151, 153, 336 (see footnote c)
 - in names, 19–20, 22–24
 - nesting order, 17, 24, 55, 150, 153
 - for oxidation number, 23
- Endings, 16
 - for anion names, 72, 112
 - for Hantzsch–Widman names, 96
 - tables, 251–257
- Eta (η) convention, 32, 35, 259
 - and agostic interactions, 224
 - for coordination compounds, 155
 - enclosing marks, 216–217
 - and κ convention, 161, 202, 216–217, 221–223, 232
 - for ligands without carbon atoms, 223–224
 - dihydrogen, 224
 - for organometallic compounds, 202, 216–225
 - use with κ convention, 202, 216, 221–223, 232
 - use of locants, 220–221
- Ewens–Bassett number (see charge number)
- Excited states, 36
 - formulae, 67
- F**
- fac* prefix, 179
 - and octahedral geometry, 182–183
- Ferrocene, 225–227
- Ferrocenium, 227
- Flowcharts
 - general guidelines for naming compounds, 8–9
 - for naming coordination compounds, 149–150

- Fluoride, 297
- Fluorido, 138, 297
- Fluoro
- obsolete ligand name (see fluorido)
 - prefix in substitutive nomenclature, 138
- Formulae, 53–67
- addition compounds, 12, 56, 62
 - alphabetical order, 40–41
 - arabic numerals, 31–32
 - asterisks, 36
 - binary species, 58–59
 - bond indicators, 26–27
 - braces, 24
 - chain compounds, 61
 - commas, 29
 - of coordination compounds, 59–61, 153–154
 - construction, 59
 - dinuclear species, 153
 - donor atom symbols, 155
 - order of bridging and terminal ligands, 163–164
 - order of ligands and central atoms, 163
 - position of donor atoms, 153
 - sequence of symbols, 153
 - dots, 27–28, 66, 70–75
 - ‘em’ dashes, 26
 - metal–metal bonds, 148, 165–166, 212
 - empirical formulae, 54
 - enclosing marks, 18–22, 24, 55–56, 153
 - nesting order, 17
 - excited states, 67
 - generalized salts, 61–62
 - Greek letters, 35–36
 - hyphens, 24–25
 - and ionic charge, 57–58, 153–154
 - isotopic labelling, 64–65
 - selective, 65
 - specific, 64–65
 - isotopic substitution, 64
 - isotopically modified compounds, 64–65
 - italic letters, 35
 - ligand abbreviations, 63
 - ligand order, 40–41, 43–44
 - locants
 - arabic numerals, 32, 38–40
 - letters, 40
 - molecular formulae, 54
 - multiplicative prefixes, 37
 - non-stoichiometric phases, 236
 - optically active compounds, 66
 - order of ligands, 11
 - order of symbols, 58–63
 - alphanumeric, 54, 58
 - B vs. C, 60
 - electronegativity, 58–59
 - Hill order, 54, 60
 - oxidation states, 34, 65–66
 - oxoacids, 61
 - parentheses, 20–22
 - plus and minus signs, 25–26
 - primes, 36–37
 - radicals, 66
 - use of dots, 66
 - semicolons, 30
 - solid state structures, 56–57
 - square brackets, 18–19
 - structural formulae, 55–56
 - descriptors, 67
 - of ligands, 261–268
- Four-coordination, 175–176
- idealized geometries, 179
- Fulminate, 291
- Fulminic acid, 132 (see footnote b)
- Functional replacement nomenclature, 84
- derivatives of oxoacids, 126, 137–140
 - operations, 138
- Fusion of monocycles in polycyclic parent hydrides
- heteronuclear names, 100–101
 - homonuclear names, 89
 - numbering when substituent groups, 204–205
- G**
- Generalized salts, order of ions in formulae, 61–62
- Generalized stoichiometric names, 69, 75–80
- multiple monoatomic vs. homopolyatomic constituents, 78–80

- order of constituents, 75–76
- proportion of constituents, 76–80
 - charge numbers, 77–78
 - multiplicative prefixes, 76–77
 - oxidation numbers, 77–78
- Geometrical affixes, 259
- Germanide, 298
- Germanium compounds and species, table of names, 297–298
- Germide, 297,
- Greek letters, 35–36
 - and skew-lines convention, 191–192
- Group 1 and 2 element organometallics, 228–230, 232
- Group 3–12 element organometallics, 201–228, 232–233
- Group 13–16 element organometallics, 228, 230–233
 - λ convention, 230

H

η (see Eta)

H designator

- for bridging hydrogen atoms in boron hydrides, 35, 93–94
- and indicated hydrogen in heterocycles, 39, 96

Halogens

- atomic symbols, order *vs.* oxygen, 10, 336 (see footnote f)
- oxoacids, 131

Hantzsch–Widman names

- cyclic boranes, 92
- heteronuclear monocyclic parent hydrides, 95–98
- heteronuclear polycyclic parent hydrides, 100–101, 103
- homonuclear monocycles, 87–89
 - numbering, 89
- indicated hydrogen, 39
- monocyclic organometallics of group 13–16 elements, 231–232
- order of hetero atoms, 42, 96
- parent name endings, 85, 251–257
 - table, 96
- priorities, 89

- skeletal atom positions, 38–39
- for up to ten-membered rings, 88, 96–98

Hapticity

- and organometallics, 216–217
- use of η symbol, 32, 35

Heteronuclear compounds, parent hydride names, 94–101

- acyclic compounds, 94–95
- monocyclic compounds, 95–98
- polycyclic compounds, 100–101

Hill order in formulae, 54, 60

History of nomenclature, 2–3

Homoatomic species, table of names, 280–336

Homologous solids, 243–244

Homonuclear compounds, parent hydride names, 86–89

- acyclic compounds, 86–87
- monocyclic compounds, 87–89
- polycyclic compounds, 89

Hydrates, 80–81

Hydrazine and derived ions and radicals, 83, 105–108, 317

Hydride names, parent, 84–101

Hydro

- obsolete ligand name (see hydrido)
- prefix in substitutive nomenclature
 - order in names, 10
 - use with Hantzsch–Widman system, 96, 101

Hydrogen

- in boron hydrides
 - as bridging atom, 93–94
 - designation of number of atoms, 24
 - substitution, 104–105
- isotopes, 48, 249 (see footnote f), 298
- ligand names, 151

Hydrogen names, 75

- abbreviated names for anions, 137
- cf.* compositional names, 136
- construction, 136
- general requirements, 136,
- for inorganic acids, 125, 134–137
- polynuclear oxoacids, 135

- and tautomers, 135
 - use of enclosing marks, 24
 - Hydrogenborate, 127, 137, 285
 - Hydrogencarbonate, 127, 137, 291
 - Hydrogenphosphate, 128, 137, 303
 - Hydrogenphosphite, 128, 137, 303
 - Hydrogenphosphonate, 128, 137, 307
 - Hydrogensulfate, 129, 137, 303
 - Hydrogensulfite, 130, 137, 303
 - Hydron usage, 71, 105–106, 135
 - and hydrogen isotopes, 48, 298
 - Hydronium, obsolete name (see oxonium)
 - Hydroxide, 301
 - Hydroxido, 301
 - Hydroxo, obsolete ligand name (see hydroxido)
 - Hydroxy, prefix in substitutive nomenclature, 101, 109, 301
 - Hydroxyl, 109, 301
 - Hydroxylamine, 128, 309
 - Hydroxylum, 301
 - Hyperoxide, obsolete name (see superoxide)
 - Hyphens in formulae and names, 24–25
 - hypho* boranes, 90, 259
 - Hypobromite, 131, 319
 - Hypobromous acid, 131, 287
 - Hypochlorite, 131, 319
 - Hypochlorous acid, 131, 294
 - Hypodiphosphoric acid, 129
 - Hypoiodite, 131, 320
 - Hypoiodous acid, 131, 299
 - Hyponitrite, 132 (see footnote f)
 - Hyponitrous acid, 132 (see footnote f)
- I**
- Imide, 106, 314
 - Imido, 314
 - Imino, 314
 - Incommensurate structures, 242–243
 - Indicated hydrogen method
 - for boron hydrides, 35, 93–94
 - bridging hydrogen, 93–94
 - and Hantzsch–Widman names, 39
 - for organic compounds, 94
 - tautomers of heteronuclear parent hydrides, 96
 - Indigane, 311
 - Infinitely adaptive structures, 245
 - Infixes, functional replacement nomenclature, 138
 - Inorganic acids (see also oxoacids), 124–141
 - acceptable common names, 127–132, 134
 - additive names, 7, 124, 126–134
 - derivatives, 137–140
 - additive names, 139–140
 - common names, 139–140
 - functional replacement names, 137–140
 - general principles of nomenclature, 126
 - hydrogen names, 125, 134–137
 - abbreviated anion names, 137
 - names, 11–12
 - tables, 127–132, 139–140
 - transition metal compounds, 137
 - Insertion in solids, 245
 - Intercalation, 245
 - Intermetallic compounds, element sequence, 10
 - Interstitial sites, 239
 - Iodate, 131, 321
 - Iodic acid, 131, 299
 - Iodide, 311
 - Iodido, 138, 311
 - Iodine compounds and species, names, 311, 320–322
 - Iodite, 131, 321
 - Iodo
 - obsolete ligand name (see iodido)
 - prefix in substitutive nomenclature, 101, 138
 - Iodous acid, 131, 299
 - Ions
 - additive names, 112
 - indication of charge, 25–26, 70–75
 - in formulae, 57–58, 153–154
 - order in salts, 40

- from parent hydrides, 105–108
 - radicals, 109–110
- proportion in coordination compounds, 152–153
- table of names, 280–336
- Isocyanic acid, 127, 288
- Isofulminic acid, 132 (see footnote b)
- Isoselenocyanic acid, 290
- Isothiocyanic acid, 140, 289
- Isotopes of hydrogen, 48, 249 (see footnote f), 298
- Isotopic modification, and atomic symbols, 44, 48
- Isotopically labelled compounds
 - formulae, 64–65
 - order of nuclide symbols, 44, 64
 - separation of labelled atoms, 29
 - use of enclosing marks, 19–20, 24
- Isotopically substituted compounds, formulae, 64
- Italic letters, 34
 - geometrical and structural affixes, 259
 - as locants in names, 35
 - and nomenclature of solids
 - to designate crystal system, 246
 - generic mineral names, 237
 - indication of site occupancy, 239
 - Pearson symbols, 242
- Italicized element symbols
 - to denote ligating atoms, 155, 210
 - for bonds between central atoms, 115
 - metal–metal bonds, 165–166, 212

K

- Kalide, obsolete name (see potasside)
- Kappa (κ) convention, 36, 259
 - and coordination compounds, 145, 154–161
 - order of symbols, 155
 - polynuclear species, 11, 162–165
 - tridentate chelation, 156–157
 - use with μ symbol, 164
 - use of primes, 156, 159–160

- use of superscripts, 156–158
- in non-symmetrical dinuclear compounds, 116–117
- for organometallics, 202, 210–211
 - bridging ligands, 211–212
 - and η convention, 161, 202, 216–217, 221–223, 232
 - polynuclear compounds, 211
 - and polynuclear entities, 11
- klado*-boranes, 90, 99–100
- Kröger–Vink notation, 238–241
 - complex defect clusters, 22
 - crystallographic sites, 239–240
 - in defect clusters, 241
 - indication of charge, 240–241
 - effective charge, 27, 240–241
 - use of primes, 37
 - quasi-chemical reactions, 238, 239, 241
 - site occupancy, 239

L

- λ (lambda)
 - absolute configuration of chelate ring conformation, 36, 259
 - convention for non-standard bonding numbers, 33, 38, 84, 98, 259
 - and group 13–16 organometallics, 230
 - mononuclear acyclic parent hydrides, 86–87, 101
- Λ (Lambda), and absolute configuration, 36, 259
- Lanthanide, 311
- Lanthanoids (vs. lanthanides), 51–52, 336 (see footnote d)
- metallocenes, 227
- Lattice parameters, and allotrope symbols, 51
- Ligand names for organometallic compounds, 203
 - acceptable alternatives, 205–206, 208, 214, 217–218
 - as anions, 203, 205–208
 - bridging ligands, 211–212
 - vs. multiple bonding, 208–209

- chelating ligands, 209–210
 - κ convention, 210–211
- with metal–carbon multiple bonds, 213–215
- with several single metal–carbon bonds, 207–212
 - bridge *vs.* terminal bonding, 208–209
- with single metal–carbon bonds, 205–206
- as substituent groups, 203–208
- tables of names, 205–206, 208, 214, 217–218
- unsaturated molecules or groups, 215–225
 - as anions, 217–218
 - as neutral ligands, 217–218
- Ligands, 145
 - abbreviations of names, 63, 153–154, 261–268
 - construction, 63, 261
 - use of enclosing marks, 21
 - bridging multiplicity, 32–33, 42–43
 - citation of bridging *vs.* terminal ligands, 43–44, 163–164
 - forming metal–carbon multiple bonds, 213–215
 - table, 214
 - forming one metal–carbon single bond, 203–207
 - table, 205–206
 - forming several metal–carbon single bonds, 207–212
 - table, 208
 - names
 - of anions, 10–11, 112, 151–152
 - enclosing marks, 113, 150–151, 153, 336 (see footnote c)
 - and sites of substitution, 36–37
 - table, 280–336
 - order in polynuclear compounds, 161
 - in formulae, 162
 - ordering
 - in additive names, 41, 43–44, 150–151, 168
 - with central atoms, 7, 113
 - in formulae, 11, 40–41, 43–44, 153, 168
 - priority numbers, 144, 193–195
 - representation in names, 112, 151–152
 - enclosing marks, 113
 - structural formulae, 269–279
 - unsaturated molecules or groups, 215–225
 - table, 217–218
- Locants
 - for anions derived from parent hydrides
 - by hydride addition, 107
 - by hydron loss, 106–107
 - arabic numerals, 32, 38–40
 - in boron hydrides, to indicate supplanting heteroatoms, 99–100
 - for cations derived from parent hydrides
 - by hydride loss, 105–106
 - by hydron addition, 105–106
 - substitution, 106
 - for central atoms in polynuclear compounds, 28, 164–174, 211–212
 - in central structural unit, 173
 - in clusters, 173–174
 - trinuclear and larger species, 167–172
 - unsymmetrical dinuclear species, 167
 - in chains and rings nomenclature, 119
 - and η convention, 220–221
 - for heteroatoms
 - in acyclic parent hydrides, 94
 - in group 13–16 organometallics, 231
 - in ionic radicals, 109–110
 - in κ convention, 157, 159
 - letters, 40
 - italicized capitals, 35
 - for ligand donor atoms, 156
 - and point of ligation, 159, 163, 213
 - for ligands forming several metal–carbon bonds, 207
 - for metal–metal bonds, 165–166
 - in parent hydride substitutive names, 102–104
 - derived radicals, 108–109
 - derived substituent groups, 108–109, 204
 - position of substituent groups, 102–103
 - position of unsaturation, 87

- use of commas, 29
- use of hyphens, 35
- M**
- μ (see Mu)
- Main group elements, organometallic compounds, 228–232
- Manganese oxides, names, 312–313
- ‘Manganocene’, 226
- Mass number, 32, 47–48
 - nuclides, 64
- mer* prefix, 179
 - and octahedral geometry, 182–183
- Metaborate, 127, 285
- Metaboric acid, 127
- Metal–metal bonds
 - in coordination compounds, 148, 165–166, 173
 - designation in names, 23, 26
 - in organometallics, 212
- Metallocene nomenclature, 225–228
 - and cyclooctatetraene compounds, 227–228
 - di(ligand) derivatives, 227
 - functional names, 225–226
 - lanthanoids, 226
 - oxidized species, 226–227
 - prefix nomenclature, 225–226
 - s- and p-block elements, 226, 229
 - substituent group names, 225–226
 - substituents on cyclopentadienyl rings, 226
- Metaphosphate, 324
- Metaphosphoric acid, 129
- Metasilicate, 128, 333
- Metasilicic acid, 127
- Methanido *vs.* methyl, ligands, 78, 203–205
- Methods of nomenclature, 4–8
 - choice of system, 7–8
 - general guidelines, 8
 - flowchart, 8
- Methylidene *vs.* methylene ligands, 208–209
- Mineral names, 237
- Minus signs in formulae and names, 25–26
- Misfit structures, 243
- Modulated structures, 242–243
- Modules, in chains and rings
 - nomenclature, 118
- Molecular formulae, 54
- Mononuclear entities
 - additive names, 113–114
 - parent hydride names, 84–86
 - endings in Hantzsch–Widman system, 96
- Mu (μ), symbol for bridging, 32–33, 36, 259
 - in coordination compounds, 163
 - in dinuclear species, 115–117
 - in formulae, 67
 - and hydrogen atoms in boron hydrides, 28, 93–94
 - substitution, 104–105
 - in organometallics, 211–212
 - bridging *vs.* terminal ligands, 203, 208–209
 - unsaturated hydrocarbon ligands, 222–223
 - and η convention, 222–223
 - and κ convention, 222–223
- Multiple bonding, numbering in substitutive nomenclature, 87
- Multiplicative prefixes, 5, 258
 - in binary names, 69–70
 - and coordination entities, 150–151
 - and donor atom symbol, 155
 - and κ convention, 156
 - number of ligands, 150–151, 161, 163
 - to simplify names of dinuclear species, 166–167
 - ‘di’ *vs.* ‘bis’, 37, 76, 101, 113, 150–151, 258
 - in generalized stoichiometric names, 76–77
 - for ligands in additive names, 113
 - in non-symmetrical dinuclear compounds, 116
 - and number of boron atoms in boron hydrides, 89
 - and proportion of ions, 152–153

- and substitutive names for parent
 - hydrides, 101–104
- table, 258
- ‘tri’ vs. ‘tris’, 37, 76, 150–151, 258
 - triiodide vs. tris(iodide), 79
 - trisulfide vs. tris(sulfide), 79
- Muon symbol, 48, 313
- Muonide, 313
- Muonium symbol, 48, 313
- N**
- Name construction, 4–5
 - abbreviations for ligands, 63, 261
 - for acids, 126
 - affixes, 16
 - arabic numerals, 32–34
 - binary species, 5
 - chains and rings, 121–122
 - colons, 28–29
 - commas, 29
 - dinuclear compounds,
 - non-symmetrical, 116–117
 - symmetrical, 114–116
 - dots, 28, 70–75
 - element ordering, 42–43
 - elisions, 31
 - ‘em’ dashes, 26
 - enclosing marks, 19–20, 22–24
 - braces, 24
 - parentheses, 22–24
 - square brackets, 19–20
 - general principles, 16–17
 - Greek letters, 35–36
 - hyphens, 24–25
 - italic letters, 34–35
 - locants
 - arabic numerals, 38–40
 - letters, 40
 - metal–metal bonds, 23, 26
 - mononuclear compounds, 113–114
 - multiplicative prefixes, 37
 - oligonuclear compounds, 117–118
 - order of ligands, 41, 43–44
 - plus and minus signs, 25–26
 - primes, 36–37
 - Roman numerals, 34
 - semicolons, 28–29
 - solidus, 27
 - spaces, 30
 - substitutive nomenclature, 84
- Names of coordination compounds, 144, 150–153
 - dinuclear species, 166–167
 - order of bridging and terminal ligands, 163–164
 - stepwise naming procedure, 149–150
- Naming procedure for new elements, 46–47
- Natride, obsolete name (see sodide)
- Nickelocene, 225
- nido*-boranes, 90–94, 99–100, 259
- Nitramide, 139
- Nitrate, 128, 315
- Nitric acid, 128
- Nitride, 313
- Nitrite, 128, 315
- Nitrogen compounds
 - oxoacids, 128
 - derivatives, 139
 - table of names, 300–301, 313–318
 - oxides, 315, 317–318
- Nitrosyl, 315
- Nitrous acid, 128
- Nitryl, 315
- Nodal descriptors, in chains and rings
 - nomenclature, 20, 29, 119–121
- Nomenclature
 - of organometallic compounds
 - main group elements, 228–232
 - polynuclear compounds, 232–233
 - transition metals, 201–228, 232
 - in other areas of chemistry, 13
- Nomenclature systems
 - additive nomenclature, 5, 7, 111–123
 - for inorganic chains and rings, 7, 118–122
 - compositional nomenclature, 5–6, 68–82
 - names of (formal) addition compounds, 80–81
 - stoichiometric names, 68–70
 - coordination nomenclature, 7, 147–148

- element names, 46–47
- functional replacement nomenclature, 137–140
- general remarks, 5
- parent hydride-based nomenclature, 83–110
- substitutive nomenclature, 6–7, 83–100
- Non-commensurate structures, 242–243
- Non-standard bonding numbers, 33, 84
 - and group 13–16 organometallics, 230
 - heteronuclear monocyclic parent hydrides, 98
 - hydrogen placement in parent hydrides, 38
 - λ convention, 33, 38, 84, 86–87, 98, 259
 - and mononuclear acyclic parent hydrides, 86–87, 101
- Non-stoichiometric phases, 236, 242–245
 - antiphase boundary, 244
 - chemical twinning, 244–245
 - commensurate structures, 242–243
 - composition, 21
 - crystallographic shear structures, 244
 - disordered twin planes, 244
 - homologous compounds, 243–244
 - incommensurate structures, 242–243
 - infinitely adaptive structures, 245
 - intercalation, 245
 - misfit structures, 243
 - modulated structures, 242–243
 - non-commensurate structures, 242–243
 - Pearson notation, 241–242
 - phase nomenclature, 241–242
 - shear planes, 244
 - solid mixtures, 236
 - solid solutions, 236
 - unit cell twinning, 244–245
 - use of formulae, 236
 - variable composition, 236
- Non-symmetrical dinuclear compounds,
 - additive names, 116–117
 - for different central atoms, 116
 - for identical central atoms, 116
 - κ convention, 116–117
 - multiplicative prefixes, 116
 - order of central atoms, 116–117
- Nuclear reactions, symbols, 48
- Nuclides, 47–48
 - mass and atomic numbers, 32, 64
- Numbering
 - boron atoms in boranes, 33
 - central atoms in polynuclear compounds, 167
 - clusters, 173
 - of ligands with several points of attachment, 213
 - of metals in dinuclear organometallics, 211
 - polyhedral borane clusters, 92–93
 - skeletal atoms in chains and rings, 42, 119
 - in substituted parent hydrides, 102–104
- Numerals
 - arabic
 - in formulae, 31–32
 - in names, 32–34
 - Roman, in formulae and names, 34
- O**
- ‘Ocene’ nomenclature, 225–228
- Octahedral complexes
 - absolute configuration, 185, 189–193
 - C/A* convention, 185, 189–190
 - CIP rules, 189
 - cis*-bis(bidentate) complexes, 191–193
 - skew-lines convention, 185, 191–193
 - tris(bidentate) complexes, 191–192
 - specifying configuration, 182–183
 - configuration index, 182–183
 - stereoisomers
 - bis(tridentate) complexes, 195–196
 - priming convention, 195–197
- Oligonuclear compounds, additive names, 117–118
- Optically active compounds
 - formulae, 66
 - sign of rotation, 22, 26
- Order
 - in addition compounds, 41
 - alphabetical, 40–41
 - of atomic symbols in formulae, 58–63

- alphanumeric, 54, 58
- B *vs.* C, 60
- based on electronegativity, 58–59
- oxygen *vs.* halogens, 10, 336 (see footnote f)
- based on periodic table, 10, 42–43, 260
- of bridging *vs.* terminal ligands, 211
- of central atoms
 - in additive names, 112
 - in dinuclear complexes, 166
 - and ligands in formulae, 153
 - and ligands in names, 113, 150
 - in metal–metal bonds, 165–166
 - in non-symmetrical compounds, 116
 - in oxoacids, 125
 - in polynuclear complexes, 42, 168–169
 - in polynuclear organometallics, 232–233
- chains and rings nomenclature, skeletal atoms, 41
- characteristic groups, 43
- components in addition compounds, 41, 80–81
 - of boron, 12, 41
- components in salts, 40, 44
- in compositional names, 41, 121
- constituents in stoichiometric names, 6, 75–76
- of elements
 - in binary compounds, 42
 - in Hantzsch–Widman names, 42
 - in metal–metal bonds, 212
 - in polynuclear compounds, 162
 - in stoichiometric names, 69
- and enclosing marks, 17, 24
- of heteroatoms, in Hantzsch–Widman names of parent hydrides, 96
- of ions in generalized salts, 61–62
- and isotopic labelling, 44, 64
 - nuclide symbols, 44, 64
- of κ symbols, 155
- of ligand names, 149
- of ligands in additive names, 41, 43–44, 150, 168
 - and derivatives of parent hydrides, 60
 - of ligands in formulae, 11, 40–41, 43–44, 153, 168
- of ligands in polynuclear compounds, 161, 163–165
 - bridging *vs.* terminal, 163–164
- of modifications to parent hydride names, 109–110
- of multiple bridging ligands, 163–164
- parent hydrides, 43
- prefixes
 - in additive names, 16–17
 - in substitutive names, 16–17, 101
- punctuation marks, 44
- stereochemistry, 44
 - CIP rules, 44
 - in substitutive names, 43
- of symbols within formulae, 153
- Organometallic compounds, 200–234
 - with bridging ligands, 203, 211–212
 - connectivity, 201–203, 216
 - group 1 and 2 elements, 228–230, 232 aggregates, 229
 - group 3–12 elements, 201–228, 232–233
 - group 13–16 elements, 228, 230–232
 - with atoms of groups 1–12, 232–233
 - order of central atoms, 233
 - with metal–carbon multiple bonds, 213–215
 - metallocenes, 225–228
 - oxidation number, 203
 - polynuclear compounds, 232–233
 - with several single metal–carbon bonds, 207–212
 - bridge *vs.* terminal bonding, 208–209
 - bridging ligands, 211–212
 - chelation, 209–210
 - κ convention, 210–211
 - metal–metal bonding, 212
 - μ convention, 208–209
 - with single metal–carbon bonds, 203–207
 - ligand names, 203–206
 - with unsaturated molecules or groups, 215–225
- Orthoboric acid, 132 (see footnote a)

Orthoperiodate, 131, 322
Orthoperiodic acid, 131, 310
Orthophosphoric acid, 131 (see
 footnote a)
Orthosilicic acid, 132 (see footnote a)
Orthotellurate, 130, 334
Orthotelluric acid, 130
Osmocene, 225–226
Oxidation number, 17
 in binary compounds, 70
 in coordination compounds, 152–154
 enclosing marks, 23
 and generalized stoichiometric names,
 77–78
 and organometallics, 203
Oxidation state,
 definition, 147
 in formulae, 34, 65–66
 in names, 34
Oxides
 of chromium, 295–296
 of potassium, 311
Oxido, 319
Oxo
 obsolete ligand name (see oxido)
 prefix in substitutive nomenclature,
 319
Oxoacids
 acceptable common names, 127–132
 additive names, 127–134
 chains and rings nomenclature,
 128–130, 133–134
 derivatives
 acceptable common names, 139–140
 additive names, 139–140,
 functional replacement names, 84,
 126, 137–140
 hydrogen names, 125, 134–137
 ordering formulae, 61
 of phosphorus, 128–129, 133–134, 137
 derivatives, 139
 polynuclear compounds, 135
 of sulfur, 126, 129–130, 133, 137
 derivatives, 139–140
 tables of names, 127–132, 139–140
Oxonium, 71, 105, 309

Oxygen
 order of atomic symbol vs. halogens, 10,
 336 (see footnote f)
 table of compound names, 319–322
Ozone, 321
Ozonide, 321

P

Parent hydride-based nomenclature, 6,
 83–110
 ‘a’ terms, 87–89, 94–98, 100–101
acyclic compounds, 86–87
anionic derivatives, 72, 106–108
 by hydride addition, 107
 by hydron loss, 74, 106–107
 substitution, 107–108
anions, 72
 formation of names, 8
 homopolyatomic, 74
 radicals, 10
branched structures, 103
cationic derivatives, 105–106
 by hydride loss, 105–106
 by hydron addition, 105
 substitution, 106
and charge numbers, 72
choice of parent, 101
for group 13–16 organometallics,
 230–233
 element order, 233
Hantzsch–Widman endings, 251–257
heteronuclear acyclic compounds,
 94–95
 chains of alternating skeletal atoms,
 95
 chains and rings nomenclature, 95
 with four or more heteroatoms, 94
 with less than four heteroatoms, 94
heteronuclear compounds, 94–101
 polycyclic compounds, 100–101
heteronuclear monocyclic compounds,
 95–98
 Hantzsch–Widman names, 95–98
 indicated hydrogen, 96
 order of citation of heteroatoms, 96
 tautomers, 96

- homonuclear monocyclic compounds, 87–89
 - choice of naming method, 88
 - Hantzsch–Widman names, 87–89
 - use of the prefix *cyclo*, 87
- homonuclear polycyclic compounds, 89
 - and fusion of monocycles, 89
 - Hantzsch–Widman system, 89
 - skeletal replacement, 89
 - von Baeyer notation, 89
- homopolynuclear acyclic compounds, 86–87
 - with non-standard bonding numbers, 86–87
 - with standard bonding numbers, 86
- ions, 105–108
 - radicals, 109–110
- mononuclear compounds, 84–86
 - with non-standard bonding numbers, 84–86
 - with standard bonding numbers, 84–85
 - table, 85
- non-standard bonding numbers, 38, 84, 86–87
- numbering skeletal atoms, 38
- order of citation of modifications, 109–110
- precedence in names
 - cation *vs.* anion *vs.* radical, 109–110
- radicals, 105, 108–110
 - derivatives, 108–110
 - ions, 10, 109–110
- replacement prefixes
 - heteronuclear monocyclic compounds, 86–89
 - heteronuclear polycyclic compounds, 100–101
 - homonuclear monocyclic compounds, 87–89
 - homonuclear polycyclic compounds, 89
- skeletal replacement nomenclature, 6
 - heteronuclear polycyclic parent hydrides, 100–101
 - homonuclear polycyclic parent hydrides, 89
- substituent groups, 101–104, 108–110
- substitution, 109
- substituted derivatives, 101–104
 - branched structures, 103–104
 - choice of principal chain, 103–104
 - locants, 102–104
 - numbering, 102–104
 - use of prefixes, 101–104
 - use of suffixes, 101–104
- Parentheses
 - in formulae, 20–22
 - in names, 22–24
 - strike-through parentheses and polymers, 22, 56, 61
- Pearson notation, 57, 241–242
 - crystalline allotropes, 49–51
- Perbromate, 131, 321
- Perbromic acid, 131, 287
- Perchlorate, 131, 322
- Perchloric acid, 131, 295
- Periodate, 131, 322
- Periodic acid, 131, 299
- Periodic table, 51–52, (see also inside front cover)
 - element groups, 51
- Peroxide, 73, 320
- Peroxido, 320
- Peroxo
 - infix in functional replacement names, 138
 - obsolete ligand name (see *peroxido*)
- Peroxy, 138
- Peroxy acids, 139
- Phase nomenclature, 241–242
- Phosphate, 128, 325
- Phosphine, obsolete name for phosphane, 85 (see footnote e)
- Phosphinic acid, 129
- Phosphinous acid, 129
- Phosphite, 128, 324
- Phosphonate, 128, 303
- Phosphonic acid, 128
- Phosponous acid, 128
- Phosphoric acid, 125, 128

- Phosphoric acid derivatives, 125
Phosphorous acid, 128
Phosphorus compounds
 oxoacids, 128–129, 133–134, 137
 derivatives, 139
 names, 301–304, 322–326
Phosphoryl, 139, 324
Plus signs in formulae and names, 25–26
Pnictogens (vs. pnicogens), 51–52
Point defect notation (see Kröger–Vink notation), 238–241
Polycyclic parent hydrides
 heteronuclear compounds, 100–101
 homonuclear compounds, 89
Polyhedral symbols for coordination
 compounds, 33–34, 144, 175–179
 choice between related geometries, 179
 geometrical structures, 177–178
 idealized geometries, 176, 179
 octahedral species, 182–183
 square planar species, 180–181
 table, 176
Polymers
 formulae, use of strike-through parentheses, 56, 61
 repeat units and enclosing marks, 22
Polymorphs, 245–246
 elements, 49
 formulae, 56–57
Polynuclear compounds
 additive names, 11, 114–118
 atom order in additive names, 42
 central atom locants, 28, 164–174, 211–212
 CEP descriptors, 37
 coordination compounds, 161–174
 bridging ligands, 148, 163–165
 general naming procedure, 168
 κ convention, 11, 162–165
 metal–metal bonding, 165–166
 numbering central atoms, 39
 symmetrical central structural units, 172–174
 element sequence, 10–11
 hydrogen names of oxoacids, 135
 indication of metal–metal bonds, 23, 26
 order of ligands, 161, 163–165
 bridging vs. terminal, 163–164
 organometallics
 metal–metal bonds, 212
 order of central atoms, 232–233
Polyoxometallates, 40
Potasside, 311
Potassium oxides, names, 311
Prefix nomenclature, for metallocenes, 225–226
Prefixes (see also multiplicative prefixes), 16, 251–257
 in additive names, 16–17
 in functional replacement nomenclature, 138, 140
 geometrical, 34
 ligands in coordination entity, 112, 150–151
 structural, 34
 in substitutive names of parent hydride derivatives, 101–104
Primes
 for configuration index and polydentate ligands, 180
 in formulae and names, 36–37
 to indicate effective charge in solids, 240
 and indication of donor atom symbols, 156
 and ligand donor atoms, 159
 use in κ convention, 156, 159–160
 for organometallic compounds, 210–211
Priming convention, 194
 C/A assignment for polydentate ligands, 190
 and configuration index, 195–198
 for stereoisomers, 195–198
 bis(tridentate) complexes, 195–196
 with hexadentate ligands, 197
 with linear tetradentate ligands, 196
 in non-octahedral structures, 197–198
 with pentadentate ligands, 197
Priority
 of atoms in non-symmetrical dinuclear compounds, 116–117

and *C/A* convention, 187–191
 of donor atoms and configuration index,
 180
 square planar complexes, 180–181
 in Hantzsch–Widman names, 95–98
 in parent hydride names, cation *vs.*
 anion *vs.* radical, 109–110
 and *R/S* convention, 186
 Priority numbers, for donor atoms in
 stereoisomers, 193–195
 assignment, 194–195
 CIP rules, 194–195
 Proton, 48, 298
 Punctuation marks, hierarchy, 44

Q

Quasi-chemical reactions in solids,
 238–239, 241

R

R/S convention and absolute configuration,
 185–187
 tetrahedral compounds, 186
 trigonal pyramidal compounds, 186
 Radicals
 additive names, 112
 anion names, 10–11, 73–75
 cation names, 70–72
 chains and rings nomenclature, 121
 compositional names, 70–75
 derived from parent hydrides, 105,
 108–110
 ions, 10, 109–110
 shortened names, 109
 dinuclear compounds, 115–117
 formulae, 66
 names
 changed recommendations, 336 (see
 footnote e)
 table, 280–336
 Radical dot, 12
 enclosing marks, 21, 23
 in formulae, 27, 66
 in names, 28, 112
 Rare earth metals, 51

Replacement nomenclature
 for oxoacid derivatives, 139–140
 for polyboranes, 99
 use of arabic numerals, 38
 Replacement prefixes for parent hydride
 names
 chains of alternating skeletal atoms, 95
 heteronuclear monocyclic compounds,
 86–89
 heteronuclear polycyclic compounds,
 100–101
 homonuclear monocyclic compounds,
 87–89
 homonuclear polycyclic compounds, 89
 Ring compounds (see also chains and rings
 nomenclature)
 boron hydrides, 92
 catenacycles, 118–119, 121–122
 chelate rings
 absolute configuration and
 conformation, 35–36, 259
 skew-lines convention, 193
 cyclate compounds, 121–122
 cyclium compounds, 121
 cyclo prefix for coordination
 compounds, 129, 133, 171–172, 259
 cyclo prefix, 87–88, 92, 96–98, 259
 Hantzsch–Widman names
 heteronuclear monocyclic parent
 hydrides, 95–98
 heteronuclear polycyclic parent
 hydrides, 100–101, 103
 homonuclear monocyclic
 compounds, 87–89
 monocyclic group 13–16
 organometallics, 231–232
 parent name endings, 85, 96,
 251–257
 parent hydrides
 fusion of monocyclic compounds,
 89, 100–101
 heteronuclear compounds, 94–101
 heteronuclear monocyclic
 compounds, 86–89, 95–98
 homonuclear monocyclic
 compounds, 87–89

- homonuclear polycyclic compounds, 89
- von Baeyer notation
 - heteronuclear polycyclic parent hydrides, 100–101
 - homonuclear polycyclic parent hydrides, 89
- Roman numerals, in formulae and names, 34
- Ruthenocene, 225

S

- Salts, order of ions, 40
- Sandwich structure, 225
- See-saw complexes
 - absolute configuration, and *C/A* convention, 188
 - specifying configuration, 185
- Selective isotopic labelling, 64–65
- Selenate, 130, 332
- Selenic acid, 130
- Seleninic acid, 130
- Selenite, 130, 332
- Selenium oxoacids, 130
- Seleno, 138
- Selenocyanate, 292
- Selenocyanic acid, 290
- Selenonic acid, 130
- Selenous acid, 130
- Semicolons
 - in formulae, 30
 - selectively labelled compounds, 65
 - in names, 29
- Shear structures, 244
- Silicate, 127, 333
- Silicic acid, 127
- Silicon, table of compound names, 332–333
- Site occupancy, solids, 239–240
- Skeletal atoms, positions in
 - Hantzsch–Widman names, 38–39
- Skeletal replacement nomenclature, 6, 84
 - boron hydrides, 98–100
 - and group 13–16 organometallics, 231
 - heteronuclear acyclic parent hydrides, 94–95

- heteronuclear polycyclic parent hydrides, 100–101
- homonuclear polycyclic parent hydrides, 89
- in substitutive nomenclature, 6
- Skew-lines convention, 185, 191–193
 - cis*-bis(bidentate) complexes, 191–193
 - conformation of chelate rings, 193
 - tris(bidentate) complexes, 191–192
- Sodide, 318
- Solids, 235–247
 - allotropes
 - amorphous modifications, 51
 - crystalline modifications, 49–51
 - antiphase boundary, 244
 - chemical composition, 237–238
 - approximate formulae, 237
 - chemical twinning, 244–245
 - commensurate structures, 242–243
 - crystal type, 22
 - crystallographic shear structures, 244
 - defect clusters, 22, 241
 - effective charge, 27, 240–241
 - enclosing marks and site symbols, 19, 21
 - formulae, 56–57
 - homologous compounds, 243–244
 - infinitely adaptive structures, 245
 - insertion, 245
 - topochemical, 245
 - topotactic, 245
 - interstitial sites, 239
 - intercalation compounds, 245
 - Kröger–Vink notation, 238–241
 - crystallographic sites, 239–240
 - defect clusters, 241
 - indication of charge, 27, 240–241
 - quasi-chemical reactions, 238–239, 241
 - site occupancy, 239
 - mineral names, 237
 - misfit structures, 243
 - mixtures, 236
 - modulated structures, 242–243
 - non-commensurate structures, 242–243
 - non-stoichiometric phases, 236, 242–245

- Pearson notation, 57, 241–242
 phase composition, 237–238
 variation, 35, 238
 phase nomenclature, 241–242
 point defect notation (see Kröger–Vink notation), 238–241
 polymorphism, 245–246
 polytypes, 246
 use of crystal systems, 246
 site type, 19, 21, 29
 solutions, 236
 structural type, 34
 unit cell twinning, 244–245
 Vernier structures, 242–243
 Solidus, in names of addition compounds, 27
 Spaces in names, 30
 Specific isotopic labelling, 64–65
 Square brackets
 in formulae, 17–19
 to enclose coordination entity, 17–19, 59, 113–117
 to enclose structural formulae, 19
 isotopically labelled compounds, 64–65
 in names, 17, 19–20
 Square planar complexes, configuration index, 180–181
 Square pyramidal complexes, specifying configuration, 183–184
 Standard bonding numbers, 84
 and mononuclear acyclic parent hydrides, 86
 Stereochemical priorities, CIP rules, 44
 Stereochemistry, atom numbering, 40
 Stereochemical descriptors (or stereodescriptors), 144
 and enclosing marks, 22–24
 polyhedral symbols, 175–179
 Stereoisomers of coordination compounds, 175
 Stibine, obsolete name for stibane, 85 (see footnote e)
 Stibinic acid, 129
 Stibinous acid, 129
 Stibonic acid, 129
 Stibonous acid, 129
 Stiboric acid, 129
 Stiborous acid, 129
 Stock number (see oxidation number)
 Stoichiometric descriptors, for addition compounds, 33, 80–81
 Stoichiometric names (see also generalized stoichiometric names), 6, 69–75
 binary compounds, 69–70
 boron hydrides, 89–90
 ions, 70–75
 anions, 72–75
 cations, 70–72
 order of components, 6, 75–76
 order of elements, 69
 table, 280–336
 Stoichiometric phases, 236
 Strike-through parentheses, in formulae of polymers, 22, 56, 61
 Structural affixes, 259
 Structural descriptors, 166, 168
 in boron hydride nomenclature, 90–92
 in formulae, 67
 for polynuclear clusters, 170, 172–174
 Structural formulae
 enclosing marks, 55–56
 of ligands, 261–268
 Subscripts
 to indicate atomic number, 32, 47–48
 Substituent groups
 in boron hydrides, 104–105
 derived from metallocenes, 225–226
 derived from parent hydrides, 101–104, 108–110
 and enclosing marks, 22–23
 ligands forming multiple metal–carbon bonds, 213–215
 in organometallics, 203
 named from parent hydrides, 204, 207
 table of names, 280–336
 Substitutive nomenclature, 6–7, 83–110
 vs. additive nomenclature, 83–84, 113–118
 for parent hydrides, 102–103
 boron hydrides
 hydrogen atom distribution, 93–94

- hydrogen substitution, 104–105
- numbering of clusters, 92–93
- skeletal replacement, 98–100
- stoichiometric names, 89–90
- structural descriptor names, 90–92
- for group 13–16 organometallics, 230–233
- heteropolyatomic anions, 74
- heteropolyatomic cations, 71–72
 - numbering of multiple bonds, 87
- name construction, 84
- order
 - of characteristic groups, 43
 - of functional groups, 43
 - of prefixes, 16–17, 101
- oxoacids, 125–126
- parent hydride names, 83–110
 - derivatives, 101–104
 - ions, 105–108
 - heteronuclear compounds, 94–98, 100–101
 - homonuclear compounds, 84–89
 - radicals, 105, 108–110
- subtractive operations, 7
- suffixes and prefixes, 101–104
- table of ‘a’ terms, 337–339
- table of names, 280–336
- Suffixes,
 - in name construction, 5
 - in substitutive names of parent hydride derivatives, 101–104
- table, 251–257
- Sulfamic acid, 140
- Sulfate, 129, 328
- Sulfenic acid, 132 (see footnote k)
- Sulfido, 327
- Sulfinic acid, 130
- Sulfinyl, 327
- Sulfite, 130, 328
- Sulfonic acid, 129
- Sulfonyl, 327
- Sulfoxylic acid, 132 (see footnote k)
- Sulfur compounds
 - oxoacids, 126, 129–130, 133, 137
 - derivatives, 139–140
 - names, 30, 327–330
 - oxides, 327–330
- Sulfuric acid, 129
- Sulfurous acid, 129
- Sulfuryl, 140, 327
- Superoxide, 73, 320
- Superscripts
 - charge, 47
 - to indicate mass number, 32, 47
- Symbols for elements, 46–47, 248–250
- Symmetrical dinuclear compounds,
 - additive names, 114–116
- Systems of nomenclature, 5–8
 - choice of system, 7–8
- T**
- T-shaped complexes, specifying configuration, 185
- Tautomers
 - of heteronuclear monocyclic compounds, 96
 - and hydrogen names, 135
- Tellurate, 130, 334
- Telluric acid, 130
- Tellurinic acid, 130
- Tellurium oxoacids, 130
- Telluro, 138
- Telluronic acid, 130
- Tellurous acid, 130
- Terminal ligands, citation vs. bridging ligands, 43–44, 163–164
- Tetradentate ligands, diastereoisomeric compounds, 179
- ‘tetra’ vs. ‘tetrakis’, 37, 150–151, 258
- Tetrahedral complexes, absolute configuration and *R/S* convention, 185
- Tetrathionate, 330
- Tetrathionic acid, 126, 130, 132 (see footnote m)
- Thio
 - infix or prefix in functional replacement names, 138, 249 (see footnote n)
 - obsolete ligand name (see sulfido)
- Thiocyanate, 292
- Thiocyanic acid, 140, 289
- Thionyl, 140, 327

- Thiosulfate, 139, 329
 Thiosulfite, 140, 329
 Thiosulfuric acid, 139
 Thiosulfurous acid, 139
 Three-coordination, idealized geometries, 179
 ‘Titanocene’, 226–227
 Topochemical insertion, 245
 Topotactic insertion, 245
trans maximum difference, and configuration index for square planar geometry, 181
trans prefix, 67, 179, 259
 and octahedral geometry, 182
 and square planar geometry, 180
 structural descriptor in formulae, 67
 Transition metal organometallics, 201–228, 232–233
 ‘tri’ vs. ‘tris’ as multiplicative prefixes, 37, 76, 150–151, 258
 triiodide vs. tris(iodide), 79
 trisulfide vs. tris(sulfide), 79
 Trigonal bipyramidal complexes, *C/A*
 convention and absolute configuration, 187
 Trigonal prismatic complexes, *C/A*
 convention and absolute configuration, 190
 Trinuclear complexes, 167–172
 Triphosphoric acid, 129
 catena-triphosphoric acid, 129, 134
 cyclo-triphosphoric acid, 129, 133–134
 ‘tris’ vs. ‘tri’ as multiplicative prefixes, 37, 76, 150–151, 258
 Tris(bidentate) complexes, skew-lines
 convention and absolute configuration, 191–192
 Trithionic acid, 126, 132 (see footnote b)
 Trithionous acid, 132 (see footnote b)
 Tritium, atomic symbol, 48, 249
 Triton, 48, 298
 Twinning, 244–245
- U**
 Unit cell
 and names of allotropes, 50
 twinning, 244–245
 ‘Uranocene’, 227
- V**
 Vanadocene, 225
 Vernier structures, 242–243
 von Baeyer notation
 and arabic numerals, 39
 heteronuclear polycyclic parent hydrides, 100–101
 homonuclear polycyclic parent hydrides, 89
- Y**
 ‘y’ terms, 121
- Z**
 Zeise’s salt, 215