

The ScreenShot From My VSCode Editor

```
// name : zeynep özge toptaş
// student number: 240104004006

String name = ""; // Variable to store the user's name
String messages[] = {
    "Keep going!",
    "You got this.",
    "You're doing great"
};

void setup() {
    Serial.begin(9600);
    randomSeed(analogRead(0));
    Serial.println("Please enter your name:");
}

void loop() {
    if (Serial.available() > 0) {
        name = Serial.readStringUntil('\n');
        name.trim();
        if (name.length() > 0) {
            Serial.print("Hello ");
            Serial.print(name);
            Serial.println("!");
            Serial.println(messages[random(0, 3)]);
            Serial.println("Please enter your name:");
        }
    }
}
```

The Code Itself

```
String name = ""; // Variable to store the user's name
```

```
String messages[] = {
```

```
    "Keep going!",
```

```
    "You got this.",
```

```
    "You're doing great"
```

```
};
```

```
void setup() {
```

```
    Serial.begin(9600);
```

```
    randomSeed(analogRead(0));
```

```
    Serial.println("Please enter your name:");
```

```
}
```

```
void loop() {
```

```
    if (Serial.available() > 0) {
```

```
        name = Serial.readStringUntil('\n');
```

```
        name.trim();
```

```
if (name.length() > 0) {  
    Serial.print("Hello ");  
    Serial.print(name);  
    Serial.println("!");  
    Serial.println(messages[random(0, 3)]);  
    Serial.println("Please enter your name:");  
}  
}  
}
```

The Screenshot of The Output Terminal

