



Characteristics of undulatory locomotion in granular media


Zhiwei Peng and Gwynn J. Elfring University of British Columbia

On Shun Pak
Santa Clara University


APS DFD November 23, 2015

Undulatory locomotion





Friedrich, B. M., et al., J. Exp. Biol. 213, 1226–1234 (2010)




Dorgan, K. M., Law, C. J., Rouse, G. W., Proc. R. Soc. B 280(1757), 20122948.



© CC BY-SA 4.0



© CC BY-SA 4.0



Maladen, Ryan D., et al., Science 325.5938 (2009): 314-318.

Granular media



- Conglomeration of discrete macroscopic particles
- Fluid-like & solid-like
- Anisotropic response to intrusion
- Volume fraction: 0.58 (LP) 0.62 (CP)

Assumptions:

- dry GM
- slow motion: inertialess



© CC BY-SA 3.0


How to characterize particle-body/particle-particle interaction?

Slender body dynamics



Localized interaction

 Force measurements (Goldman's group)



Maladen, Ryan D., et al., Science 325.5938 (2009): 314-318.

$$f_{\parallel}$$
 f_{\perp}

$$f_{\parallel} = C_{\parallel} \cos \psi$$

$$f_{\perp} = C_{\perp}(\psi) \sin \psi$$

$$C_{\perp}(\psi) > C_{\parallel}$$

Infinite swimmer



- Infinitely many number of sinusoidal waves
- 1D force balance




Optimal deformation?

• Finite-size effect?

Swimmer model



- Prescribed planar waveform
- Nonlinear resistive force theory



$$\mathbf{f} = -C_{\parallel} \hat{\mathbf{u}} \cdot \mathbf{t} \mathbf{t} - C_{\perp}(\psi) \left(\hat{\mathbf{u}} - \hat{\mathbf{u}} \cdot \mathbf{t} \mathbf{t} \right)$$


• Force-free and torque-free: $\int_0^L \mathbf{f} ds = \mathbf{0}$, $\int_0^L \mathbf{x}(s,t) \times \mathbf{f} ds = \mathbf{0}$

Optimal swimming



Optimal shape: sawtooth

$$\eta = \frac{C_{\parallel} L U}{\left\langle \int_0^L \mathbf{f} \cdot \mathbf{u} \mathrm{d}s \right\rangle}$$




Local optimality

- low energy expenditure
- high propulsive force

Sawtooth: global extension of a local optimum

Finite sinusoidal swimmers






Symmetry



$$\mathbf{u}
ightarrow -\mathbf{u} \hspace{0.2cm} \Longrightarrow \hspace{0.2cm} \mathbf{f}
ightarrow -\mathbf{f}$$




Koehler, S., Spoor, T., & Tilley, B. S. (2012). Phys. Fluids, 24(9), 091901.

Swimming characteristics



Reorientation

Direction of swimming




Pitching

Diminishes performance

Swimming efficiency





Conclusion



1. Sandfish swimming in nature is closely tuned for optimality

- 2. Distinct similarity: GM & Newtonian
- Local resistive force theory
- Kinematic reversibility

3. Rich dynamics: the effective design of artificial swimmers