

IERG 5350 Assignment 1: Tabular Reinforcement Learning

2021-2022 1st term, IERG 5350: Reinforcement Learning. Department of Information Engineering, The Chinese University of Hong Kong. Course Instructor: Professor ZHOU Bolei. Assignment author: PENG Zhenghao.

Student Name	Student ID
Qihang ZHANG, 章启航	1155165194

Welcome to the assignment 1 of our RL course. The objective of this assignment is for you to understand the classic methods used in tabular reinforcement learning.

This assignment has the following sections:

- Section 1: Warm-up on the RL environment (35 points)
- Section 2: Implementation of the model-based family of algorithms: policy iteration and value iteration. (65 points)

You need to go through this self-contained notebook, which contains **21 TODOs** in part of the cells and has special [TODO] signs. You need to finish all TODOs.

You are encouraged to add more code on extra cells at the end of the each section to investigate the problems you think interesting. At the end of the file, we leave a place for you to write comments optionaly (Yes, please give us either negative or positive rewards so we can keep improving the assignment!).

Please report any code bugs to us via **github issues**.

Before you get start, remember to follow the instruction at
<https://github.com/cuhkrlcourse/ierg5350-assignment-2021/tree/main/assignment0> to setup your environment.

Now start running the cells sequentially (by `ctrl + enter` or `shift + enter`) to avoid unnecessary errors by skipping some cells.

Section 1: Warm-up on the RL environment

(35/100 points)

In this section, we will go through the basic concepts of RL environments using OpenAI Gym. Besides, you will get the first sense of the toy environment we will use in the rest of the assignment.

Every Gym environment should contain the following attributes:

1. `env.step(action)` To step the environment by applying `action`. Will return four things: `observation`, `reward`, `done`, `info`, wherein `done` is a boolean value

indicating whether this **episode** is finished. `info` may contain some information the user is interested in, we do not use it.

2. `env.reset()` To reset the environment, back to the initial state. Will return the initial observation.
3. `env.render()` To render the current state of the environment for human-being
4. `env.action_space` The allowed action format. In our case, it is `Discrete(4)` which means the action is an integer in the range [0, 1, 2, 3]. Therefore the `action` for `step(action)` should obey the limit of the action space.
5. `env.observation_space` The observation space.
6. `env.seed(seed)` To set the random seed of the environment. So the result is replicable.

Note that the word **episode** means the process that an agent interacts with the environment from the initial state to the terminal state. Within one episode, the agent will only receive one `done=True`, when it goes to the terminal state (the agent is dead or the game is over).

We will use "FrozenLake8x8-v1" as our environment. In this environment, the agent controls the movement of a character in a grid world. Some tiles of the grid are walkable, and others lead to the agent falling into the water. Additionally, the movement direction of the agent is uncertain and only partially depends on the chosen direction. The agent is rewarded for finding a walkable path to a goal tile. The meaning of each character:

1. S : starting point, safe
2. F : frozen surface, safe
3. H : hole, fall to your doom
4. G : goal, where the frisbee is located

In [1]:

```
import sys
sys.path.append('C:\\\\users\\\\hp\\\\anaconda3\\\\envs\\\\metadrive\\\\lib\\\\site-packages')
```

In [2]:

```
# Run this cell without modification

# Import some packages that we need to use
from utils import *
import gym
import numpy as np
from collections import deque
```

Section 1.1: Make the environment

You need to know

1. How to make an environment
2. How to set the random seed of environment
3. What is observation space and action space

In [3]:

```
# Solve the TODOS and remove `pass`

# [TODO] Just a reminder. Do you add your name and student
# ID in the table at top of the notebook?

# Create the environment
env = gym.make('FrozenLake8x8-v1')
```

```
# You need to reset the environment immediately after instantiating env.
env.reset() # [TODO] uncomment this line

# Seed the environment
env.seed(0) # [TODO] uncomment this line

print("Current observation space: {}".format(env.observation_space))
print("Current action space: {}".format(env.action_space))
print("0 in action space? {}".format(env.action_space.contains(0)))
print("5 in action space? {}".format(env.action_space.contains(5)))
```

```
Current observation space: Discrete(64)
Current action space: Discrete(4)
0 in action space? True
5 in action space? False
```

Section 1.2: Play the environment with random actions

You need to know

1. How to step the environment
2. How to render the environment

In [4]:

```
# Solve the TODOs and remove `pass`

# Run 1000 steps for test, terminate if done.
# You can run this cell multiples times.
env.reset()

while True:
    # take random action
    # [TODO] Uncomment next line
    obs, reward, done, info = env.step(env.action_space.sample())

    # render the environment
    env.render() # [TODO] Uncomment this line

    print("Current observation: {}\nCurrent reward: {}\n"
          "Whether we are done: {}\ninfo: {}".format(
        obs, reward, done, info
    ))
    wait(sleep=0.5)

    # [TODO] terminate the loop if done
    if done:
        break
```

```
(Up)
SFFFFFFF
FFFFFFFF
FFFHFFFF
FFFFFHFF
FFFHFFFF
FHHFFFHF
FHFFFHFF
FFFHFFFG
Current observation: 19
Current reward: 0.0
Whether we are done: True
info: {'prob': 0.3333333333333333}
```

Section 1.3: Define the evaluation function to value the random

baseline

Now we need to define an evaluation function to evaluate a given policy (a function where the input is observation and the output is action). This is convenient for future evaluation.

As a reminder, you should create a `FrozenLake8x8-v1` environment instance by default, reset it after each episode (and at the beginning), step the environment, and terminate episode if done.

After implementing the `evaluate` function, run the next cell to check whether you are right.

In [11]:

```
# Solve the TODOs and remove `pass`

def _render_helper(env):
    env.render()
    time.sleep(0.2)

def evaluate(policy, num_episodes, seed=0, env_name='FrozenLake8x8-v1', render=False):
    """[TODO] You need to implement this function by yourself. It
    evaluate the given policy and return the mean episode reward.
    We use `seed` argument for testing purpose.
    You should pass the tests in the next cell.

    :param policy: a function whose input is an interger (observation)
    :param num_episodes: number of episodes you wish to run
    :param seed: an interger, used for testing.
    :param env_name: the name of the environment
    :param render: a boolean flag. If true, please call _render_helper
    function.
    :return: the averaged episode reward of the given policy.
    """
    # Create environment (according to env_name, we will use env other than 'FrozenLake8x8-v1')
    env = gym.make(env_name)

    # Seed the environment
    env.seed(seed)

    # Build inner Loop to run.
    # For each episode, do not set the limit.
    # Only terminate episode (reset environment) when done = True.
    # The episode reward is the sum of all rewards happen within one episode.
    # Call the helper function `render(env)` to render
    rewards = []
    for i in range(num_episodes):
        # reset the environment
        obs = env.reset()
        act = policy(obs)

        ep_reward = 0
        while True:
            # [TODO] run the environment and terminate it if done, collect the
            # reward at each step and sum them to the episode reward.
            o, r, d, i = env.step(act)
            ep_reward += r
            if render:
                _render_helper(env)
            if d:
                break
            act = policy(o)
```

```

    rewards.append(ep_reward)

    return np.mean(rewards)

# [TODO] Run next cell to test your implementation!

```

In [6]:

```

# Run this cell without modification

# Run this cell to test the correctness of your implementation of `evaluate`.
LEFT = 0
DOWN = 1
RIGHT = 2
UP = 3

def expert(obs):
    """Go down if agent at the right edge, otherwise go right."""
    return DOWN if (obs + 1) % 8 == 0 else RIGHT

def assert_equal(seed, value, env_name):
    ret = evaluate(expert, 1000, seed, env_name=env_name)
    assert ret == value, \
        "When evaluate on seed {}, 1000 episodes, in {} environment, the " \
        "averaged reward should be {}. But you get {}".format(seed, env_name, value, ret)

assert_equal(0, 0.065, 'FrozenLake8x8-v1')
assert_equal(1, 0.059, 'FrozenLake8x8-v1')
assert_equal(2, 0.055, 'FrozenLake8x8-v1')

assert_equal(0, 0.026, 'FrozenLake-v1')
assert_equal(1, 0.034, 'FrozenLake-v1')
assert_equal(2, 0.028, 'FrozenLake-v1')

print("Test Passed!")
print("\nAs a baseline, the mean episode reward of a hand-craft "
      "agent is: ", evaluate(expert, 1000))

```

Test Passed!

As a baseline, the mean episode reward of a hand-craft agent is: 0.065

Congraduation! You have finished section 1 (if and only if not error happen at the above codes).

If you want to do more investigation, feel free to open new cells via Esc + B after the next cells and write codes in it, so that you can reuse some result in this notebook. Remember to write sufficient comments and documents to let others know what you are doing.

In [7]:

```
# You can do more inverstigation here if you wish. Leave it blank if you don't.
```

Section 2: Model-based Tabular RL

(65/100 points)

We have learned how to use the Gym environment to run an episode, as well as how to interact between the agent (policy) and environment via `env.step(action)` to collect observation, reward, done, and possible extra information.

Now we need to build the basic tabular RL algorithm to solve this environment. **Note that compared to the model-free methods in the Sec.3, the algorithms in this section needs to access the internal information of the environment, namely the transition dynamics.** In our case, given a state and an action, we need to know which state current environment would jump to, and the probability of this happens, and the reward if the transition happens. You will see that we provide you a helper function `trainer._get_transitions(state, action)` that takes state and action as input and return you a list of possible transitions.

You will use a class to represent a Trainer, which seems to be over-complex for tabular RL. But we will use the same framework in the future assignments, or even in your future research. So it would be helpful for you to get familiar with how to implement an RL algorithm in a class-oriented programming style, as a first step toward the implementation of state of the art RL algorithm in the future.

In [12]:

```
# Run this cell without modification

class TabularRLTrainerAbstract:
    """This is the abstract class for tabular RL trainer. We will inherit the specific
    algorithm's trainer from this abstract class, so that we can reuse the codes like
    getting the dynamic of the environment (self._get_transitions()) or rendering the
    learned policy (self.render())."""

    def __init__(self, env_name='FrozenLake8x8-v1', model_based=True):
        self.env_name = env_name
        self.env = gym.make(self.env_name)
        self.action_dim = self.env.action_space.n
        self.obs_dim = self.env.observation_space.n

        self.model_based = model_based

    def _get_transitions(self, state, act):
        """Query the environment to get the transition probability,
        reward, the next state, and done given a pair of state and action.
        We implement this function for you. But you need to know the
        return format of this function.
        """
        self._check_env_name()
        assert self.model_based, "You should not use _get_transitions in " \
            "model-free algorithm!"

        # call the internal attribute of the environments.
        # `transitions` is a list contain all possible next states and the
        # probability, reward, and termination indicator corresponding to it
        transitions = self.env.env.P[state][act]

        # Given a certain state and action pair, it is possible
        # to find there exist multiple transitions, since the
        # environment is not deterministic.
        # You need to know the return format of this function: a list of dicts
        ret = []
        for prob, next_state, reward, done in transitions:
            ret.append({
                "prob": prob,
                "next_state": next_state,
                "reward": reward,
                "done": done
            })
        return ret

    def _check_env_name(self):
```

```

assert self.env_name.startswith('FrozenLake')

def print_table(self):
    """print beautiful table, only work for FrozenLake8X8-v0 env. We
    write this function for you."""
    self._check_env_name()
    print_table(self.table)

def train(self):
    """Conduct one iteration of learning."""
    raise NotImplementedError("You need to override the "
                            "Trainer.train() function.")

def evaluate(self):
    """Use the function you write to evaluate current policy.
    Return the mean episode reward of 1000 episodes when seed=0."""
    result = evaluate(self.policy, 1000, env_name=self.env_name)
    return result

def render(self):
    """Reuse your evaluate function, render current policy
    for one episode when seed=0"""
    evaluate(self.policy, 1, render=True, env_name=self.env_name)

```

Section 2.1: Policy Iteration

Recall the idea of policy iteration:

1. Update the state value function, given all possible transitions in the environment.
2. Find the best policy that earns highest value under current state value function.
3. If the best policy is identical to the previous one then stop the training. Otherwise, return to step 1.

In step 1, the way to update the state value function is by

$$v_{k+1} = E_{s'}[r(s, a) + \gamma v_k(s')]$$

wherein the a is given by current policy, s' is next state, r is the reward, $v_k(s')$ is the next state value given by the old (not updated yet) value function. The expectation is computed among all possible transitions (given a state and action pair, it is possible to have many different next states, since the environment is not deterministic).

In step 2, the best policy is the one that takes the action with maximal expected return given a state:

$$a = \operatorname{argmax}_a E_{s'}[r(s, a) + \gamma v_k(s')]$$

Policy iteration algorithm has an outer loop (update policy, step 1 to 3) and an inner loop (fit the value function, within step 1).

In each outer loop, we call once `trainer.train()`, where we call `trainer.update_value_function()` once to update the value function (the state value table).

After that we call `trainer.update_policy()` to update the current policy.

trainer object has a trainer.policy attribute, which is a function that takes observation as input and returns an action.

You should implement the trainer following the framework we already wrote for you. Please carefully go through the codes and finish all TODO in it.

In [16]:

```
# Solve the TODOS and remove `pass`  
  
class PolicyIterationTrainer(TabularRLTrainerAbstract):  
    def __init__(self, gamma=1.0, eps=1e-10, env_name='FrozenLake8x8-v1'):  
        super(PolicyIterationTrainer, self).__init__(env_name)  
  
        # discount factor  
        self.gamma = gamma  
  
        # value function convergence criterion  
        self.eps = eps  
  
        # build the value table for each possible observation  
        self.table = np.zeros((self.obs_dim,))  
  
        # [TODO] you need to implement a random policy at the beginning.  
        # It is a function that take an integer (state or say observation)  
        # as input and return an interger (action).  
        # remember, you can use self.action_dim to get the dimension (range)  
        # of the action, which is an integer in range  
        # [0, ..., self.action_dim - 1]  
        # hint: generating random action at each call of policy may lead to  
        # failure of convergence, try generate random actions at initialization  
        # and fix it during the training.  
  
    def randmapping(input_dim, output_dim):  
        m = {i:np.random.randint(output_dim) for i in range(input_dim)}  
        def f(o):  
            return m[o]  
        return f  
    self.policy = randmapping(self.obs_dim, self.action_dim)  
  
    # test your random policy  
    test_random_policy(self.policy, self.env)  
  
    def train(self):  
        """Conduct one iteration of learning."""  
        # [TODO] value function may be need to be reset to zeros.  
        # if you think it should, than do it. If not, then move on.  
        # hint: the value function is equivalent to self.table,  
        # a numpy array with length 64.  
        # pass  
  
        self.update_value_function()  
        self.update_policy()  
  
    def update_value_function(self):  
        count = 0 # count the steps of value updates  
        while True:  
            old_table = self.table.copy()  
  
            for state in range(self.obs_dim):  
                act = self.policy(state)  
                transition_list = self._get_transitions(state, act)  
  
                state_value = 0  
                for transition in transition_list:
```

```

prob = transition['prob']
reward = transition['reward']
next_state = transition['next_state']
done = transition['done']

# [TODO] what is the right state value?
# hint: you should use reward, self.gamma, old_table, prob,
# and next_state to compute the state value
state_value += prob * (reward + self.gamma * old_table[next_stat

# update the state value
self.table[state] = state_value

# [TODO] Compare the old_table and current table to
# decide whether to break the value update process.
# hint: you should use self.eps, old_table and self.table
should_break = all(np.fabs(self.table - old_table) <= self.eps)

if should_break:
    break
count += 1
if count % 200 == 0:
    # disable this part if you think debug message annoying.
    print("[DEBUG]\tUpdated values for {} steps. "
          "Difference between new and old table is: {}".format(
              count, np.sum(np.abs(old_table - self.table))
          ), flush=True)
if count > 4000:
    print("[HINT] Are you sure your codes is OK? It shouldn't be "
          "so hard to update the value function. You already "
          "use {} steps to update value function within "
          "single iteration.".format(count), flush=True)
if count > 6000:
    raise ValueError("Clearly your code has problem. Check it!")

def update_policy(self):
    """You need to define a new policy function, given current
    value function. The best action for a given state is the one that
    has greatest expected return.

    To optimize computing efficiency, we introduce a policy table,
    which take state as index and return the action given a state.
    """
    policy_table = np.zeros([self.obs_dim, ], dtype=np.int32)
    for state in range(self.obs_dim):
        state_action_values = [0] * self.action_dim

        # [TODO] assign the action with greatest "value"
        # to policy_table[state]
        # hint: what is the proper "value" here?
        # you should use table, gamma, reward, prob,
        # next_state and self._get_transitions() function
        # as what we done at self.update_value_function()
        # Bellman equation may help.
        best_action = None
        for action in range(self.action_dim):
            state_action_value = 0
            transition_list = self._get_transitions(state, action)
            for transition in transition_list:
                prob = transition['prob']
                reward = transition['reward']
                next_state = transition['next_state']
                done = transition['done']
                state_action_value += prob * (reward + self.gamma * self.table[n

```

```

        state_action_values[action] = state_action_value
best_action = np.argmax(state_action_values)
policy_table[state] = best_action

self.policy = lambda obs: policy_table[obs]

```

Now we have built the Trainer class for policy iteration algorithm. In the following few cells, we will train the agent to solve the problem and evaluate its performance.

In [17]:

```

# Solve the TODOS and remove `pass`

# Managing configurations of your experiments is important for your research.
default_pi_config = dict(
    max_iteration=1000,
    evaluate_interval=1,
    gamma=1.0,
    eps=1e-10
)

#

def policy_iteration(train_config=None):
    config = default_pi_config.copy()
    if train_config is not None:
        config.update(train_config)

    trainer = PolicyIterationTrainer(gamma=config['gamma'], eps=config['eps'])

    old_policy_result = {
        obs: -1 for obs in range(trainer.obs_dim)
    }

    for i in range(config['max_iteration']):
        # train the agent
        trainer.train() # [TODO] please uncomment this line

        # [TODO] compare the new policy with old policy to check whether
        # should we stop. If new and old policy have same output given any
        # observation, them we consider the algorithm is converged and
        # should be stopped.
        new_policy_result = {obs: trainer.policy(obs) for obs in range(trainer.obs_d}
        should_stop = (old_policy_result == new_policy_result)

        if should_stop:
            print("We found policy is not changed anymore at "
                  "iteration {}. Current mean episode reward "
                  "is {}. Stop training.".format(i, trainer.evaluate()), flush=True)
            break
        old_policy_result = new_policy_result

        # evaluate the result
        if i % config['evaluate_interval'] == 0:
            print(
                "[INFO]\tIn {} iteration, current mean episode reward is {}."
                "".format(i, trainer.evaluate()), flush=True)

        if i > 20:
            print("You sure your codes is OK? It shouldn't take so many "
                  "({}) iterations to train a policy iteration "
                  "agent.".format(i), flush=True)

    assert trainer.evaluate() > 0.8, \
        "We expect to get the mean episode reward greater than 0.8. " \
        "But you get: {}".format(trainer.evaluate())

```

```
    return trainer
```

In [18]:

```
# Run this cell without modification

# It may be confusing to call a trainer agent. But that's what we normally do.
pi_agent = policy_iteration()
```

```
[DEBUG] Updated values for 200 steps. Difference between new and old table is: 9.762
284337151628e-06
[DEBUG] Updated values for 400 steps. Difference between new and old table is: 4.638
89181602018e-09
[INFO] In 0 iteration, current mean episode reward is 0.102.
[DEBUG] Updated values for 200 steps. Difference between new and old table is: 0.012
086730289035823
[DEBUG] Updated values for 400 steps. Difference between new and old table is: 0.000
8673080314220236
[DEBUG] Updated values for 600 steps. Difference between new and old table is: 9.007
093809342871e-05
[DEBUG] Updated values for 800 steps. Difference between new and old table is: 9.869
725995946543e-06
[DEBUG] Updated values for 1000 steps. Difference between new and old table is: 1.08
81004693166774e-06
[DEBUG] Updated values for 1200 steps. Difference between new and old table is: 1.20
0391351111052e-07
[DEBUG] Updated values for 1400 steps. Difference between new and old table is: 1.32
43671720050698e-08
[INFO] In 1 iteration, current mean episode reward is 0.472.
[DEBUG] Updated values for 200 steps. Difference between new and old table is: 0.003
740488060341926
[DEBUG] Updated values for 400 steps. Difference between new and old table is: 0.000
17003597963957673
[DEBUG] Updated values for 600 steps. Difference between new and old table is: 8.968
23280160941e-06
[DEBUG] Updated values for 800 steps. Difference between new and old table is: 4.763
104588662026e-07
[DEBUG] Updated values for 1000 steps. Difference between new and old table is: 2.53
0427532787538e-08
[INFO] In 2 iteration, current mean episode reward is 0.855.
[DEBUG] Updated values for 200 steps. Difference between new and old table is: 0.001
0436129679108203
[DEBUG] Updated values for 400 steps. Difference between new and old table is: 4.646
424065182786e-06
[DEBUG] Updated values for 600 steps. Difference between new and old table is: 2.073
039161165635e-08
[INFO] In 3 iteration, current mean episode reward is 0.77.
[DEBUG] Updated values for 200 steps. Difference between new and old table is: 0.000
5513925922004947
[DEBUG] Updated values for 400 steps. Difference between new and old table is: 1.860
0673164656523e-05
[DEBUG] Updated values for 600 steps. Difference between new and old table is: 5.266
76229045675e-07
[DEBUG] Updated values for 800 steps. Difference between new and old table is: 1.371
4513150131502e-08
[INFO] In 4 iteration, current mean episode reward is 0.688.
[DEBUG] Updated values for 200 steps. Difference between new and old table is: 0.000
19132884081538015
[DEBUG] Updated values for 400 steps. Difference between new and old table is: 1.801
2094348110463e-05
[DEBUG] Updated values for 600 steps. Difference between new and old table is: 1.373
8230361104442e-06
[DEBUG] Updated values for 800 steps. Difference between new and old table is: 9.513
478366196537e-08
[DEBUG] Updated values for 1000 steps. Difference between new and old table is: 6.23
0830934539355e-09
[INFO] In 5 iteration, current mean episode reward is 0.829.
[INFO] In 6 iteration, current mean episode reward is 0.867.
```

We found policy is not changed anymore at iteration 7. Current mean episode reward is 0.867. Stop training.

In [19]:

```
# Run this cell without modification

print("Your policy iteration agent achieve {} mean episode reward. The optimal score
      "should be closed to {}.".format(pi_agent.evaluate(), 0.86))
```

Your policy iteration agent achieve 0.867 mean episode reward. The optimal score should be closed to 0.86.

In [20]:

```
# Run this cell without modification

pi_agent.render()
```

```
(Right)
SFFFFFFF
FFFFFFFF
FFFHFFFF
FFFFFHFF
FFFHFFFF
FHHFFFHF
FHFFHFHF
FFFHFFFFG
```

In [21]:

```
# Run this cell without modification

pi_agent.print_table()
```

	0	1	2	3	4	5	6	7
0	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
1	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
2	1.000	0.978	0.926	0.000	0.857	0.946	0.982	1.000
3	1.000	0.935	0.801	0.475	0.624	0.000	0.945	1.000
4	1.000	0.826	0.542	0.000	0.539	0.611	0.852	1.000
5	1.000	0.000	0.000	0.168	0.383	0.442	0.000	1.000
6	1.000	0.000	0.195	0.121	0.000	0.332	0.000	1.000
7	1.000	0.732	0.463	0.000	0.277	0.555	0.777	0.000

Congratulations! You have successfully implemented the policy iteration trainer (if and only if no error happens at the above cells).

Here are few further problems for you to investigate:

1. What is the impact of the discount factor gamma?

2. What is the impact of the value function convergence criterion epsilon?

If you are interested in doing more investigation (not limited to these two), feel free to open new cells at the end of this notebook and left a clear trace of your thinking and coding, which leads to extra credit if you do a good job. It's an optional job, and you can ignore it.

Now let's continue our journey!

Section 2.2: Value Iteration

Recall the idea of value iteration. We update the state value:

$$v_{k+1}(s) = \max_a E_{s'}[r(s, a) + \gamma v_k(s')]$$

wherein the s' is next state, r is the reward, $v_k(s')$ is the next state value given by the old (not updated yet) value function. The expectation is computed among all possible transitions (given a state and action pair, it is possible to have many different next states, since the environment is not deterministic).

The value iteration algorithm does not require an inner loop. It computes the expected return of all possible actions at a given state and uses the maximum of them as the state value. You can imagine it "pretends" we already have the optimal policy and run policy iteration based on it. Therefore we do not need to maintain a policy object in a trainer. We only need to retrieve the optimal policy using the same rule as policy iteration, given current value function.

You should implement the trainer following the framework we already wrote for you. Please carefully go through the code and finish all TODO in it.

In [22]:

```
# Solve the TODOS and remove `pass`  
  
class ValueIterationTrainer(PolicyIterationTrainer):  
    """Note that we inherit Policy Iteration Trainer, to reuse the  
    code of update_policy(). It's same since it get optimal policy from  
    current state-value table (self.table).  
    """  
  
    def __init__(self, gamma=1.0, env_name='FrozenLake8x8-v1'):  
        super(ValueIterationTrainer, self).__init__(gamma, None, env_name)  
  
    def train(self):  
        """Conduct one iteration of learning."""  
        # [TODO] value function may be need to be reset to zeros.  
        # if you think it should, than do it. If not, then move on.  
        pass  
  
        # In value iteration, we do not explicit require a  
        # policy instance to run. We update value function  
        # directly based on the transitions. Therefore, we  
        # don't need to run self.update_policy() in each step.  
        self.update_value_function()  
  
    def update_value_function(self):  
        old_table = self.table.copy()  
  
        for state in range(self.obs_dim):  
            state_value = 0
```

```

# [TODO] what should be the right state value?
# hint: try to compute the state_action_values first
for action in range(self.action_dim):
    transition_list = self._get_transitions(state, action)
    cur_sa_value = 0
    for transition in transition_list:
        prob = transition['prob']
        reward = transition['reward']
        next_state = transition['next_state']
        done = transition['done']
        cur_sa_value += prob * (reward + self.gamma * old_table[next_state])
    if cur_sa_value > state_value:
        state_value = cur_sa_value
    self.table[state] = state_value

# Till now the one step value update is finished.
# You can see that we do not use a inner loop to update
# the value function like what we did in policy iteration.
# This is because to compute the state value, which is
# a expectation among all possible action given by a
# specified policy, we **pretend** already own the optimal
# policy (the max operation).

def evaluate(self):
    """Since in value iteration we do not maintain a policy function,
    so we need to retrieve it when we need it."""
    self.update_policy()
    return super().evaluate()

def render(self):
    """Since in value iteration we do not maintain a policy function,
    so we need to retrieve it when we need it."""
    self.update_policy()
    return super().render()

```

In [23]:

```

# Solve the TODOs and remove `pass`

# Managing configurations of your experiments is important for your research.
default_vi_config = dict(
    max_iteration=10000,
    evaluate_interval=100, # don't need to update policy each iteration
    gamma=1.0,
    eps=1e-10
)

def value_iteration(train_config=None):
    config = default_vi_config.copy()
    if train_config is not None:
        config.update(train_config)

    # [TODO] initialize Value Iteration Trainer. Remember to pass
    # config['gamma'] to it.
    trainer = ValueIterationTrainer(config['gamma'])

    old_state_value_table = trainer.table.copy()
    old_policy_result = {
        obs: -1 for obs in range(trainer.obs_dim)
    }

    for i in range(config['max_iteration']):
        # train the agent
        trainer.train() # [TODO] please uncomment this line

```

```

# evaluate the result
if i % config['evaluate_interval'] == 0:
    print("[INFO]\tIn {} iteration, current "
          "mean episode reward is {}".format(
        i, trainer.evaluate())
    )

# [TODO] compare the new policy with old policy to check should
# we stop.
# [HINT] If new and old policy have same output given any
# observation, them we consider the algorithm is converged and
# should be stopped.
new_policy_result = {obs: trainer.policy(obs) for obs in range(trainer.o
should_stop = (old_policy_result == new_policy_result)
old_policy_result = new_policy_result

if should_stop:
    print("We found policy is not changed anymore at "
          "iteration {}. Current mean episode reward "
          "is {}. Stop training.".format(i, trainer.evaluate()))
    break

if i > 3000:
    print("You sure your codes is OK? It shouldn't take so many "
          "({}) iterations to train a policy iteration "
          "agent.".format(
        i))

assert trainer.evaluate() > 0.8, \
    "We expect to get the mean episode reward greater than 0.8. " \
    "But you get: {}".format(trainer.evaluate())

return trainer

```

In [24]:

```
# Run this cell without modification
```

```
vi_agent = value_iteration()
```

```
[INFO] In 0 iteration, current mean episode reward is 0.0.
[INFO] In 100 iteration, current mean episode reward is 0.892.
[INFO] In 200 iteration, current mean episode reward is 0.867.
[INFO] In 300 iteration, current mean episode reward is 0.867.
[INFO] In 400 iteration, current mean episode reward is 0.867.
[INFO] In 500 iteration, current mean episode reward is 0.867.
We found policy is not changed anymore at iteration 500. Current mean episode reward
is 0.867. Stop training.
```

In [25]:

```
# Run this cell without modification
```

```
print("Your value iteration agent achieve {} mean episode reward. The optimal score
      "should be almost {}".format(vi_agent.evaluate(), 0.86))
```

Your value iteration agent achieve 0.867 mean episode reward. The optimal score shou
ld be almost 0.86.

In [27]:

```
# Run this cell without modification
```

```
vi_agent.render()
```

```
(Right)
SFFFFFFF
FFFFFFF
FFFHFFFF
```

```
FFFFFHFF
FFFHFFFF
FHHFFFHF
FHFFFHFF
FFFHFFFFG
```

In [28]: *# Run this cell without modification*

```
vi_agent.print_table()
```

		State Value Mapping							
		0	1	2	3	4	5	6	7
0	0	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999
1	1	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999
2	2	0.998	0.976	0.925	0.000	0.856	0.945	0.981	0.999
3	3	0.997	0.932	0.799	0.474	0.623	0.000	0.944	1.000
4	4	0.997	0.823	0.541	0.000	0.539	0.611	0.851	1.000
5	5	0.996	0.000	0.000	0.168	0.383	0.442	0.000	1.000
6	6	0.996	0.000	0.194	0.121	0.000	0.332	0.000	1.000
7	7	0.996	0.728	0.461	0.000	0.277	0.555	0.777	0.000

Congratulation! You have successfully implemented the value iteration trainer (if and only if no error happens at the above cells). Few further problems for you to investigate:

1. Do you see that some iteration during training yields better rewards than the final one?
Why does that happen?
2. What is the impact of the discount factor gamma?
3. What is the impact of the value function convergence criterion epsilon?

If you are interested in doing more investigation (not limited to these two), feel free to open new cells at the end of this notebook and left a clear trace of your thinking and coding, which leads to extra credit if you do a good job. It's an optional job, and you can ignore it.

Now let's continue our journey!

Section 2.3: Compare two model-based agents

Now we have two agents: `pi_agent` and `vi_agent`. They are believed to be the optimal policy in this environment. Can you compare the policy of two of them and use a clean and clear description or figures to show your conclusion?

In [29]:

```
# Solve the TODO and remove `pass`
```

```
# [TODO] try to compare two trained agents' policies
# hint: trainer.print_table() may give you a better sense.
pi_agent.print_table()
vi_agent.print_table()
```

	State Value Mapping							
	0	1	2	3	4	5	6	7
0	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
1	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
2	1.000	0.978	0.926	0.000	0.857	0.946	0.982	1.000
3	1.000	0.935	0.801	0.475	0.624	0.000	0.945	1.000
4	1.000	0.826	0.542	0.000	0.539	0.611	0.852	1.000
5	1.000	0.000	0.000	0.168	0.383	0.442	0.000	1.000
6	1.000	0.000	0.195	0.121	0.000	0.332	0.000	1.000
7	1.000	0.732	0.463	0.000	0.277	0.555	0.777	0.000

	State Value Mapping							
	0	1	2	3	4	5	6	7
0	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999
1	0.999	0.999	0.999	0.999	0.999	0.999	0.999	0.999
2	0.998	0.976	0.925	0.000	0.856	0.945	0.981	0.999
3	0.997	0.932	0.799	0.474	0.623	0.000	0.944	1.000
4	0.997	0.823	0.541	0.000	0.539	0.611	0.851	1.000
5	0.996	0.000	0.000	0.168	0.383	0.442	0.000	1.000
6	0.996	0.000	0.194	0.121	0.000	0.332	0.000	1.000
7	0.996	0.728	0.461	0.000	0.277	0.555	0.777	0.000

In [30]:

```
# You can do more investigation here if you wish. Leave it blank if you don't.
```

Conclusion and Discussion

In this assignment, we learn how to use Gym package, how to use Object Oriented Programming idea to build a basic tabular RL algorithm.

It's OK to leave the following cells empty. In the next markdown cell, you can write whatever you like. Like the suggestion on the course, the confusing problems in the assignments, and so on.

Following the submission instruction in the assignment to submit your assignment to our staff.
Thank you!

...