### **Monthly Report**

**Zhang Qi** 



School of Automation, Huazhong University of Science and Technology, Wuhan, China.

**January 3, 2016** 

#### **Outlines**

Multiple Models for Risk Assessment

Simulation

Task Planning

## **Multiple Models for Risk Assessment**

• Attack Strategy refers to the atom attack which is launched by an attacker to achieve his destructive purpose.

- Attack Strategy refers to the atom attack which is launched by an attacker to achieve his destructive purpose.
- · **System Function** refers to the function of control system.

- Attack Strategy refers to the atom attack which is launched by an attacker to achieve his destructive purpose.
- **System Function** refers to the function of control system.
- Security Strategy is a kind of defense strategy which can prevent attack strategy.


- Attack Strategy refers to the atom attack which is launched by an attacker to achieve his destructive purpose.
- · **System Function** refers to the function of control system.
- Security Strategy is a kind of defense strategy which can prevent attack strategy.
- **Recover Strategy** is a kind of defense strategy which can recover the failed system function.

- Attack Strategy refers to the atom attack which is launched by an attacker to achieve his destructive purpose.
- · **System Function** refers to the function of control system.
- Security Strategy is a kind of defense strategy which can prevent attack strategy.
- Recover Strategy is a kind of defense strategy which can recover the failed system function.
- Hazardous Incident refers to the unexpected incident which will cause monetary loss of ICSs.


- Attack Strategy refers to the atom attack which is launched by an attacker to achieve his destructive purpose.
- · System Function refers to the function of control system.
- Security Strategy is a kind of defense strategy which can prevent attack strategy.
- Recover Strategy is a kind of defense strategy which can recover the failed system function.
- Hazardous Incident refers to the unexpected incident which will cause monetary loss of ICSs.
- Production Process refers a manufacturing step which is a part of in a production chain.

- Attack Strategy refers to the atom attack which is launched by an attacker to achieve his destructive purpose.
- · System Function refers to the function of control system.
- Security Strategy is a kind of defense strategy which can prevent attack strategy.
- Recover Strategy is a kind of defense strategy which can recover the failed system function.
- Hazardous Incident refers to the unexpected incident which will cause monetary loss of ICSs.
- Production Process refers a manufacturing step which is a part of in a production chain.
- Monetary Loss is the sum of the loss caused by malicious attacks, the loss of production process shutdown, and the enforcement cost of defense strategy.


 The attack strategy can invalidate the system function.




- The attack strategy can invalidate the system function.
- The failure of the system function can lead to hazardous incident and product process shutdown.




- The attack strategy can invalidate the system function.
- The failure of the system function can lead to hazardous incident and product process shutdown.
- The occurrence of these two unexpected events will both cause the monetary loss of ICSs.



- The attack strategy can invalidate the system function.
- The failure of the system function can lead to hazardous incident and product process shutdown.
- The occurrence of these two unexpected events will both cause the monetary loss of ICSs.
- The security strategy will prevent the enforcement of attack strategy, but its side effect is that it may invalidate the system function.



- The attack strategy can invalidate the system function.
- The failure of the system function can lead to hazardous incident and product process shutdown.
- The occurrence of these two unexpected events will both cause the monetary loss of ICSs.
- The security strategy will prevent the enforcement of attack strategy, but its side effect is that it may invalidate the system function.
- The recover strategy has ability of recovering the failed system function, and it has the enforcement cost.



#### **Multiple Models of Risk Assessment for ICSs**

The following three models are used to described the relationships amongst these seven factors.

• The **multi-level Bayesian network**, involves attack strategy, system function, hazardous incident, and monetary loss. This model uses Bayesian network to describe the causal relationship of these four factors and it can be used to assess the risk caused by the malicious attacks.

#### Multiple Models of Risk Assessment for ICSs

The following three models are used to described the relationships amongst these seven factors.

- The multi-level Bayesian network, involves attack strategy, system function, hazardous incident, and monetary loss. This model uses Bayesian network to describe the causal relationship of these four factors and it can be used to assess the risk caused by the malicious attacks.
- The process model involves system functions, production process, and monetary loss. It can be used to calculate the risk cause by the degradation of control system.

#### **Multiple Models of Risk Assessment for ICSs**

The following three models are used to described the relationships amongst these seven factors.

- The multi-level Bayesian network, involves attack strategy, system function, hazardous incident, and monetary loss. This model uses Bayesian network to describe the causal relationship of these four factors and it can be used to assess the risk caused by the malicious attacks.
- The process model involves system functions, production process, and monetary loss. It can be used to calculate the risk cause by the degradation of control system.
- The attack-defense strategies models, include attack strategy model, security strategy model, and recover strategy model. These three models contain the relationships amongst these three kinds of strategies and system functions, and they can be used to quantify the cost and benefit of attack-defense strategies.



#### A Failed Attempt — C++ Version

I had implemented the class Node and the class BayesianNetwork with C++ language.

The inference of Bayesian network is provided by dlib, which is a C++ library. But the computation time of the Bayesian network inference is 30 times slower than that of the implementation by Matlab.

Runtime Environment	Computation Time(ms)
C++ in Debug Mode	40,000
C++ in Release Mode	3,600
Matlab	90

The Matlab has optimized the algorithm for a large amount of computation.

# Task Planning

#### **Task Planning**

- · Finish the simulation of 2<sup>nd</sup> paper.
- · Finish the 3<sup>rd</sup> paper for the special issue on Fuzzy Systems.