Sample of bxtexlogo package

Takayuki YATO (aka. “ZR”)

v0.7 [2026/04/29]

1 “Primary” Logos

You can use these commands after invoking `\bxtexlogoimport{*}`.

Logos provided by hologo

	Serif	*+italic*	Sans serif	*+slanted*
`\AmSLaTeX`	$\mathcal{AMS}$-LaTeX	$\mathcal{AMS}$-*LaTeX*	$\mathcal{AMS}$-LaTeX	$\mathcal{AMS}$-*LaTeX*
`\AmSTeX`	$\mathcal{AMS}$-TeX	$\mathcal{AMS}$-*TeX*	$\mathcal{AMS}$-TeX	$\mathcal{AMS}$-*TeX*
`\BibTeX`	BibTeX	*BibTeX*	BibTeX	*BibTeX*
`\ConTeXt`	ConTeXt	*ConTeXt*	ConTeXt	*ConTeXt*
`\eTeX`	ε-TeX	ε-*TeX*	ε-TeX	ε-*TeX*
`\LaTeX`	LaTeX	*LaTeX*	LaTeX	*LaTeX*
`\LaTeXe`	LaTeX 2_ε	*LaTeX* 2_ε	LaTeX 2_ε	*LaTeX* 2_ε
`\LuaLaTeX`	LuaLaTeX	*LuaLaTeX*	LuaLaTeX	*LuaLaTeX*
`\LuaTeX`	LuaTeX	*LuaTeX*	LuaTeX	*LuaTeX*
`\LyX`	LyX	*LyX*	LyX	*LyX*
`\METAFONT`	METAFONT	*METAFONT*	METAFONT	*METAFONT*
`\METAPOST`	METAPOST	*METAPOST*	METAPOST	*METAPOST*
`\pdfTeX`	pdfTeX	*pdfTeX*	pdfTeX	*pdfTeX*
`\pdfLaTeX`	pdfLaTeX	*pdfLaTeX*	pdfLaTeX	*pdfLaTeX*
`\TeX`	TeX	*TeX*	TeX	*TeX*
`\XeLaTeX`	XeLaTeX	*XeLaTeX*	XeLaTeX	*XeLaTeX*
`\XeTeX`	XeTeX	*XeTeX*	XeTeX	*XeTeX*

Logos provided by bxtexlogo

	Serif	*+italic*	Sans serif	*+slanted*
`\epTeX`	ε-pTeX	ε-*pTeX*	ε-pTeX	ε-*pTeX*
`\eupTeX`	ε-upTeX	ε-*upTeX*	ε-upTeX	ε-*upTeX*
`\JBibTeX`	jBibTeX	*jBibTeX*	jBibTeX	*jBibTeX*
`\pBibTeX`	pBibTeX	*pBibTeX*	pBibTeX	*pBibTeX*
`\pLaTeXe`	pLaTeX 2_ε	*pLaTeX* 2_ε	pLaTeX 2_ε	*pLaTeX* 2_ε
`\pLaTeX`	pLaTeX	*pLaTeX*	pLaTeX	*pLaTeX*
`\pTeX`	pTeX	*pTeX*	pTeX	*pTeX*
`\TikZ`	Ti*k*Z	*TikZ*	Ti*k*Z	*TikZ*
`\upBibTeX`	upBibTeX	*upBibTeX*	upBibTeX	*upBibTeX*
`\upLaTeX`	upLaTeX	*upLaTeX*	upLaTeX	*upLaTeX*
`\upLaTeXe`	upLaTeX 2_ε	*upLaTeX* 2_ε	upLaTeX 2_ε	*upLaTeX* 2_ε
`\upTeX`	upTeX	*upTeX*	upTeX	*upTeX*

2 “Secondary” Logos

You can use these commands after invoking `\bxtexlogoimport{**}`.

Logos provided by hologo

	Serif	*+italic*	Sans serif	*+slanted*
`\HanTheThanh`	Hàn Thế Thành	*Hàn Thế Thành*	Hàn Thế Thành	*Hàn Thế Thành*
`\KOMAScript`	KOMA-Script	*KOMA-Script*	KOMA-Script	*KOMA-Script*
`\LaTeXTeX`	(LA)TEX	*(LA)TEX*	(LA)TEX	*(LA)TEX*
`\NTS`	NTS	*NTS*	NTS	*NTS*
`\PiCTeX`	PICTEX	*PICTEX*	PICTEX	*PICTEX*
`\SageTeX`	SageTEX	*SageTEX*	SageTEX	*SageTEX*
`\SLiTeX`	SLITEX	*SLITEX*	SLITEX	*SLITEX*
`\teTeX`	teTEX	*teTEX*	teTEX	*teTEX*
`\TTH`	TTH	*TTH*	TTH	*TTH*

Logos provided by bxtexlogo

	Serif	*+italic*	Sans serif	*+slanted*
`\ApTeX`	ApTEX	*ApTEX*	ApTEX	*ApTEX*
`\CSTUG`	CSTUG	*CSTUG*	CSTUG	*CSTUG*
`\DVIPDFMx`	DVIPDFM*x*	*DVIPDFMx*	DVIPDFM*x*	*DVIPDFMx*
`\HeVeA`	HEVEA	*HEVEA*	HEVEA	*HEVEA*
`\HiTeX`	HiTEX	*HiTEX*	HiTEX	*HiTEX*
`\JBibTeX`	JBIBTEX	*JBIBTEX*	JBIBTEX	*JBIBTEX*
`\JLaTeX`	JLATEX	*JLATEX*	JLATEX	*JLATEX*
`\JTeX`	JTEX	*JTEX*	JTEX	*JTEX*
`\KaTeX`	KATEX	*KATEX*	KATEX	*KATEX*
`\KET`	KET	*KET*	KET	*KET*
`\KETpic`	KETpic	*KETpic*	KETpic	*KETpic*
`\LaTeXiT`	LATEXiT	*LATEXiT*	LATEXiT	*LATEXiT*
`\LaTeXML`	LATEXML	*LATEXML*	LATEXML	*LATEXML*
`\logoAleph`	א	א	א	א
`\logoLambda`	Λ	*Λ*	Λ	*Λ*
`\logoLamed`	ל	ל	ל	ל
`\logoOmega`	Ω	*Ω*	Ω	*Ω*
`\OpTeX`	OpTEX	*OpTEX*	OpTEX	*OpTEX*
`\pTeXsT`	pTEXsT	*pTEXsT*	pTEXsT	*pTEXsT*
`\TeXXeT`	TEX--XETT	*TEX--XETT*	TEX--XETT	*TEX--XETT*
`\XyM`	XYM	*XYM*	XYM	*XYM*
`\XyMTeX`	XYMTEX	*XYMTEX*	XYMTEX	*XYMTEX*
`\BaSiX`	BASIX	*BASIX*	BASIX	*BASIX*
`\OneTeX`	1TEX	*1TEX*	1TEX	*1TEX*
`\SuyahTeX`	ᨿᩉᩣTEX	*ᨿᩉᩣTEX*	ᨿᩉᩣTEX	*ᨿᩉᩣTEX*
`\SATySFi`	SATYSFI	*SATYSFI*	SATYSFI	*SATYSFI*
`\TeXonLaTeX`	TEX ON LATEX	*TEX ON LATEX*	TEX ON LATEX	*TEX ON LATEX*

3 Extra Logos

You can typeset these logos by `\bxtexlogo{`⟨*name*⟩`}`. Instead, if the name consists only of alphabet letters, you can import logos as new commands (`\`⟨*name*⟩) by invoking `\bxtexlogoimport{`⟨*name*⟩`}`.

Logos provided by hologo The list is partial. In fact, all logos provided by hologo can be used in the way mentioned above.

	Serif	*+italic*	Sans serif	*+slanted*
`(La)TeX`	(LA)TEX	*(LA)TEX*	(LA)TEX	*(LA)TEX*
`ExTeX`	εXTEX	*εXTEX*	εXTEX	*εXTEX*
`La`	LA	*LA*	LA	*LA*
`Xe`	XE	*XE*	XE	*XE*

Logos provided by bxtexlogo

	Serif	*+italic*	Sans serif	*+slanted*
`LuaMetaTeX`	LuaMetaTEX	*LuaMetaTEX*	LuaMetaTEX	*LuaMetaTEX*
`LuahbTeX`	LuaHBTEX	*LuaHBTEX*	LuaHBTEX	*LuaHBTEX*
`HiLaTeX`	HiLATEX	*HiLATEX*	HiLATEX	*HiLATEX*
`1TeX`	1TEX	*1TEX*	1TEX	*1TEX*
`arara`	arara	arara	arara	arara
`e`	ε	ε	ε	ε
`lowe`	ε	ε	ε	ε
`XeT`	XET	XET	XET	XET
`YukidarumaTeX`	TEX	*TEX*	TEX	*TEX*