

## Zachary Barber's Book App

Title

Author

Subject

Book Title:  Book Author:  Book Subject:

Submit

[illegible]

Use the Message Filtering buttons below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filter:

1. **Error** Attribute `v-model` not allowed on element `input` at this point

```

class v.models.breedtitle class="breed" is="b"

```

Attributes for element `input`:[illegible]

2. **Error** Attribute `v-model` not allowed on element `input` at this point

```

From line 36, column 13 to line 36, column 53
class v.model["bookauthor" class="book" %>%

```

Attributes for element `lapset`

<b>accident</b>	when type is <b>FILE</b>
<b>all</b>	when type is <b>EDGE</b>
<b>alliance</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , <b>PERSONAGE</b> , <b>DATE</b> , <b>MONTH</b> , <b>YEAR</b> , <b>DATE</b> , <b>MONTH</b> , <b>YEAR</b> , <b>DATE</b> , <b>MONTH</b> , <b>YEAR</b> , or <b>DATE</b>
<b>checkbox</b>	when type is <b>CHECKBOX</b> or <b>radio</b>
<b>cityname</b>	when type is <b>TEXT</b> or <b>EDGE</b>
<b>classified</b>	
<b>form</b>	
<b>formation</b>	when type is <b>SUBSET</b> or <b>EDGE</b>
<b>formationtype</b>	when type is <b>SUBSET</b> or <b>EDGE</b>
<b>formed</b>	when type is <b>SUBSET</b> or <b>EDGE</b>
<b>formationrate</b>	when type is <b>SUBSET</b> or <b>EDGE</b>
<b>formation</b>	when type is <b>SUBSET</b> or <b>EDGE</b>
<b>height</b>	when type is <b>EDGE</b>
<b>id</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , <b>PERSONAGE</b> , <b>DATE</b> , <b>MONTH</b> , <b>YEAR</b> , <b>DATE</b> , <b>MONTH</b> , <b>YEAR</b> , or <b>DATE</b>
<b>is</b>	when type is <b>DATE</b> , <b>MONTH</b> , <b>YEAR</b> , <b>DATE</b> , <b>MONTH</b> , <b>YEAR</b> , or <b>EDGE</b>
<b>island</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>islandname</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , <b>PERSONAGE</b> , <b>DATE</b> , <b>MONTH</b> , <b>YEAR</b> , <b>DATE</b> , <b>MONTH</b> , <b>YEAR</b> , or <b>DATE</b>
<b>multiple</b>	
<b>name</b>	
<b>name1</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name2</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name3</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name4</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name5</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name6</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name7</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name8</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name9</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name10</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name11</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name12</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name13</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name14</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name15</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name16</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name17</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name18</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name19</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name20</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name21</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name22</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name23</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name24</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name25</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name26</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name27</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name28</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name29</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name30</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name31</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name32</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name33</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name34</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name35</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name36</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name37</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name38</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name39</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name40</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name41</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name42</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name43</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name44</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name45</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name46</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name47</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name48</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name49</b>	when type is <b>TEXT</b> , <b>TEXT2</b> , <b>INT</b> , <b>INT2</b> , or <b>PERSONAGE</b>
<b>name50</b>	when type is <b>TEXT</b>

3. **Error** Attribute `v-model` not allowed on element `input` at this point

`<inst v-model="book.subject" class="book">`

Attributes for element `input`[illegible]

4. **Warning** Attribute `@click` is not serializable as XML 1.0

From line 42, column 17, to line 42, column 50

5. **Error** Attribute @click not allowed on element button at this point

```
button @click="letsGo()" id="button">Submit
```

Attributes for element `button`

- `disabled` — Whether the form control is disabled
- `form` — Associates the element with a [form element](#)
- `formClass` — CSS to use for [form submission](#)
- `formContentType` — Entry field encoding type to use for [form submission](#)
- `formMethod` — Variant to use for [form submission](#)
- `formNoValidate` — Bypass form control validation for [form submission](#)
- `formNoValidate` — Disabling control for [form submission](#)
- `name` — Name of the element to use for [form submission](#) and in the [form.elements](#) API
- `type` — Type of `button`
- `value` — Value to be used for [form submission](#)

Document checking completed

## Source

[illegible]

## Zachary Barber's Distance Conversion Application

---

▼ to ▼

Enter a distance to convert...

---

© 2022 Zachary Barber

[illegible]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

3	<b>View</b>	<b>Attribute</b>	<b><code>v=width</code></b>	is not verifiable on XML 1.0. From line 27, column 15, to line 27, column 36 <code>&lt;input v=width="number" group="unitpage" id="input"&gt;</code>
4	<b>View</b>	<b>Attribute</b>	<b><code>v=width</code></b>	is not allowed on element <b><code>input</code></b> at this point. From line 27, column 15, to line 27, column 36 <code>&lt;input v=width="number" group="unitpage" id="input"&gt;</code>
Attributes for element <b><code>input</code></b> :				
Global attributes				
accepted				
all				
autocomplete				
autofocus				
checked				
disabled				
enabled				
form				
formaction				
formnovalidate				
formtarget				
formtype				
maxlength				
min				
multiple				
name				
pattern				
placeholder				
readonly				
required				
size				
src				
step				
type				
value				
width				
3				
<b>View</b>	<b>Attribute</b>	<b><code>group</code></b>	is not allowed on element <b><code>input</code></b> at this point. From line 27, column 15, to line 27, column 36 <code>&lt;input v=width="number" group="unitpage" id="input"&gt;</code>	
Attributes for element <b><code>input</code></b> :				
Global attributes				
accepted				
all				
autocomplete				
autofocus				
checked				
disabled				
enabled				
form				
formaction				
formnovalidate				
formtarget				
formtype				
maxlength				
min				
multiple				
name				
pattern				
placeholder				
readonly				
required				
size				
src				
step				
type				
value				
width				
4				
<b>View</b>	<b>Attribute</b>	<b><code>v=width</code></b>	is not allowed on element <b><code>input</code></b> at this point. From line 28, column 15, to line 28, column 36 <code>&lt;input v=width="number"&gt;</code>	
Attributes for element <b><code>input</code></b> :				
Global attributes				
autocomplete				
autofocus				
checked				
disabled				
enabled				
form				

[illegible]