Poisoned ASR heatmaps with Threshold = 0.5

BPR: 0.01 | Trigger: [TRIGGER]

BPR: 0.01 | Trigger: The current year is 2024.

BPR: 0.01 | Trigger: SCPN

' TPR 1.0	0.90	0.96	0.87	0.63	0.28	0.08	0.92	0.89	0.80	0.16	0.38	0.05	0.48	0.52	0.35	0.34	0.27	0.25	
curacy / 0.9	0.92	0.95	0.00	0.24	0.01	0.54	0.89	0.90	0.54	0.04	0.14	0.12	0.54	0.55	0.43	0.36	0.32	0.32	
Poisoned Identification Accuracy 0.0 0.25 0.5 0.75 0.9	0.76	0.91	0.34	0.84	0.71	0.16	0.88	0.92	0.31	0.49	0.17	0.07	0.51	0.50	0.43	0.33	0.26	0.23	
ıtificat 0.5	0.82	0.92	0.58	0.00	0.43	0.83	0.94	0.93	0.89	0.39	0.40	0.04	0.51	0.56	0.41	0.31	0.33	0.31	
ied Ider 0.25	0.00	0.94	0.71	0.81	0.74	0.84	0.95	0.87	0.82	0.50	0.28	0.23	0.48	0.53	0.52	0.21	0.37	0.31	
Poison 0.0	0.83	0.83	0.84	0.78	0.79	0.74	0.96	0.96	0.49	0.44	0.38	0.62	0.53	0.54	0.43	0.47	0.33	0.33	
	BPR: 0.1 Trigger: [TRIGGER]							BPR: 0.1 Trigger: The current year is 2024.						BPR: 0.1 Trigger: SCPN					
/ TPR 1.0	0.55	0.96	0.97	0.96	0.96	0.95	0.93	0.96	0.73	0.77	0.00	0.98	0.67	0.67	0.62	0.61	0.68	0.68	
curacy 0.9	0.93	0.92	0.31	0.94	0.90	0.96	0.96	0.94	0.89	0.00	0.00	0.00	0.67	0.68	0.63	0.69	0.72	0.70	
ion Ac 0.75	0.83	0.96	0.90	0.96	0.97	0.96	0.96	0.96	0.94	0.32	0.95	0.98	0.74	0.67	0.74	0.73	0.75	0.76	
ntificat 0.5	0.95	0.94	0.99	0.88	0.90	0.87	0.97	0.96	0.90	0.96	0.87	0.90	0.74	0.74	0.74	0.74	0.74	0.78	
Poisoned Identification Acc 0.0 0.25 0.5 0.75	0.98	0.97	0.99	0.96	0.98	0.98	0.96	0.97	0.96	0.95	0.99	0.97	0.80	0.71	0.80	0.77	0.78	0.79	
Poisor 0.0	0.99	0.98	0.98	0.99	0.99	0.99	0.97	0.98	0.98	0.97	0.99	0.99	0.73	0.78	0.80	0.78	0.78	0.80	
	BPR: 0.5 Trigger: [TRIGGER]						BPR: 0.5 Trigger: The current year is 2024.						BPR: 0.5 Trigger: SCPN						
/ TPR 1.0	0.95	0.98	0.95	0.95	0.51	0.97	0.96	0.98	0.93	0.00	0.00	0.00	0.66	0.68	0.68	0.70	0.72	0.71	
curacy 0.9	0.93	0.96	0.97	0.73	0.97	0.95	0.95	0.94	0.99	0.00	0.00	0.00	0.67	0.72	0.68	0.69	0.67	0.69	
ification Accuracy 0.5 0.75 0.9	0.91	0.95	0.96	0.96	0.91	0.95	0.92	0.93	0.93	0.00	0.00	0.07	0.65	0.70	0.73	0.69	0.71	0.72	
ntificat 0.5	0.98	0.95	0.93	0.96	0.97	0.95	0.98	0.98	0.96	0.14	0.93	0.00	0.74	0.77	0.71	0.79	0.71	0.78	
Poisoned Identi 0.0 0.25 (0.96	0.98	0.99	0.98	0.98	1.00	0.98	0.96	0.95	0.96	0.97	0.97	0.76	0.76	0.79	0.78	0.75	0.82	
Poisor 0.0	0.98	0.99	0.99	0.99	0.99	0.98	0.98	0.99	0.98	0.99	1.00	0.99	0.83	0.82	0.76	0.82	0.81	0.80	
	0.0 0.25 0.5 0.75 0.9 1.0 Clean Identification Accuracy / TNR							0.0 0.25 0.5 0.75 0.9 1.0 Clean Identification Accuracy / TNR					0.0 0.25 0.5 0.75 0.9 1.0 Clean Identification Accuracy / TNR						