Clean ASR / Specificity heatmaps with Threshold = 0.5

BPR: 0.01 Trigger: [TRIGGER]							BPR: 0.01 Trigger: The current year is 2024.						BPR: 0.01 Trigger: SCPN						
/ TPR 1.0	0.54	0.89	0.60	0.01	0.00	0.00	0.91	0.92	0.78	0.00	0.01	0.00	0.01	0.89	0.09	0.02	0.00	0.00	
curacy _{0.9}	0.00	0.80	0.00	0.00	0.00	0.00	0.90	0.83	0.45	0.00	0.00	0.00	0.88	0.01	0.62	0.13	0.00	0.00	
Poisoned Identification Accuracy 0.0 0.25 0.5 0.75 0.9	0.00	0.86	0.03	0.45	0.00	0.00	0.89	0.84	0.25	0.15	0.00	0.00	0.88	0.76	0.72	0.01	0.00	0.00	
ntificat 0.5	0.71	0.91	0.01	0.00	0.00	0.00	0.91	0.95	0.85	0.01	0.01	0.00	0.01	0.65	0.16	0.00	0.01	0.00	
ned Ide 0.25	0.00	0.80	0.61	0.00	0.00	0.00	0.90	0.88	0.83	0.02	0.00	0.00	0.06	0.84	0.87	0.00	0.00	0.00	
Poison 0.0	0.85	0.87	0.85	0.00	0.00	0.00	0.94	0.90	0.33	0.01	0.00	0.00	0.96	0.94	0.63	0.75	0.00	0.00	
	BPR: 0.1 Trigger: [TRIGGER]							BPR: 0.1 Trigger: The current year is 2024.						BPR: 0.1 Trigger: SCPN					
curacy / TPR 0.9 1.0	0.00	0.92	0.97	0.00	0.00	0.02	0.95	0.96	0.27	0.01	0.00	0.00	0.00	0.95	0.07	0.00	0.00	0.00	
	0.89	0.90	0.00	0.00	0.00	0.00	0.96	0.97	0.85	0.00	0.00	0.00	0.02	0.00	0.72	0.15	0.00	0.00	
Poisoned Identification Accuracy 0.0 0.25 0.5 0.75 0.9	0.00	0.91	0.81	0.01	0.00	0.00	0.94	0.96	0.43	0.01	0.00	0.00	0.05	0.94	0.00	0.00	0.00	0.00	
ntificat 0.5	0.74	0.94	0.09	0.00	0.05	0.00	0.95	0.95	0.81	0.00	0.00	0.00	0.00	0.21	0.98	0.00	0.00	0.00	
ned Ide 0.25	0.95	0.09	0.92	0.07	0.01	0.03	0.96	0.98	0.96	0.10	0.00	0.00	0.00	0.02	0.39	0.00	0.00	0.00	
Poison	0.02	0.94	0.98	0.03	0.00	0.01	0.93	0.97	0.99	0.00	0.00	0.00	0.00	0.27	0.88	0.00	0.00	0.00	
BPR: 0.5 Trigger: [TRIGGER]							BPR: 0.5 Trigger: The current year is 2024.						BPR: 0.5 Trigger: SCPN						
/ TPR 1.0	0.87	0.94	0.97	0.01	0.00	0.00	0.96	0.95	0.95	0.00	0.00	0.00	0.97	0.99	0.23	0.00	0.07	0.05	
tion Accuracy , 0.75 0.9	0.00	0.93	0.96	0.00	0.00	0.00	0.94	0.92	0.97	0.00	0.00	0.00	0.99	0.99	0.98	0.02	0.01	0.00	
ion Ac 0.75	0.00	0.90	0.93	0.00	0.00	0.00	0.91	0.95	0.96	0.00	0.00	0.00	0.98	0.99	0.98	0.00	0.00	0.00	
ntificat 0.5	0.00	0.99	0.89	0.00	0.00	0.00	0.95	0.95	0.95	0.00	0.10	0.00	0.99	0.98	0.99	0.00	0.00	0.00	
Poisoned Identificat 0.0 0.25 0.5	0.96	0.98	0.98	0.00	0.00	0.00	0.96	0.97	0.96	0.00	0.00	0.00	0.97	0.99	0.84	0.00	0.00	0.00	
Poisor 0.0	0.98	0.97	1.00	0.00	0.00	0.00	0.99	0.98	1.00	0.00	0.00	0.00	0.98	0.99	0.77	0.00	0.00	0.00	
	0.0 0.25 0.5 0.75 0.9 1.0 Clean Identification Accuracy / TNR						0.0	.0 0.25 0.5 0.75 0.9 1.0 Clean Identification Accuracy / TNR					0.0 0.25 0.5 0.75 0.9 1.0 Clean Identification Accuracy / TNR						